

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: A01K 67/027, C12N 9/16	A1	(11) International Publication Number: WO 00/64247 (43) International Publication Date: 2 November 2000 (02.11.00)
(21) International Application Number: PCT/CA (22) International Filing Date: 20 April 2000 ( (30) Priority Data: 60/130,508 23 April 1999 (23.04.99) (71) Applicant (for all designated States except US): UNIVOF GUELPH [CA/CA]; College of Biological Guelph, Ontario N1G 2W1 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): FORSBERG, [CA/CA]; 44 Hands Drive, Guelph, Ontario N (CA). GOLOVAN, Serguei [CA/CA]; 89–252 St Guelph, Ontario N1G 2V7 (CA). PHILLIPS, [US/CA]; General Delivery, Arkell, Ontario N0B (74) Agents: CHARI, Santosh, K. et al.; Orange & Chari King Street West, P.O. Box 190, Toronto Domit Tower, Toronto—Dominion Centre, Toronto, Ont 1H6 (CA).	Cecil, None Road John, 1C0 (C/2, 4900–nion Ba	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published  With international search report.  Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

## (54) Title: TRANSGENIC ANIMALS EXPRESSING SALIVARY PROTEINS

#### (57) Abstract

The invention provides a transgenic animal having within its genome a transgene construct for gastrointestinal tract specific expression of a protein. In a preferred embodiment, the protein is a phytase or a homologue thereof. Such proteins may be heterologous and may be specifically expressed in the salivary gland of the animal by operably linking the nucleic acid sequence encoding the protein with regulatory sequence including a salivary gland protein promoter/enhancer. Also provided are methods of expressing and producing proteins using such nucleic acid constructs. Further, antibodies specific to such proteins and immunological diagnostic kits are also provided.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
	AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
	AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
	AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
	AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
	BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
	BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
	BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
	BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
	BR	Brazil	II,	Israel	MR	Mauritania	UG	Uganda
	BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
	CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
	СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
1	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
	CM	Cameroon		Republic of Korea	PL	Poland		
	CN	China	KR	Republic of Korea	PT	Portugal		
	CU	Cuba	KZ	Kazakstan	RO	Romania		
	CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
	DE	Germany	น	Liechtenstein	SD	Sudan		
	DK	Denmark	LK	Sri Lanka	SE	Sweden		
	EE	Estonia	LR	Liberia	SG	Singapore		

# TRANSGENIC ANIMALS EXPRESSING SALIVARY PROTEINS

#### FIELD OF THE INVENTION

5

10

15

20

25

30

The present invention relates to transgenic animals and, more specifically, to animals genetically modified to express a desired protein.

#### BACKGROUND OF THE INVENTION

Phosphorus is an essential element for the growth of all organisms. In livestock production, phosphorus deficiency has been described as the most prevalent mineral deficiency throughout the world and feed must often be supplemented with inorganic phosphorus in order to obtain desired growth performance of monogastric animals (e.g. pigs, poultry etc.).

Phytic acid, or phytate, (*myo*-inositol 1,2,3,4,5,6-hexakis dihydrogen phosphate) is a major storage form of phosphorus in cereals and legumes, representing 18% to 88% of the total phosphorus content (Reddy *et al.* 1982). The enzyme phytase (*myo*-inositol hexakisphosphate phosphohydrolase) belongs to the group of phosphoric monoester hydrolases: it catalyzes the hydrolysis of phytate (*myo*-inositol hexakis phosphate) to inorganic monophosphate and lower phosphoric esters of *myo*-inositol or, in some cases, free *myo*-inositol. Phytases are classified either as 3-phytases or 6-phytases based on the first phosphate group attacked by the enzyme. 3-phytase is typical for microorganisms and 6-phytase for plants (Cosgrove, 1980).

Phytase is either absent or present at a very low levels in monogastric animals (Bitar and Reinhold 1972; Iqbal et al. 1994). Consequently, dietary phytate is not digested or absorbed from the small intestine and instead is concentrated in fecal material, thereby contributing to phosphorus pollution in areas of intensive livestock production. Runoff from animal farms leads to contamination of rivers and streams. Such runoff has resulted in rapid drops in the oxygen concentration in rivers and streams due to excessive algal growth in water, which, in turn, has led to an increase in the mortality rate of fish and existing flora and fauna. This is becoming a global problem as pig and poultry production is increased (Miner 1999;Mallin 2000). Furthermore, phytic acid is viewed as an anti-nutritional factor because it interacts with essential dietary minerals and proteins limiting the nutritional values of cereals and legumes in man and animals (Harland and Morris 1995).

10

15

20

25

PCT/CA00/00430

For the above reasons, various attempts have been made to enable animals to utilize available phytate in feed. Such attempts have included production of low phytate plants (Abelson 1999), addition of phytase to the animal feed (Simons et al. 1990) (Stahl et al. 1999) or transformation of the fodder plants to produce the required phytase (Pen et al. 1993, Verwoerd et al. 1995). A combination of these options, the feeding of phytase to poultry receiving low phytate corn has also been tested (Huff et al. 1998). However, these solutions increase the cost of animal production. Also because phytase is an enzyme, it is susceptible to inactivation by heat and moisture and is generally unstable at the high temperatures used for feed pelleting.

The primary phytase used for supplementing animal feeds is from Asperigillus sp.; however, phytases are produced by a large number of plants and microorganisms (Wodzinski and Ullah 1996) (Dvorakova 1998). A phytase produced by Escherichia coli has been reported to exhibit the highest activity of those reported (Wodzinski and Ullah 1996). This phytase from E. coli was initially cloned as an acid phosphatase gene that was designated APPA (Dassa et al. 1990). Greiner et al. (1991; 1993) purified phytase from E. coli and reported that some of the kinetic properties of the acid phosphatase activity of the native phytase of E. coli were similar to those of the APPA-encoded acid phosphatase. However, the authors did not clone the phytase gene to prove that it was identical to APPA gene. We have subsequently cloned, overexpressed and characterized APPA gene, and shown that the E. coli gene APPA codes for a bifunctional enzyme exhibiting both phytase and acid phosphatase activities (Golovan et al. 2000). Phytases exhibit phosphatase activity, however the relative activities differ widely among enzymes (Wodzinski and Ullah 1996).

Therefore, there is a need for an improved method of allowing access by animals to phytase so as to enable efficient phytate metabolism and, thereby reducing phosphate pollution.

In the field of protein production using recombinant methods, one of the associated problems relates to the lack of required glycosylation. Therefore, a method of producing such glycoproteins is also needed.

#### 30 SUMMARY OF THE INVENTION

In one embodiment, the invention provides a transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a heterologous transgene construct, the construct including a transgene encoding a protein, the

10

15

20

25

30

transgene being operably linked to a first regulatory sequence for salivary gland specific expression of the protein.

In another embodiment, the invention provides a transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a heterologous transgene construct, the construct including a transgene encoding phytase or a homologue thereof.

In yet another embodiment, the invention provides a method of expressing a protein, the method comprising the steps of:

- a) introducing a transgene construct into a non-human animal embryo such that a non-human transgenic animal that develops from the embryo has a genome that comprises the transgene construct, wherein the transgene construct comprises:
  - i) a transgene encoding the protein, and
  - ii) at least one regulatory sequence for gastrointestinal tract specific expression of the protein,
  - b) transferring the embryo to a foster female; and,
  - c) developing the embryo into the transgenic animal wherein the transgene is produced in the gastrointestinal tract of the animal.

In a further embodiment, the invention provides a transgenic animal adapted for expressing a protein according to the above method. The invention also provides for the progeny of such animal.

In another embodiment, the invention provides a process for producing a protein comprising the steps of:

- a) obtaining saliva containing the protein from a non-human transgenic animal, the animal containing within its genome a transgene construct, wherein the transgene construct comprises:
  - i) a transgene encoding the protein, and
  - ii) at least one regulatory sequence for salivary gland specific expression of the protein, and

extracting the protein from the saliva.

- In a further embodiment, the invention provides a method for expressing a phytase or a homologue thereof in a non-human animal, the method comprising:
  - a) constructing a nucleic acid sequence including a transgene construct comprising:
    - i) a transgene encoding the phytase or a homologue thereof, and

15

20

25

30

- ii) at least one regulatory sequence for gastrointestinal tract specific expression of the protein, and
- b) transfecting the animal with the nucleic acid sequence; whereby the animal carries within the genome of its somatic and/or germ cells the transgene construct and wherein the animal expresses the phytase or a homologue thereof in its gastrointestinal tract.

In another embodiment the invention provides a nucleic acid molecule comprising a nucleic acid sequence including a gene encoding a protein, the gene being operably linked to at least one regulatory sequence for gastrointestinal tract specific expression of the protein.

In another embodiment the invention provides an antibody specific to the protein expressed by the above nucleic acid sequence and a test kit for immunologically detecting such protein. The invention also provides for hybridomas secreting such antibodies.

In another embodiment the invention provides cells that are transfected with the above nucleic acid sequence.

In another embodiment, the invention provides a method for producing a protein molecule comprising a glycosylated protein secreted in the saliva that exhibits a novel physiological activity. One example of such an activity is phytase.

# BRIEF DESCRIPTION OF THE DRAWINGS

These and other features of the preferred embodiments of the invention will become more apparent in the following detailed description in which reference is made to the appended drawings wherein:

Figure 1 is a schematic diagram representing a method for producing the gene construct of the present invention containing the inducible proline-rich protein (PRP) promoter/enhancer. More specifically, Figure 1 is a schematic diagram illustrating the steps in the construction of the transgenes R15/APPA+intron and R15/APPA used for the generation of transgenic mice.

Figure 2 is a schematic diagram representing a method for producing the gene construct of the present invention containing the SV40 promoter. More specifically, Figure 2 is a schematic diagram illustrating the steps in construction of the plasmid containing the transgene SV40/APPA+intron that was introduced by transfection into mammalian cell lines.

Figure 3 is a schematic diagram representing a method for producing the gene construct of the present invention containing the constitutive parotid secretory protein (PSP) promoter/enhancer. More specifically, Figure 3 is a schematic diagram illustrating the steps

10

15

20

25

30

PCT/CA00/00430

in construction of the transgenes Lama2/APPA that codes for the native AppA phytase and the Lama2/PSP/APPA that codes for the AppA phytase with the PSP signal peptide sequence.

Figure 4 is a schematic diagram of the Lama2-APPA plasmid containing the APPA transgene.

Figure 5 illustrates the nucleic acid sequence of the Lama2/APPA plasmid containing the E. coli APPA gene (SEQ ID NO: 1).

Figure 6 illustrates the PCR results for transformed mice. More specifically, figure 6 is a picture of an agarose gel illustrating APPA PCR products from genomic tail DNA of third generation offspring from the transgenic female founder mouse 3-1 generated using the Xho1 and Not1 fragment of the Lama2/APPA construct. A second generation phytase gene positive male was crossed with each of two phytase positive transgenic females 9f and 11f (Table 3). From litter 18m x 9f offspring 3, 4, 5 & 6 are PCR positive and from litter 18m x 11f offspring 2 and 3 are PCR positive. Std is the oligonucleotide standard and the numbers on the left are the bp sizes of the standard. Lane C is a negative control reaction mixture that lacks a DNA template and appA is a positive control containing an amplified segment of the phytase gene. The primers used were APPA-UP2 and APPA-KPN.

Figure 7 illustrates the PCR results for transformed founder pigs. More specifically, Figure 7 is a picture of an agarose gel illustrating phytase gene PCR products and  $\beta$ -globin PCR products from genomic tail DNA of five founder piglets from litter 167. Std is a 1 kb ladder. Lane 2 using the phytase primer set is positive for the phytase gene, and all of the samples were positive for the  $\beta$ -globin gene. Lane C is a negative control not containing template DNA. The phytase transgene primer set included APPA-UP2 and APPA-KPN gave an expected fragment size of 750 bp. The primer set for the  $\beta$ -globin gene included PIG-BGF and PIG-BRG gives an expected fragment size of 207 bp.

Figure 8 illustrates the PCR results for transgene rearrangement tests. More specifically, Figure 8 is a picture of an agarose gel showing the PCR products of four separate primer sets used to amplify different segments of the transgene introduced into pig 167-02. The Std contained a kilobase DNA ladder. The primers used included lane 1, APPA-UP2 and APPA-KPN (750 bp); lane 2, APPA -MATURE and APPA-KPN (1235 bp); lane 3 APPA MATURE and APPA-DOWN2 (608 bp); lane 4, PIG-BGF and PIG-BGR (207 bp). lane 5, a negative control without DNA template added; lane 6, the appA gene & primers APPA-UP2 and APPA-KPN. The numbers on the left indicate the sizes of the bands in the standard. No PCR products were detected in the absence of either DNA template or primers.

Figure 9 illustrates weight and salivary phytase activity of the transgenic boar 167-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 167-02, 

•; Average weight ± SD of four penmates, A; phytase activity of 167-02, E; Phytase specific activity, 

. Arrows indicate sampling for fecal phosphorus concentration.

Figure 10 illustrates weight and salivary phytase activity of the transgenic boar 282-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 282-02, •; Average weight ± SD of five penmates, •; phytase activity of 282-02, •; Phytase specific activity, □. Arrows indicate sampling for fecal phosphorus concentration.

<sub>.</sub>5

10

15

20

25

30

Figure 11 illustrates weight and salivary phytase activity of the transgenic boar 282-04 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 282-04, • Average weight ± SD of five penmates, • phytase activity of 282-04, • Phytase specific activity, □. Arrows indicate sampling for fecal phosphorus concentration.

Figure 12 illustrates weight and salivary phytase activity of the transgenic boar 405-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 405-02, •; Average weight ± SD of four penmates, •; phytase activity of 405-02, •; Phytase specific activity, □. Arrows indicate sampling for fecal phosphorus concentration.

Figure 13 illustrates weight and salivary phytase activity of the transgenic boar 421-06 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 421-06,  $\blacksquare$ ; Average weight  $\pm$  SD of four penmates,  $\blacktriangle$ ; phytase activity of 421-06,  $\blacksquare$ ; Phytase specific activity,  $\square$ . Arrows indicate sampling for fecal phosphorus concentration.

Figure 14 illustrates the PCR results of first generation pigs. More specifically, Figure 14 is a picture of an agarose gel showing the PCR analysis of eight liter 154 piglets. The phytase transgenic boar 167-02 was used to breed a non-transgenic female. Std, 100 bp ladder, numbers on left are the sizes of the fragments in each band in bp; lane 167-02, DNA from boar 167-02 1, DNA from 167-02; lane C, is a lane without added DNA; lanes 1-8, are amplified DNA inserts from each of the offspring piglets of the litter. Phytase primers were Lama-UP and APPA-DOWN4. β-globin primers were PIG-BGF and PIG-BGR.

Figure 15 illustrates a sodium dodecylsulfate gel stained with silver demonstrating the sizes of the *E. coli* produced APPA phytase and the APPA phytase produced by the pig and a demonstration that the pig phytase is glycosylated. More specifically, Figure 15 is a picture of a sodium dodecylsulfate polyacrylamide gel electrophoresis (SDS-PAGE) profile of the purified AppA phytase produced in *E. coli* and the purified pig salivary phytase stained directly with silver (A) and a transfer from a similar SDS-PAGE gel transferred to

10

15

20

25

nitrocellulose and stained for glyoproteins (B). Creatinase is not glycosylated while transferring is glycosylated. The numbers on the left are the masses in of the molecular mass standards (Std) expressed in kDa.

Figure 15B is a picture of Western blot of the untreated pig AppA phytase and the same phytase after treatment with a combination of three deglycosylating enzymes. Lane 1, Purified AppA phytase produced in E. coli (untreated); lane 2, purified pig phytase (untreated); lane 3, purified pig phytase treated with the combination of deglycosylating enzymes including N-glycosidase F, O-glycosidase and neuraminidase.

Figure 16 illustrates a Western blot of the pig phytase and the *E. coli* produced APPA phytase using monoclonal antibodies directed to the APPA phytase documenting that they have homologous epitopes. More specifically, Figure 6 is a Western blot of the AppA phytase from pig saliva after various purification steps and of purified phytase produced in *E. coli*. A monoclonal antibody prepared against the *E. coli* phytase was used as the primary antibody for detection. Lane 1, saliva from non-transgenic pig 164-04; lane 2, saliva from transgenic pig 167-02; Lane 3, saliva fraction not bound to DEAE-Sepharose; lane 4, salivary phytase bound to DEAE-Sepharose and released with an NaCl gradient; lane 5, salivary phytase further purified by Chromatofocusing with a pH gradient of 4 to 7; lane 6, phytase purified from *E. coli*. The numbers on the left are the masses of molecular mass standards (not shown) expressed in kDa.

Figure 17 illustrates an SDS-Page of the *E. coli* APPA phytase, saliva samples from phytase negative and positive pigs and mice and a corresponding Western blot documenting that phytases from all three sources have homologous antigenic epitopes, but the animal phytases are larger than that produced in *E. coli*. More specifically, Figure 6 is a SDS-PAGE profile of the purified *E. coli* produced AppA phytase and the AppA phytases produced by pigs and mice stained with silver (A) and a Western blot of an identical set of protein samples (B). A polyclonal antibody prepared against the *E. coli* phytase was used as the primary antibody for detection. Lane 1, Purified AppA phytase produced in *E. coli*; lane 2, Saliva from a non-transgenic pig 164-01; lane 3, Saliva from a AppA producing transgenic pig 167-02; lane 4, Purified phytase from pig 167-02; lane 5, Saliva from a non-transgenic mouse; lane 6, Saliva from a transgenic mouse containing R15/APPA transgene induced with isoproterenol; lane 7, Saliva from a transgenic mouse containing the Lama/APPA transgene; Std, Molecular mass markers. The numbers on the left are the masses of molecular mass standards (not shown) expressed in kDa.

10

20

25

30

PCT/CA00/00430 WO 00/64247 8

Figure 18 illustrates the nucleic acid sequence of the known segment of the R15/APPA + intron plasmid including the vector sequences of pBLCAT3 (SEQ ID NO:2).

Figure 19 illustrates the nucleic acid sequence of the known segment of the R15/APPA + intron transgene construct used for the generation of transgenic mice (SEQ ID NO:3).

Figure 20 illustrates the nucleic acid sequence of the known segment of the R15/APPA plasmid including the vector sequences of pBLCAT3 (SEQ ID NO:4).

Figure 21 illustrates the nucleic acid sequence of the known segment of the R15/APPA transgene construct used for the generation of transgenic mice (SEQ ID NO:5).

Figure 22 illustrates the nucleic acid sequence of the SV40/APPA + intron plasmid (SEQ ID NO:6).

Figure 23 illustrates the nucleic acid sequence of the Lama2/APPA transgene construct used for the generation of transgenic mice and transgenic pigs (SEQ ID NO: 7).

#### DESCRIPTION OF THE PREFERRED EMBODIMENTS 15

In the following description, a number of recombinant DNA technology terms are used. The following definitions have been provided in order to enable a clearer understanding of the specification and appended claims:

"Promoter" - a DNA sequence generally described as the 5' region of a gene and located proximal to the start codon. The transcription of an adjacent gene is initiated at the promoter region. If a promoter is an inducible promoter then the rate of transcription increases in response to an inducing agent. A constitutive promoter is one that initiates transcription of an adjacent gene without additional regulation.

"Operably Linked" - a nucleic acid sequence is "operably linked" when placed into a functional relationship with another nucleic acid sequence. For instance, a promoter or enhancer is "operably linked" to a coding sequence if the promoter causes the transcription of the sequence. Generally, operably linked means that the linked nucleic acid sequences are contiguous and, where it is necessary to join two protein coding regions, contiguous and in one reading frame.

"Phytase" - any protein that liberates phosphate from myo-inositolhexakis-phosphate or other inositol phosphates. Its catalytic capability may be limited to phytic acid or one of its salts, or it may show less specificity and hydrolyze a variety of phosphorylated compounds.

PCT/CA00/00430 WO 00/64247 9

"Gene" - a DNA sequence that contains a template for an RNA polymerase and contains information needed for expressing a polypeptide or protein.

"Polynucleotide Molecule" - a polydeoxyribonucleic (DNA) acid molecule or a polyribonucleic acid (RNA) molecule.

"Expression" - the process by which a polypeptide is produced from a structural gene.

"Cloning vehicle" - is a plasmid or phage DNA or other DNA sequence which is capable of carrying genetic information into a host cell. A cloning vehicle is often characterized by one or more endonuclease recognition sites at which such DNA sequences may be cut in a determinable fashion without loss of an essential biological function of the vehicle. A cloning vehicle is a DNA sequence into which a desired DNA may be spliced in order to bring about its cloning into the host cell.

"Vector" - is a term also used to refer to a cloning vehicle.

5

10

15

20

25

30

"Plasmid" - is a cloning vehicle generally comprising a circular DNA molecule that is maintained and replicates autonomously in at least one host cell.

"Expression vehicle" - a vehicle or vector similar to a cloning vehicle but which supports expression of a gene that has been cloned into it, after transformation of a host. The cloned gene is usually placed under the control of (i.e. is operably linked to) certain control sequences such as promoter sequences.

"Host" - a cell that is utilized as the recipient and carrier of recombinant material.

"Homologous" - refers to a nucleic acid molecule that originates from the same genus or species as the host.

"Heterologous" - refers to a nucleic acid molecule that originates from a different genus or species than that of the host.

"Glycoprotein" - refers to a peptide molecule that has undergone glycosylation.

"Glycosylation" - refers to the addition of carbohydrate groups to a amino acid residues of a peptide molecule.

In recent years, transgenic animals have been developed for many purposes (Pinkert et al. 1990) (Wall et al. 1997). One premise, therefore, for the present invention is that by providing a transgenic animal capable of expressing phytase, the problems discussed above would be obviated. The options for heterologous phytase expression in animals include (i) salivary gland secretion of a phytase, (ii) pancreatic secretion of the enzyme into the small intestine along with the digestive enzymes, or (iii) secretion from the intestinal epithelial cells much like that of indigenous alkaline phosphatase and glycosidases (Low, 1989). The E. coli phytase would appear to be best suited for hydrolytic activity in the monogastric stomach

PCT/CA00/00430

5

10

15

20

25

30

10

because the enzyme has a pH optimum in the range of 2.5 to 4.5 and it is resistant to pepsin, the predominant protease active in the stomach. The phytase has a periplasmic location in *E. coli* and has an N-terminal signal peptide sequence (Golovan et al., 1999) that seemed optimally adapted for secretion from the parotid gland. Phytase could be expressed in either the pancreas for secretion into the small intestine or it could be expressed in the intestinal epithelial tissue and secreted into the intestinal milieu. However, if these choices of expression locations were chosen, it would be necessary to select an enzyme active at the more neutral pH of the small intestine and one which was more resistant to pancreatic enzymes including trypsin, chymotrypsin and elastase.

Factors of importance in terms of the expressed enzyme when selecting a phytase for expression in the gastrointestinal tract include a pH that is optimum for activity, high catalytic activity, broad substrate specificity, and protease resistance. If any of these properties, or indeed others, is not acceptable, there are now sophisticated molecular methods for modifying the properties of an enzyme. These include site directed mutagenesis, random mutagenesis and various modifications of DNA shuffling (Harayama, 1998; Crameri et al., 1998).

Synthesis of phytase in the salivary gland and secretion in the saliva would, therefore, provide for early contact of the enzyme with phytic acid present in the feed and provide sufficient time for hydrolysis.

The salivary gland system of the pig consists of three pairs of glands, the parotid gland, which secretes through a duct on each cheek, and mandibular and submaxillary glands that have joint ducts that secrete beneath the front on the tongue. Saliva secreted in the pig via these ducts is discontinuous and is produced during consumption of solid foods, and can equal the weight of food consumed when water is limited during feed consumption (Corring, 1980; Arkhipovets, 1956). For example, the quantity of saliva produced by a 45 kg pig can vary from near zero when the pig receives a mainly liquid diet to 500 g when a dry diet is consumed without access to water. The salivary glands of the pig secrete amylase (Rozhkov and Galimov, 1990) and a variety of other salivary proteins and mucopolysaccharides.

To our knowledge no porcine genes coding for salivary proteins have been cloned. However, genes coding for major proteins secreted by the rat and mouse have been cloned and characterized. A multigene family encoding a group of unique proteins high in proline, the so-called proline-rich proteins (PRPs) are produced when either mice or rats consume tannins or are injected with isoproterenol.

It would be advantageous to develop an animal that is transformed to express phytase, preferably in the salivary gland. In such case, the phytate naturally occurring in the animal feed can be utilized by the animal without any additives being used. This will decrease the cost of animal production, and furthermore, will avoid polluting the environment with phosphorus. Therefore, the present invention aims to overcome the deficiencies of the prior art relating to increasing phytate utilization and, particularly, to provide transgenic animals which express phytase.

In the production of heterologous proteins by means of recombinant methods, several hurdles have been faced. One such hurdle that is often faced is the lack of required post-translational modification of the expressed protein thereby resulting in a protein that is structurally and/or functionally, different from the desired molecule. Glycosylation is one such post-translational modification that is desired. However, such modification is generally found to occur in more complex mammalian systems. Therefore in one embodiment of the present invention there is provided a method of producing recombinant glycoproteins.

In one embodiment, the present invention provides an animal capable of inducible or constitutive salivary expression of a heterologous protein. To illustrate this, the mouse was chosen as the animal model and the gene constructs used for transformation were created using the rat proline-rich protein (PRP) promoter/enhancer (inducible promoter) and the mouse parotid secretory protein (PSP) promoter/enhancer (constitutive promoter). In this illustration, phytase was used for expression in saliva.

After finding that an inducible phytase could be expressed in the parotid gland of mice the expression of the phytase transgene under the control of the constitutive PSP promoter was then tested. Two mice transgenic for the PSP construct were produced under contract at the University of Alabama.

Following the testing of the mice described above, transgenic pigs were developed by introduction into the genome a phytase transgene consisting of a constitutive promoter driving the synthesis of a highly active phytase. The pigs so generated were found to excrete less phosphorus in their feces than non-transgenic pigs.

# 30 Expression in the Salivary Glands

5

10

15

20

25

Saliva is a clear colorless fluid secreted by major salivary glands (parotid, submandibular, sublingual and minor salivary) that lubricates and cleans the oral structure, as well as initiates the process of digestion. The parotid glands are two of six major glands associated with the production of saliva. The parotid gland is composed mainly of two cell

types: acinar and interglobular duct cells. The acinar cells, which represent 75 to 85% of the tissue, are the sites of secretory protein synthesis (Frandson and Spurgeon 1992). Two very abundant proteins are produced by these cells: α-amylase (AMY-1) (2% of polyA RNA) (Madsen and Hjorth 1985), and parotid secretory protein (PSP) (10% of polyA RNA) (Shaw and Schibler 1986). Several constructs are now available which allow tissue-specific expression of a transgene in the salivary glands of mice.

The salivary secretion in pigs has not received the attention given to that of mice and humans. It was suggested that salivary secretion is discontinuous (less secreted between periods of meal consumption). Up to 500 g of saliva may be secreted by a 45 kg pig upon consumption of 500 g of dry feed (Corring 1980). Wide variations were detected in both the flow rate and electrolytes in saliva between animals and even between samples taken from the same animal on separate days (Tryon and Bibby 1966). Very little is known about the composition of pig's saliva or salivary enzymes. Salivary amylase was detected, although the quantity was 250 000 times less than that of pancreatic amylase, and 100 times less than in human saliva (Low 1989). There are no constructs known which would allow salivary gland-specific expression of transgene in pigs.

# I) APPA Gene Under Control Of An Inducible Promoter

10

15

25

30

# 20 1) Construction of R15/APPA constructs (Inducible Promoter)

In this process, a plasmid is constructed by linking a promoter/enhancer for a saliva protein with the APPA gene, which codes for the bifunctional phytase, acid phosphatase. The APPA gene used in this construction was cloned from E. coli ATCC 33965 into pBR322. This is described above (Golovan et al., 2000).

Proteins, unusually high in proline, the so-called proline-rich proteins (PRPs), comprise about 70% of the total proteins in human saliva (Bennick 1982). Unlike the constitutive expression of the PRPs in humans, the salivary glands of mice, rats and hamster normally either do not express PRPs or express them in low levels. In the rat and mouse, PRP gene expression can be dramatically induced by diets high in tannins or by injection with the  $\beta$ -agonist isoproterenol (Carlson 1993). After 6 to 10 days of daily isoproterenol injection the PRPs comprised about 70% of the total soluble protein in parotid gland extracts. PRP cDNA and PRP genes have been cloned and characterized from rats (Clements *et al.* 

PCT/CA00/00430 WO 00/64247 13

1985), mice (Ann and Carlson 1985), hamsters (Mehansho et al. 1987), and humans (Kim and Maeda 1986).

5

10

15

20

25

30

Transgenic mice were used to locate the cis-acting DNA elements that are essential for salivary-specific and inducible expression of the rat proline-rich protein gene, R15. It was found that a parotid control region (-6 to -1.7 kb) upstream of the R15 promoter is capable of directing parotid-specific and isoproterenol-inducible expression of a heterologous promoter construct (Tu et al. 1993). The distal -10 to -6 kb region was shown to function as an enhancer, which can increase levels of expression more than 30-fold. The -6 to -1.7 kb region also seems to function as a locus control region (LCR), because it conferred copy number-dependent and chromosomal position-independent expression of a reporter gene in 15 out of 15 independent transgenic mice (Tu, Lazowski, Ehlenfeldt, Wu, Lin, Kousvelari, and Ann 1993).

We obtained the R15-PRP promoter from Dr. D.K. Ann as a plasmid -10R15/CAT, which placed the chloramphenicol acetyltransferase gene (CAT) under control of the inducible R15-PRP promoter. We decided to use the plasmid as a basis for transgene construction (Figure 1). Due to the absence of complete sequence information about the R15-PRP promoter (only 2 kbp out of 10 kbp was sequenced) we removed the R15-PRP promoter by Xho I digestion (Figure 1, step 1). Re-ligated plasmid was used as a template for PCR with CAT-ATG and CAT-TAA synthetic primers. The 4.3 kbp CAT<sub>PCR</sub> fragment had the initiation site of the CAT gene substituted with the optimal eukaryotic initiation sequence (Kozak 1987). The fragment was purified by agarose gel electrophoresis, re-ligated to itself and used to transform E. coli (Figure 1, step 2). The CATPCR plasmid was digested with Nco I and filled-in using T4 DNA polymerase to generate a blunt end. After that, the CAT<sub>PCR</sub> fragment was digested with Eco47III and purified by agarose gel electrophoresis (Figure 1, step 3). Three rare codons in the APPA gene were modified during the sub-cloning steps leading to the construction of the transgene. Specifically, the Ala<sub>3</sub> coding sequence was changed from GCG to GCC, the Pro428 sequence was changed from CCG to CCC, and the Ala429 sequence was changed from GCG to GCT. This modification was made in order to increase the possibility of transcription of the gene in eukaryotic cells. The APPA gene was amplified by PCR using the previously cloned APPA gene from the pBR322/APPA plasmid with the synthetic primers APPA-DRA and APPA-SMA. The 1.3 kbp APPA<sub>PCR</sub> fragment generated by PCR was digested with Dra I and Sma I and gel-purified (Figure 1, step 4). APPA<sub>PCR</sub> and CAT<sub>PCR</sub> fragments were blunt end ligated to produce CAT/APPA+intron

vector (Figure 1, step 5), which was introduced into a DH5a strain of E. coli. The insert orientation was checked by restriction digest with Sal I and EcoR I. The transgene in CAT/APPA+intron was checked by sequencing both strands. To remove the SV40 small t intron the 2.3 kbp APPA/intron/polyA fragment was excised from a plasmid by Xho I and EcoR I digestion (Figure 1, step 6a), gel purified and digested by Dra I (Figure 1, step 6b). The 1.5 kbp (APPA) and 0.2 kbp (polyA) fragments were gel-purified and linked together in three way ligation with CATPCR digested with Xho I and EcoR I (Figure 1, step 6c). The resulting plasmids CAT/APPA and CAT/APPA+intron were digested with Xho I, gelpurified and re-ligated with R15-PRP promoter digested with Xho I (Figure 1, step 7). Because of the low efficiency of ligation the whole ligation mixture was used to transform 10 E.coli, total plasmid DNA was prepared and run on the agarose gel. Plasmids which were larger than the original CAT/APPA (5.6 kbp) were eluted and re-transformed in E.coli. Plasmids with the R15-PRP insert (15 kbp) were identified by electrophoresing DNA from a single colony on an agarose gel. The correct orientation was identified by PCR with R15-UPland APPA-DOWN2 synthetic primers. The plasmids R15/APPA and R15/APPA+intron 15 were both digested with Hind III and Kpn I; transgenes were gel-purified and further purified using a Oiagen column (Figure 1, step 8).

Figure 18 illustrates the nucleic acid sequence for the plasmid containing the known segment of the R15/APPA + intron sequence including the vector sequences of pBLCAT3. The sequence of this plasmid is designated as SEQ ID NO:2.

20

25

30

Figure 19 illustrates the nucleic acid sequence for the transgene construct containing the known segment of the R15/APPA + intron sequence used for the generation of transgenic mice. The sequence of this transgene is designated as SEQ ID NO:3.

Figure 20 illustrates the nucleic acid sequence for the plasmid containing the known segment of the R15/APPA sequence including the vector sequences of pBLCAT3. The sequence for this plasmid is designated as SEQ ID NO:4.

The pBLCAT3 sequence indicated above is present in the CAT/APPA of Figure 1 and in the CAT/APPA+intron of Figure 2. This sequence was part of the original -10R15/CAT and a portion of it was carried through in the construction process.

Figure 21 illustrates the nucleic acid sequence for the transgene construct containing the known segment of the R15/APPA sequence used for the generation of transgenic mice.

The sequence of this transgene is designated as SEQ ID NO:5.

10

15

20

30

#### 2) Expression of SV40/APPA+intron in Cell Culture

To produce an SV40/APPA plasmid for expression of *APPA* in cell culture, the SV40 promoter/enhancer was amplified by PCR from the pSV-β-galactosidase plasmid (Promega) using the synthetic primers SV-HIND and SV-XHO. The SV40 promoter/enhancer fragment was digested with Xho I and Hind III, gel purified, and ligated into CAT/APPA digested with Xho I and Hind III (Figure 2).

Figure 22 illustrates nucleic acid sequence for the SV40/APPA + intron. The sequence for this plasmid is designated as SEQ ID NO:6.

We obtained a rat parotid acinar cell line PARC 5.8 (Quissell et al. 1998) that we intended to use for transient expression of the phytase transgene. The purpose was to test the efficiency of different constructs for transgene expression and also to detect any deleterious effects of phytase expression before introduction into the animals. We tried transient expression of the APPA gene using R15/APPA and R15/APPA+intron constructs but because of low transfection efficiency and/or low expression levels, we were unable to detect either phytase or β-galactosidase that we used as a control for transfection.

We exchanged the R15-PRP inducible promoter from the R15/APPA construct with the SV40 constitutive promoter-enhancer, which enables high level transient expression in different cell cultures. CHO, COS7 and HELA cell lines were screened for transient expression of the APPA phytase using the SV40 promoter/enhancer. All cell lines were maintained on DMEM/F12 (Sigma) cell medium with 10 % (wt/vol) heat-inactivated fetal bovine serum at 37°C in 5% CO2 and 95% air. Cells were grown to 70 % confluence before transfection. Two hours before transfection the medium was exchanged with fresh medium. Cells were transformed with 5 µg of DNA per 60 mm culture plate (1:1 SV40/APPA and SV40/β-galactosidase) using the DNA-Calcium-Phosphate method of transfection (Gorman et al. 1983). After 6 hours of incubation the medium was removed and cells were subjected to glycerol shock for 3 min (Ausbel et al. 1992). Cells were washed with phosphate-buffered saline (PBS) and incubated in fresh medium under standard growth conditions. After 48 hours of incubation cell-free culture fluid was collected, the cells washed two times with PBS and lysed with 1ml of 1% (vol/vol) NP-40, 1mM disodium EDTA in Hanks balanced salts (HBSS) for 1 hour at 40°C. The phytase assay was performed in a final volume of 100 µl of 0.1 M sodium acetate/acetic acid buffer (pH 4.5) using sodium phytate (4 mM) as a substrate at 37°C. After 6 hours of incubation the reaction was stopped with 67 µl ammonium molybdate/ammonium vanadate/nitric acid mixture and the concentration of liberated

10

15

20

25

30

inorganic phosphate determined at 405 nm (Engelen et al. 1994). One unit (U) of enzyme activity was the amount of the enzyme releasing 1 µmol inorganic phosphate per minute. The assay was performed in triplicate. As a control for endogenous phytase activity, non-transfected cell lines were used.

We did not detect endogenous phytase activity in non-transfected cell lines. Phytase activity was detected in all transfected cell lines, with COS7 cells expressing a total of 0.35 U of phytase in cell-free culture fluid (4 ml) and 0.0034 U in the cell fraction (1.1 ml) obtained from the same plate. The phytase activity produced by COS7 cells was 7 times higher than that of CHO and 35 times more than the HELA cell line. More than 99% of activity was located in cell-free culture fluid, which suggests that the expressed enzyme was exported out of the cell using the bacterial signal sequence. We were unable to detect expression of cytoplasmic β-galactosidase, which we wanted to use as a control for transfection efficiency.

# 3) Expression of R15-PRP/APPA in Transgenic Mice

Transgenic mice were generated using the constructs R15/APPA and R15/APPA+intron by Dr. C.A. Pinkert at the NICHD Transgenic Mouse Development Facility (NTMDF), University of Alabama at Birmingham, Alabama. The procedures followed in generating the mice have been standardized by the NTMDF and further information concerning this can be obtained at: <a href="http://transgenics.bhs.uab.edu/page1.htm">http://transgenics.bhs.uab.edu/page1.htm</a>, the content of which is incorporated herein by reference. This procedure involved the microinjection technique for transfecting mice with the desired nucleic acid sequence. To summarize, the sequences are microinjected into mouse zygotes and the surviving eggs are implanted into pseudopregnant recipient mice. The recipient mice then give birth to the resulting founder transgenic mice. It will be appreciated that various other methods of generating transgenic mice may be used in the present invention.

The R15/APPA transgene in mice was detected by PCR using the primers CAT-UP1 and APPA-DOWN2 that gives rise to a 700 bp fragment using the standard PCR conditions, except that the hybridization step was set at 51°C for 40 seconds and the polymerization step was at 72°C for one minute.

For the R15/APPA construct 8 PCR positive founder mice were obtained of which 4 were males and 4 were females. Three of the founders did not pass the transgene to progeny and were probably mosaics. For R15/APPA+intron 5 PCR positive founder mice were obtained, 3 were males and 2 were females, and one of them was found to be mosaic. At 10

to 12 weeks of age PRP production in the PCR positive progeny from different lines was induced for 10 days by daily intraperitoneal (ip) injection of 1mg isoproterenol dissolved in 100 µl sterile saline. To serve as a control several PCR negative progeny were also induced. No significant differences in weight were noticed between PCR positive and PCR negative progeny at either the beginning or end of the induction period. Saliva was collected before induction and at the end of the 10 day induction period.

5

10

15

20

25

30

To collect saliva, mice were lightly anesthetized with a ketamine/xylazine mixture (ip injection of 50 mg ketamine and 5 mg xylazine per kg body weight diluted in water) and saliva flow was induced by injection with pilocarpine/isoproterenol (ip injection of 0.5 mg pilocarpine and 2 mg isoproterenol per kg body weight dissolved in saline) (Hu et al. 1992). Between 100-250 µl of saliva was collected from each mouse over a 30 min period beginning 5 min after the pilocarpine/isoproterenol injection.

The saliva was collected from each mouse by holding it in one hand and withdrawing saliva from the corner of the mouth with a 20 µl pipetter. Collected saliva was transferred to a cold Eppendorf microcentrifuge tube containing 2  $\mu l$  of 0.5 M EDTA (pH 8.0) and 4  $\mu l$  of 10 mg/ml protease inhibitor Pefabloc (Boehringer Mannheim) dissolved in water. The tubes with saliva were kept on ice until assays were conducted. Phytase activity in the saliva was assayed as described for the SV40/APPA expressed in cell culture.

Phytase expression was not detected in either un-induced or in induced PCR negative mice. For PCR positive mice, phytase expression was not detected in those that were uninduced. However, phytase expression was observed for PCR positive mice that were induced. The results of this study are summarized in Table 1.

Even though it was possible to distinguish saliva from induced PCR positive from that of PCR negative mice in a phytase assay by a characteristic yellow color, saliva from some of the negative mice, when assayed, produced cloudiness that was impossible to remove by centrifugation and that affected spectrophotometer readings. We did not notice any gender differences in expression, both males and females were found to produce phytase in saliva. In three lines (all R15/APPA+intron) no phytase expression or very low level of expression (0.03-0.95 U/ml) was detected, in 4 lines the level of expression ranged from 7 to 87 U/ml, and two lines (both R15/APPA) produced very high levels of phytase in saliva, 252 and 547 U/ml.

These experiments demonstrated that phytase can be expressed at a very high level in the salivary glands of mice, without detrimental effects on the animals. We also were able to

produce progeny with an inducible salivary phytase from animals expressing the inducible phytase thereby documenting inheritance of the trait, and showing that the reproductive capability of animals was not affected. When the F2 generation of mice were tested for salivary phytase the level of phytase production was preserved.

Founders containing the transgene without the intron gave offspring that produced significantly higher levels of phytase. The SV40 intron in the R15/APPA+intron construct seems to cause a lower level of expression, and in three lines (A1f, A20f and B0m) the level of phytase was barely detectable. The level of phytase expression in A2m line (R15/APPA+intron) was 6.2 times lower than that of the B0m-intron line (R15/APPA).

Preliminary experiments showed that when the enzyme was analyzed by PAGE its size was increased from 42 kDa to 60 kDa. It is likely modified by glycosylation, but stable and active.

### II) APPA Gene Under Control Of A Constitutive Promoter

15

20

25

30

10

5

### 1) Construction of the Lama2/APPA Transgene (Constitutive Promoter)

The murine parotid secretory protein (PSP) is the most abundantly expressed protein in the parotid gland of mice (Madsen and Hjorth 1985). After an hour of pulse labeling, the mouse parotid gland incorporates 65 to 85% of <sup>14</sup>C-leucine into this single protein (Owerbach and Hjorth 1980). It was estimated that PSP mRNA accumulates up to 50,000 molecules per cell and that from 3 to 5 molecules of PSP are produced for every molecule of amylase (Madsen and Hjorth 1985). Despite the predominance of the PSP in saliva its function is not well characterized.

The single-copy gene coding for PSP has been cloned and characterized. It has two alleles PSP<sup>a</sup> (Shaw and Schibler 1986) and PSP<sup>b</sup> (Owerbach and Hjorth 1980). The PSP<sup>b</sup> allele is also expressed in the sublingual gland, but at 1/10 of the level found in the parotid gland. It was shown that 4.6 kbp of 5' flanking sequence of PSP<sup>b</sup> is sufficient for salivary gland specific expression. The level of sublingual expression approached 100% of the PSP mRNA level, whereas the parotid expression did not exceed 1% (Mikkelsen et al. 1992), which demonstrates that regulatory sequences for sublingual and parotid expression are not identical. The level of expression was also dependent on the site of integration. The same construct was used for expression of the C-terminal chain of the human blood coagulation factor VIII, FVIII. A high level of FVIII mRNA was detected in the sublingual gland and a low level in the parotid gland. The transgenic lines also secreted the FVIII light chain into

saliva at the level of about 10 units per salivation (about 0. 05 ml of saliva) (Mikkelsen et al.,1992). Later the same group achieved a high level of parotid-specific expression that was similar or even exceeded that of the endogenous gene by using 11.4 kbp of 5' flanking sequences and 2.5 kbp of 3' flanking sequences (Larsen et al. 1994). The expression also seems to be position-independent and copy-number-dependent that could indicate the presence of a LCR in these sequences.

Lama 2 is a portion of the PSP gene and comprises an 18 kbp construct that is expressed in transgenic mice at up to 56% of the endogenous PSP gene.

Because a large part of Lama 2 had not been sequenced, the construct was first disassembled and subcloned into pBluescript KS(+) and after incorporation of the APPA gene, the Lama 2 was reassembled back (Figure 3). We used unique enzymes RsrII and Smal to remove a 3.4 kbp fragment from Lama2, which was subcloned into the multiple cloning site (MCS) of pBluescript II KS(+) that was previously digested with Kpn1 and Smal, using a Kpn1-RsrII adapter (Figure 3, step 1).

KpnI\* RsrII

5

10

15

20

30

TGGGAGGTCG

### CATGACCCTCCAGCCAG

That allowed us to preserve the RsrII (CG/GWCCG) site and destroy the Kpn1 site (GGTAC/C> GGTAC/T), which would otherwise interfere with future cloning. The pKS/Lama construct was digested with Apa1 and Kpn1 and used in a three-way ligation with the modified APPA (Figure 3, step 2). We designed two PSP/APPA constructs. One construct APPA-signal/APPA (Figure 3, steps 3a-7a) had the original bacterial signal sequence from the APPA protein having the following amino acid sequence:

25 Met-Lys-Ala-Ile-Leu-Ile-Pro-Phe-Leu-Ser-Leu-Leu-Ile-Pro-Leu-Thr-Pro-Gln-Ser-Ala-Phe-Ala

We also modified a sequence near the ATG codon to resemble the optimal mammalian Kozak sequence (GCC GCC A/GCC ATG G) (Kozak 1987), but we did not mutagenize the +4 position because it would change Lys to Glu in the signal sequence with possible deleterious consequences for protein export. This optimized sequence was used in our previous construct R15/APPA and led to high levels of phytase production. We checked the APPA bacterial signal sequence using the PSORT computer neural network trained on eukaryotic signal sequences and further described at http://psort.nibb.ac.jp:8800/ (Nakai and

15

20

25

30

Kanehisa 1992). The APPA bacterial signal sequence was recognized as an efficient leader peptide and the cleavage site was correctly predicted. PSORT also predicted that there is a high probability that phytase would be exported correctly outside of the cell. There were also publications showing that some bacterial signal sequences might function efficiently in mammalian cells (Williamson et al. 1994) (Hall et al. 1990). Our experiments using cell culture demonstrated that the APPA signal was correctly processed with export of phytase outside of the cell.

Experiments using cell culture cannot predict the direction of export and if phytase were exported into blood vessels instead of salivary ducts that could lead to deleterious effects. That is why we also designed a second construct PSP-signal/APPA (Figure 3, steps 3b-7b) that would preserve the original PSP signal amino acid sequence:

Met-Phe-Gln-Leu-Gly-Ser-Leu-Val-Val-Leu-Cys-Gly-Leu-Leu-Ile-Gly-Asn-Ser-Glu-Ser

This leader peptide was also efficiently recognized by PSORT with the correct cleavage site (Nakai and Kanehisa 1992). In this construct we also preserved the original PSP sequences near the ATG start codons, which may not be optimal, but could be important in regulation of gene expression. The APPA gene for both constructs was amplified by PCR using as the template our previous transgenic construct R15/APPA that possessed the optimal Kozak sequence and the modified codons for residues Ala3, Pro428 and Ala429 as described earlier. For the APPA signal/APPA construct two synthetic primers were used which introduced a Cla1 site near the ATG codon (APPA-CLA) and a Kpn1 site near the TAA stop codon (APPA-KPN). The APPAPCR1 product was digested with Cla1 and Kpn1. The Cla1 site was also introduced into Lama 2 using pKS/Lama 2 as template for PCR. LAMA-UP primer was located upstream of Apa1 site and the LAMA-CLA primer introduced the Cla1 site near ATG codon (Figure 3, step 3a). Lama<sub>PCR</sub>1 product was digested with Cla1 and Apal (Figure 3, step 4a). pKS/Lama (Apal-Kpnl), Lama<sub>PCR</sub>l (Apal-Clal) and APPA<sub>PCR</sub>l (Cla1-Kpn1) were combined together in a three-way ligation reaction (Figure 3, step 5a). The recovered pKS/Lama/APPA plasmid was digested with RsrII, Smal and inserted back into Lama2 (Figure 3, step 6a).

For the PSPsignal/ APPA construct, the synthetic APPA -KPN primer was used with the synthetic APPA -MATURE primer, which produced phytase without a signal sequence. The APPA<sub>PCR</sub>2 product was blunt-ended using T4 DNA polymerase and digested with Kpn1. The PSP signal sequence was produced using the LAMA-UP and LAMA -SIGNAL primer

10

15

20

25

30

(Figure 3, step 3b). The Lama<sub>PCR</sub>2 was blunt-ended using T4 DNA polymerase and digested with Apal (Figure 3, step 4b). pKS/Lama (Apal-Kpnl), Lama<sub>PCR</sub>2 (Apal-blunt) and APPA<sub>PCR</sub>2 (blunt-Kpnl) were combined together in a three-way ligation reaction (Figure 3, step 5b). The recovered pKS/Lama/APPA plasmid was digested with RsrII, Smal and inserted back into Lama2 (Figure 3, step 6b).

Even though both constructs were successfully produced we decided to use Lama2/APPA signal/APPA for the generation of transgenic mice, because we have results from our previous transgenic constructs R15/APPA and R15/APPA+intron which demonstrated that phytase with optimized Kozak sequence and the APPA signal peptide was synthesized at a high level in salivary glands after induction and was efficiently exported into the salivary duct. The Lama2/APPA vector was digested with XhoI and NotI, and the transgene was gel-purified and further purified using a Qiagen column (Figure 3, step 7a).

### 2) Sequence of the Lama2/APPA Construct

A large segment of the Lama2 construct (Laursen and Hjorth 1997) used for construction of the Lama2-APPA transgene had not been reported in GenBank prior to our research. To ensure that we could more clearly describe the transgene construct, and furthermore to avoid the introduction of deleterious DNA sequences from the mouse into the pig in the process of generating transgenic pigs, we sequenced the Lama2-APPA plasmid on both strands. Figure 4 illustrates schematically the structure of the Lama2-APPA plasmid. Figure 5 illustrates the nucleic acid sequence (SEQ ID NO:1) of such plasmid. The full transgene sequence was reconstructed from overlapping DNA sequences using the Contig Assembly Program (CAP) (http://hercules.tigem.it/ASSEMBLY/assemble.html) developed by Huang (1996; 1999) and then inspected manually for sequencing errors. The transgene sequence was checked for the presence of interspersed repetitive elements using the computer program RepeatMasker (Smith and Green, RepeatMasker at http://ftp.genome.washington.edu/cgi-bin/RepeatMasker). It was found that 26 % of the transgene sequence was composed of repetitive elements (Table 2). However, such repetitive elements are widely present in all mammalian genomes. For example, up to 50% of the human genome is derived from repetitive elements (Smit 1996; Kazazian 1998).

Figure 23 illustrates the nucleic acid sequence (SEQ ID NO:7) of the Lama2/APPA transgene construct.

The Lama2 high level expression cassette (Laursen and Hjorth 1997) contains the enhancer region and the promoter of the Psp gene in the parotid gland. High expression was

10

30

PCT/CA00/00430 WO 00/64247 22

shown to be dependent on regulatory elements between -11.5 kb and -6.5 kb and/or between +8.3 kb and +10.9 kb. Svendsen et al. (1998a) showed that a 1.5 kb sequence between -3.1 kb and -4.6 kb had properties of a parotid and sublingual specific enhancer and was designated as the PSP proximal enhancer. Furthermore, they showed that transgenes containing the PSP promoter and 5' flanking region located between -3.6 kb and -4.3 kb contained sequence information necessary to direct salivary gland specific expression.

Screening the transgene with RepeatMasker did not reveal the presence of any fulllength active autonomous elements. The repeats present were extensively modified by insertions and deletions. The blastx program was also used to compare the transgene sequence translated in all reading frames against the National Center for Biotechnology Information (NCBI) protein sequence database (http://www.ncbi.nlm.nih.gov/BLAST/) (Altschul et al. 1990; Gish and States 1993; Terada and Nakanuma 1993). A region of DNA from 861 to 2180 was found that might code for parts of a protein with limited homology (38-58% identities) to the C-terminus of several human and mouse reverse transcriptases. However, the region was extensively modified by mutations with multiple frame shifts and inversions, and probably represented remnants left from the reverse transcriptase gene of a LINE element. It is unlikely that it would be active, due to extensive modifications in the amino acid sequence such that only 18% of the full reverse transcriptase sequence was present and the highly conserved amino acid motif (Y/FXDD) was absent from the sequence (Xiong and Eickbush 1990). The complete sequence was also scanned for the presence of 20 open reading frames (ORFs) that code for proteins using the program GENSCAN (http://CCR-081.mit.edu/GENSCAN.html) (Burge and Karlin 1997). Only one gene was found and it corresponded to the APPA phytase gene. GENSCAN unexpectedly predicted a different N-terminus for the phytase than would have been expected from the sequence. However, that could have resulted from the lower accuracy of GENSCAN for detecting 25 initiation sites (Burge and Karlin 1998).

# 3) Generation of Transgenic Mice Expressing a Constitutive Salivary Phytase

In the following description, a pair of founder mice, incorporating the phytase gene and a constitutive promoter, were prepared under contract by the University of Alabama. As will be discussed, these founders were used to produce offspring, which were then analyzed for the presence of the phytase gene by PCR and animals containing the gene were then tested constitutive salivary phytase production.

Two transgenic founder mice (a black male and a white female, 3-1) containing the phytase transgene were received from the NICHD Transgenic Mouse Development Facility at the University of Alabama. The black male was negative for salivary phytase, but the female, 3-1, exhibited a salivary phytase activity of 30 U/ml. Progeny produced by crossing the black male with 4 CD-1 females produced 9 out of 25 females and 13 out of 26 males that were PCR positive. All progeny were negative for salivary phytase. The female founder, 3-1, was out-crossed with a CD-1 male to produce 3 litters for a total of 35 offspring. Of the progeny from these matings one phytase positive G1 male was obtained. When the G1 male was outcrossed with 6 CD-1 females, of the 6 litters 20/34 males were PCR positive and salivary phytase positive and 21/28 females were PCR positive and salivary phytase positive (Table 3). The salivary phytase activity of different offspring from the same first generation (G1) male ranged from 1.3 to 71.2 U/ml. There was no significant difference in the phytase activities between male or female mice.

PCR assays for identification of the transgenic mice were carried out with an initial heating step at 95°C for 3 min, 40 cycles using 95°C for 30 sec, 54°C for 30 sec and 72°C for 1 min) using the following primers: APPA-UP2 and APPA-KPN (Figure 6).

The phytase assays were conducted as described above for the R15-PRP/APPA phytase expressed in cell culture.

# 4) Production of Transgenic Pigs Containing the Phytase Transgene Lama 2/APPA

Transgenic pigs were produced using Yorkshire and Yorkshire/Landrace cross gilts as the embryo donors and Yorkshire sows as the recipients. The experimental procedure used was similar to that described by Wall et al. (1985). The detailed procedure is described below. The Lama2/APPA construct with the APPA signal peptide was used as the transgene for microinjection.

### Methodology for the generation of transgenic pigs

The following is a description of the preferred method of generating transgenic pigs according to the invention. However, it will be apparent to those skilled in the art that various other methods are also applicable.

30

10

15

20

25

#### a) Superovulation of prepuberal gilts and sows.

Selected Yorkshire or Yorkshire/Landrace cross gilts between 70 to 80 kg were superovulated by intramuscular injection of 2000 IU of pregnant mare's serum gonadotropin

(PMSG, Ayerst Veterinary Laboratories), followed by 700 IU human chorionic gonadotropin (HCG, Ayerst Veterinary Laboratories) 60 to 72 hours later, administered in the same manner. The gilts were artificially inseminated three times with a 16 hour interval between inseminations using semen from a high breeding index Yorkshire boar. Twenty-four hours after the last insemination, the gilts were slaughtered and the reproductive tract recovered.

#### b) Synchronization of estrus in recipients

Estrus was synchronized in experienced recipient sows as described for donor sows. Since synchronization and not superovulation was the goal, hormone levels were reduced to 500 IU for PSMG and 500 IU for HCG. PMSG was given the day the sow's litter was weaned, followed in 72 hours by HCG and surgery for embryo transfer was performed 54 hours thereafter.

#### c) Embryo collection

Reproductive tracts were collected at the abattoir, inserted into bags, sealed and the bags immersed in water at 39°C for transport to the laboratory. Recovery of the embryos and microinjection with the transgene was conducted in a laboratory maintained at 32 to 33°C. The oviducts were dissected from the tracts and flushed, using a syringe and a feeding tube, with 15 ml of pre-warmed HBECM-3 medium (Dobrinsky et al. 1996). The media was collected in a 100 mm Petri dish and placed in an incubator at 38.5°C with an atmosphere of 5% (vol/vol) of CO<sub>2</sub>, 5% (vol/vol) O<sub>2</sub> and the balance N<sub>2</sub>. After all tracts were flushed, embryos were individually collected from the flushed media using a polished transfer pipette. Embryos were rinsed twice in 3 ml volumes of pre-incubated BECM-3 and placed in 100 µl of pre-incubated BECM-3 under 3 ml of filter sterilized mineral oil until injected.

25

30

20

5

10

15

#### d) Pronuclear injection

Embryos from one gilt were collected and placed in one ml of pre-warmed HBECM-3 in a 1.5 ml centrifuge tube and centrifuged for 6 min at 14,000 x g (Wall et al. 1985). The embryos were then collected and placed in an injection dish with 40 μl of pre-warmed HBECM-3 covered with 2.5 ml of filter sterilized mineral oil. The pronucleus in each embryo was injected (Gordon et al. 1980) with three picolitres of Lama2/APPA DNA in solution at a concentration of 5 ng of DNA per μl in 10 mM Tris, pH 7.5, 0.1 mM EDTA. After injection, the embryos were placed in dishes containing 100 μl of pre-incubated

BECM-3 under 3 ml of filter sterilized mineral oil. After all embryos were injected, which took no more than 4 hours since collection of reproductive tracts, the embryos were transferred to 1.8 ml cryotube (Nunc) containing 1 ml of pre-warmed HBECM-3 and transported in an incubator at 38.5°C to the swine surgery.

5

10

#### e) Embryo transfer

Recipient sows were anesthetized by intravenous injection of 500 mg Brietol and anesthesia maintained by inhalation of 3% halothane with 4 litres per min of nitrous oxide and 4 litres per min oxygen. The oviducts were exposed through a laparotomy, just off the dorsal midline, and a catheter, containing 20 to 35 injected embryos and 3 to 6 untreated embryos, was passed into the infundibulum and down the oviduct to the isthmus and emptied. The oviduct was returned to the abdominal cavity and the incision closed.

### f) Growth of pigs

15 New-b

New-born piglets were kept together until weaning. At that time males and females were separated and penned with non-transgenic same sex pigs of a similar age from other litters. The pigs are fed ad libitum starter rations until 25 kg wt, grower diet from 25 to 60 kg wt and finisher diet from 60 kg to market weight. Water is available ad libitum. Transgenic pigs 167-02, 282-02 and 282-04 were maintained on a low phytate ration until 85, 50, and 50 days of age, respectively, and then switched to the grower ration. All other transgenic pigs were given the standard high phosphorus diets.

The diets were provided as pelleted formulations during the weanling, grower and finishing phases are shown in Tables 4 and 5. The vitamin and mineral mixes included in the diets are shown in Tables 6 and 7.

25

30

20

#### PCR analysis

Tail segments from newborn piglets were collected and slices of each placed in 600  $\mu$ l of 50 mM NaOH and heating at for 95°C for 15 minutes. The suspension was neutralized with 50  $\mu$ l of 1 M Tris (pH 8.0) and insoluble materials removed by centrifugation for 5 min in a microcentrifuge. A 2  $\mu$ l sample of each was used for PCR with primers APPA-UP2 and APPA-KPN.

The primers produce a 750 bp fragment if the transgene is present. As a positive control PIG-BGF and PIG-BGR primers were used to detect the porcine  $\beta$ -globin gene from

15

20

25

30

the same DNA preparation (Heneine and Switzer 1996). The PCR reaction was performed using the same conditions as described for detection of the phytase transgene. As a negative control genomic DNA from a non-transgenic pig was used in the PCR reaction, for a positive control this DNA was spiked with a known amount of transgene (1 gene copy/per genome).

When a positive signal was identified by PCR for pig 167-02 (Figure 3) another DNA preparation was made and two more pairs of PCR primers were used to test for gene integrity (Figure 4) APPA-MATURE with APPA-KPN, and APPA-MATURE with APPA-DOWN2

PCR conditions were similar to those described previously.

# 10 Extraction of DNA from blood for PCR analysis

The method for extraction of DNA from blood was based on a method described by Higuchi (1989) with some modifications. A 100 μl volume of whole blood was mixed with 200 μl of lysis buffer (10 mM Tris-HCl, 0.32 M sucrose, 5 mM MgCl<sub>2</sub>, 1% (vol/vol) Triton X-100, pH 7.5.), mixed briefly and incubated on ice for 5 min. The sample was then centrifuged at 14,000 x G for 3 min, and the supernate discarded. The sediment was suspended in lysis buffer, mixed, incubated and centrifuged. This procedure was repeated 2 more times, or until no hemoglobin remained. The sediment was dissociated in 100 μl of 50 mM NaOH, mixed and heated at 100°C for 10 min. The contents were cooled, 10 μl of 1 M Tris-HCl (pH 8.5) added and mixed briefly. The sample was then centrifuged at 14,000 x g for 2 min and 2 μl of the supernate used for analysis by PCR.

The PCR reaction mixture with a total volume of 40 μl consisted of; 23.8 μl of distilled water, 4 μl of 10 X Gibco BRL PCR buffer, 1.2 μl of 50 mM MgCl<sub>2</sub>, 0.8 μl of 10 mM dNTPs, 40 pmol of each of the forward and reverse primers in 8 μl, 2 μl of template DNA and 0.2 μl of *Taq* DNA polymerase (Gibco BRL, 5 U/μl). The amplification procedure was performed with an initial heating step at 95°C for 3 min followed by 40 cycles of 95°C for 30 sec, 54°C for 30 sec and 72°C for 60 sec.

The transgenic pigs were detected with primers for the APPA gene (APPA-KPN with APPA-UP2), and as a control PIG-BGF with PIG-BGR primers were used for detection of the porcine  $\beta$ -globin gene.

# Saliva collection from pigs for phytase assays and weighing of pigs

Weanling pigs were sampled for salivary phytase by wiping under the tongue with a cotton tipped applicator, breaking the stick off and centrifuging the applicator tip in a 0.4 ml

microcentrifuge tube, with a hole in the bottom, contained within a 1.5 ml microcentrifuge tube. Grower and finishing pigs were sampled using 1.5 inch long #2 dental cotton absorbent rolls (Ash Temple Sundries Ltd, Don Mills, ON) attached to dental floss. These were centrifuged in 1.5 ml microcentrifuge tubes with holes in the bottom while contained in larger tubes. The saliva was collected from the larger tube and stored at -20°C until analyzed.

Saliva was collected and pigs were weighed at weekly intervals.

# Analysis for phytase activity.

Saliva samples were either assayed directly or after dilution in 0.1 M acetate buffer pH 4.5. Phytase was assayed in 200 µl of 0.1 M sodium acetate buffer (pH 4.5) using sodium phytate (4 mM) as a substrate at 37°C. After 10 min of incubation the reaction was stopped by addition of 133 µl ammonium molybdate/ammonium vanadate/nitric acid mixture and the concentration of liberated inorganic phosphate determined at 405 nm (Engelen, van der Heeft, Randsdorp, and Smit 1994). This and all other assays were performed in triplicate. One unit (U) of enzyme activity was the amount of the enzyme releasing 1 µmol of inorganic phosphate per minute.

Assays for salivary phytase and for phytase in blood samples were conducted as previously described for saliva samples. A reagent blank with blood added at the same concentration as the samples assayed was subtracted from the sample readings.

20

25

.30

15

5

10

### Collection of fecal materials and analysis for total phosphorus

Fresh feces were collected from each pig during the grower and finisher phases. Samples were placed in aluminum trays closed with a wax paper top and immediately frozen, and kept frozen until they were lyophilized for analysis. After lyophilization the samples were transferred to room conditions overnight to reach equilibrium in moisture content. The samples were separately ground with a mortar and pestle until homogenous and sealed in plastic containers until analyzed further. Dry matter content of samples was analyzed according to AOAC (Association of Official Analytical Chemists (AOAC) 1984) by heating 1 gram samples at 110°C for 4 hours and cooling in a desiccator prior to weighing. To analyze total phosphorus content, samples were heated at 550°C in a muffle furnace and 10 ml of 10 M HCl added and heated to boiling. The contents from each sample was quantitatively diluted to 250 ml with water and inorganic phosphorus content was measured by the method of Heinoen and Lahti (1981).

10

15

20

25

30

### Purification of the E. coli produced phytase and pig salivary phytase

The APPA phytase was over expressed in E. coli strain BL21(DE3) and the EDTA lysozyme extract fraction purified on DEAE-Sepharose and Sephadex-G75 as described by Jia et al. (1998). The pig phytase was purified by chromatography on DEAE-Sepharose and the band of enzyme eluted with a sodium chloride gradient was further purified by Chromatofocusing using a pH gradient from pH 4.0 to 7.0.

#### SDS-PAGE analysis and Silver Staining

Sodium dodecylsulfate polyacrylamide gel electrophoresis was performed using a 10% gel as described by Laemmli (1970), except that protein in the sample buffer was heated at 70°C for 10 minutes. Samples were stained with silver as described by Nesterenko et al. (1994).

# Preparation of a monoclonal antibody specific for the APPA encoded E. coli phytase

Monoclonal antibodies specific to the *E. coli APPA* encoded phytase were prepared according to the procedures of Galfrè and Milstein (1981). Briefly, two female Balb/c mice were immunized 7 times over a period of 59 days with a purified APPA enzyme preparation. Mouse spleens were harvested, and the cells therein fused with an NS-1 myeloma cell line (Kohler and Milstein, 1976). Fused cells were selected for their ability to grow in media containing hypoxanthine, aminopterin, and thymidine (HAT). Western blotting and Enzyme-Linked Immunosorbent Assays (ELISA) were used identify those clones capable of secreting an antibody into the culture medium that recognized epitopes on both the *E. coli* and pig derived APPA enzyme. Clones secreting a desirable antibody were subcloned twice to ensure a pure culture of antibody secreting hybridomas.

# Production of Polyclonal Antibodies Against the Purified E. coli derived APPA Phytase

Antibodies were prepared in two New Zealand White Rabbits by two intramuscular injections at different sites in the thigh of 50 µg of purified Escherichia coli derived APPA phytase in 0.5 ml of a 1:1 mixture of phosphate-buffered saline (PBS) and Freund's Complete Adjuvant. This was followed by repeat injections of 20 µg each of phytase in a 1:1 mixture of PBS and Freund's Incomplete Adjuvant on days 4, 19, 25, and 39. Blood was collected via heart puncture on day 42. The serum was separated from the cell fraction and used as the

source of antibodies. The basic procedures for antibody production are described in Harlow and Lane (1988).

#### Western blotting

5

10

20

25

.30

Western blotting was performed as described by Towbin et al. (Towbin et al. 1979).

Deglycosylation of pig phytase was done according to protocols, Roche Molecular Biochemicals, with following modifications. Protein in 50 mM Tris (pH 8.0), 1 mM EDTA, 1% SDS, 1% 2-mercaptoethanol was denaturated by heating at 95° C for 3 min. Than protein was precipitated with chloroform-methanol method (Wessel and Flugge 1984) and resuspended at 100 μg/mL in 20 mM Sodium Phosphate (pH 7.2) with 1% Triton X-100. Complete deglycosylation of 5 μg in 50 μL phytase was carried out overnight at 37°C using 1 unit (U) N-glycosidase F, 1.2 mU O- glycosidase and 1 mU neuraminidase (Boehringer Mannheim GmbH). After incubation 0.5 μg of protein was run on the SDS gel.

# 15 Staining of glycoproteins

This staining was done using DIG Glycan Detection Kit (Boehringer Mannheim) according to manufacture instructions (O'Shannessy et al. 1987).

# Statistics on the generation of transgenic pigs

The statistics on embryos recovered, microinjected and transferred into donor sows is shown in Table 8. A total of 4147 embryos injected with the transgene and 675 untreated embryos were introduced into 140 recipient sows with an average of 30 injected embryos and 5 uninjected embryos. All offspring were tested for the presence of the transgene in tissue biopsy, in blood by PCR analysis, and by an assay for phytase activity in the saliva.

Table 9 lists the transgenic pigs that were produced, their birth dates, sex and salivary phytase levels. There were 31 pigs transgenic for the phytase gene out of 203 live piglets born from embryos microinjected. These were detected by the presence of the gene in blood samples using the standard primer set, APPA-UP2 and APPA -KPN, but only 14 were detected by analysis of tail DNA preparations using the standard primer set. When the negative samples were reanalyzed using the primer set LAMA-UP1 and APPA-down4 (Figure 8) a further 8 tail DNA samples were found to be positive. Purification of the tail biopsy DNA probably would have led to all being PCR positive for the phytase transgene.

15

25

30

# Characteristics of the phytase transgene in transgenic pig 167-02

The application of PCR to detection of transgenic pigs is exemplified by analysis of litter 167 in which one of 7 piglets tested, including one that was stillborn and one that was crushed by the sow after birth, one live piglet designated 167-02 was identified as positive for the APPA gene by generation of a PCR product (Lane 2) of approximately 750 bps from the tail chromosomal DNA (Figure 7). No rearrangements of the APPA gene were detected as documented by the positive PCR results using primers directed to the 3' region (lane 2) the whole gene (lane 3) and the 5' region (lane 4) of the APPA gene (Figure 8).

# 10 Salivary phytase and weight gain during growth of transgenic and non-transgenic penmates.

Data on salivary phytase activity and weight gain are shown for five transgenic pigs and for weight gains of their non-transgenic penmates in Figures 9, 10, 11, 12 and 13. The phytase activity in the saliva varied substantially from one sampling time to the next. This variability was attributed to a combination of environmental factors including whether the animal had just consumed food or water, and regulation of parotid and saliva secretion in relation to food and water consumption. The weight gains during growth of the five transgenic pigs was within the range of the weight gains of the normal non-transgenic pigs.

With the exception of 167-02 the growth rate of the transgenic pigs was similar to that of the non-transgenic litter mates.

# 20 Phosphorus content in the fecal materials from transgenic and non-transgenic pigs.

The phosphorus content of fresh fecal samples from three of the transgenic founder pigs, 167-02, 282-02, 282-04, 405-02 and 421-06 receiving weaning, grower or finisher ration is shown in Table 9. The phosphorus content of the feces of the transgenic pigs ranged from 1.59 to 2.26% while that of the non-transgenic penmates ranged from 1.61 to 2.76%. The reduction in fecal phosphorus ranged from a maximum of 26% to a minimum of 8%. In most cases the differences were at the 99% level of significance. The ages of the pigs at the time of fecal sampling and the corresponding phytase activities are shown in Figures 9, 10, 11, 12 & 13. The rations fed contained a supplement of readily available phosphorus suitable for maximizing growth of non-transgenic pigs. Since the reduction in fecal phosphorus is measured in transgenic pigs receiving a diet high in mineral phosphorus it is very likely that the fecal phosphorus would be substantially lower if the diet lacked mineral phosphorus. Under these conditions the phosphorus released from phytate would provide a substantial

proportion of the dietary phosphorus and little would reach the large intestine and be excreted in the feces.

# Transmission of the phytase transgene (to be completed)

5

10

15

20

25

30

When semen from the transgenic boar 167-02 was used to inseminate four Yorkshire gilts all four sows had litters in which 4 out of 8, 2 out of 9, 7 out of 8 and 2 out of 5 of the piglets were transgenic for the phytase gene (Table 11). The PCR data for litter 154 that documents the presence of the transgene is shown in Figure 14. All pigs containing the gene exhibited phytase activity in the saliva, and it ranged from 341 to 10,077 units per ml. Half of the transgenic piglets had salivary phytase activities of greater than 2000 units per ml. The specific activity of the phytase in the saliva ranged from 39 U/mg protein to a high of 706 units/mg protein.

This data documents that the gene was transferred and that the level of phytase expression observed in the founder was preserved in the first generation of pigs. Both male and female pigs at 11 days of age exhibited high phytase activity.

# Characteristics of the phytase enzyme synthesized in the salivary glands of the pig

The phytase enzyme was purified to homogeneity from *E. coli* and from saliva collected from transgenic pig 167-02. Silver stains of the purified enzymes after SDS-PAGE are shown in Figure. 15. The *E. coli* derived enzyme has a molecular mass of approximately 45 kDa while that produced by the pig was about 55 kDa. The enzymes were also electrophoresed as before, transferred to nitrocellulose and stained for glycoproteins. The second part of Figure 15 shows that the pig APPA protein is glycosylated. Figure 15B shows that treatment of the pig phytase with deglycosylation enzymes changes the size of the phytase from 60 kDa to 45 kDa, an observation that confirms the glycosylated nature of the recombinant phytase produced in the saliva of the pig.

The data in Figure 16 shows that the pig phytase is homologous with the E. Coli enzyme despite their difference in size.

The purified pig phytase had  $K_m$  and  $V_{max}$  values of 0.33 mM and 624 units per mg of protein, respectively. Golovan et al. (2000) previously reported the  $K_m$  and  $V_{max}$  for the E. coli enzyme to be 0.63 mM and 2325 units per mg of protein. Thus the salivary phytase exhibits approximately 25% of the activity of the E. coli enzyme. This reduction in activity may be due to glycosylation that either modifies the catalytic site of the enzyme or otherwise leads to the formation of an enzyme with lower catalytic activity.

The latter finding of the production of a glycosylated protein suggests a method of producing such proteins using transgenic animals. Currently, although recombinant methods are available for producing proteins in host cells, it is often found that the mature peptide lacks the glycosylation normally associated with proteins produced by higher life forms. Insulin is an example of such protein. The findings of this study suggest that one means of producing the desired glycoproteins would be to generate transgenic animals such as the pig, that have been transformed, by known methods or the method described above, with a gene encoding the desired protein. When expressed by such animal, the subject protein would be produced and would undergo post-translational processing in the cell including the step of glycosylation. Thus, the invention contemplates a general method of producing such glycosylated proteins. Further, the invention contemplates a method of producing glycosylated proteins through the expression in and isolation from the saliva of an animal that has been transformed with a gene encoding such protein, and wherein such gene is operably linked to a saliva protein promoter or enhancer.

Various methods are known in the art for the collection of glycoproteins from the parotid gland of the pig for various applications. For example, surgical techniques have been published by Denny et al. (1972) for the collection of secretions from the parotid gland and submandibular salivary ducts.

### 20 Test kit for detection of the APPA phytase protein in pigs

10

15

25

30

The monoclonal antibodies produced against the APPA phytase expressed in *E. coli* reacted with the APPA phytases produced in the saliva of transgenic mice and pigs (Figure 17). Immunological detection of phytase in saliva provides definitive proof that the phytase secreted in transgenic pig saliva is a product of the *APPA* gene expressed in the pig salivary gland. This serves as a reliable method to document phytase production in transgenic pigs.

A further test would also be obtainable using the polyclonal antibodies discussed above.

The DNA sequence encoding phytase may be obtained from a variety of sources such as microbial, plant or animal sources. Preferably, the DNA sequence is obtained from a microbial source such as bacteria. Most preferred DNA sequences are obtained from Escherichia coli.

The cloning of a gene or a cDNA encoding a phytase protein may be achieved using various methods. One method is by purification of the phytase protein, subsequent

10

15

20

25

30

determination of the N-terminal and several internal amino acid sequences and screening of a genomic or cDNA library of the organism producing the phytase using oligonucleotide probes based on the amino acid sequences. If at least a partial sequence of the gene is known, this information may be used to clone the corresponding cDNA using, for instance, the polymerase chain reaction (PCR) (PCR Technology: Principles and Applications for DNA Amplification, (1989) H. A. Ehrlich, ed., Stockton Press, New York; the contents of which are incorporated herein by reference). It will be evident to those skilled in the art that the cloned phytase gene described above may be used in heterologous hybridization experiments, directed to the isolation of phytase encoding genes from other microorganisms.

The DNAs encoding phytase or individual fragments or modified proteins thereof can be fused, in proper reading frame, with appropriate regulatory signals as described in detail below, to produce a genetic construct that is then amplified, for example, by preparation in a bacterial (e.g., E. coli) plasmid vector according to conventional methods. Such methods are described in, for example, Sambrook et al., Molecular Cloning: A Laboratory Manual (Cold Spring Harbor Press 1989), the contents of which are incorporated herein by reference. The amplified construct is thereafter excised from the vector and purified for use in producing transgenic animals.

The desired protein may also be produced as a fusion protein containing another protein. For example, the desired recombinant protein of this invention may be produced as part of a larger recombinant protein in order to stabilize the desired protein. Useful modifications within this context include, but are not limited to, those that alter post-translational modifications, size or active site, or that fuse the protein or portions thereof to another protein. Such modifications can be introduced into the protein by techniques well known in this art, such as by synthesizing modified genes by ligation of overlapping oligonucleotides or introducing mutations into the cloned genes by, for example, oligonucleotide-mediated mutagenesis.

The cloned phytase gene may be used as starting materials for the construction of improved phytases. Improved phytases are phytases, altered by mutagenesis techniques (e.g. site-directed mutagenesis, or directed evolution), which have properties that differ from those of wild-type phytases (Kuchner and Arnold 1997). For example, the temperature or pH optimum, specific activity, temperature or protease resistance may be altered so as to be better suited for a particular application.

A choice of expression in cellular compartments (such as cytosol, endoplasmic reticulum) or extracellular expression can be used in the present invention, depending on the

biophysical and biochemical properties of the phytase. Such properties include, but are not limited to pH sensitivity, sensitivity to proteases, and sensitivity to the ionic strength of the preferred compartment. The DNA sequence encoding the enzyme of interest should be modified in such a way that the enzyme can exert its action at the desired location in the cell. To achieve extracellular expression of the phytase, the expression construct of the present invention utilizes a bacterial signal sequence. Although signal sequences that are homologous (native) to the animal host species are preferred, heterologous signal sequences,

i.e. those originating from other animal species or of microbial origin, may be used as well.

Such signal sequences are known to those skilled in the art.

5

10

15

20

25

30

All parts of the relevant DNA constructs (promoters, regulatory, secretory, stabilizing, targeting, or termination sequences) of the present invention may be modified, if desired, to affect their control characteristics using methods known to those skilled in the art. The cisacting regulatory regions useful in the invention include the promoter that drives expression of the phytase gene. Highly preferred are promoters that are specifically active in salivary gland cells. Among such promoters, highly preferred are mouse parotid secretory protein (PSP) promoter, rat proline-rich protein (PRP) promoter, human salivary amylase promoter, mouse mammary tumor virus promoter (Samuelson 1996). Among the useful sequences that regulate transcription, in addition to the promoters discussed above, are enhancers, splice signals, transcription termination signals, and polyadenylation sites. Particularly useful in this regard are those that increase the efficiency of the transcription of the genes for phytase in the salivary gland or other cells of the transgenic animals listed above. Preferred are transcription regulatory sequences for proteins highly expressed in the salivary gland cells. Introns could be introduced to increase levels of expression. Such introns include the synthetic intron SIS, SV40 small t antigen intron and others (Whitelaw et al. 1991; Petitclerc et al. 1995).

Preferably, the expression system or construct of this invention also includes a 3' untranslated region downstream of the DNA sequence encoding the desired recombinant protein, or the salivary protein gene used for regulation. This region apparently stabilizes the RNA transcript of the expression system and thus increases the yield of the desired protein. Among the 3' untranslated regions useful in this regard are sequences that provide a polyA signal. Such sequences may be derived, e.g., from the SV 40 small t antigen late polyadenylation signal, synthetic polyadenylation signal or other 3' untranslated sequences well known in this art (Carswell and Alwine 1989;Levitt et al. 1989). Preferably, the 3' untranslated region is derived from a salivary-specific protein. The stabilizing effect of this

15

20

25

30

region's polyA transcript is important in stabilizing the mRNA of the expression sequence. Further, the addition of locus control regions (LCRs), matrix attachment regions (MAR) and scaffold attachment regions (SARs) would allow position-independent, copy number dependent expression of the transgene with either homologous or heterologous promoters (Taboit-Dameron et al. 1999; Geyer 1997). Co-integration of an actively expressed gene with the transgene was also shown to increase expression levels of a poorly expressed transgene (Clark et al. 1993). Also important in increasing the efficiency of expression of phytase is a strong translation initiation site (Kozak 1987). Likewise, sequences that regulate the post-translational modification of phytase may be useful in the invention.

The term "animal" as used herein denotes all animals except humans. It also includes an individual animal in all stages of development, including embryonic and fetal stages.

A "transgenic" animal is any animal containing cells that bear genetic information received, directly or indirectly, by deliberate genetic manipulation at the subcellular level, such as by microinjection or infection with a recombinant virus. "Transgenic" in the present context does not encompass classical crossbreeding or in vitro fertilization, but rather denotes animals in which one or more cells receive a recombinant DNA molecule. Although it is highly preferred that this molecule be integrated within the animal's chromosomes, the invention also encompasses the use of extrachromosomally replicating DNA sequences, such as might be engineered into yeast artificial chromosomes. The information to be introduced into the animal may be foreign to the species of the animal to which the recipient belongs (i.e., "heterologous"), or the information may be foreign only to the particular individual recipient, or genetic information already possessed by the recipient. In the last case, the introduced gene may be expressed in a manner different than the native gene.

As indicated above, the transgenic animals of this invention are other than human. Farm animals (pigs, goats, sheep, cows, horses, rabbits and the like), rodents (such as mice and rats), domestic pets (eg. cats and dogs), fish and poultry (eg. chickens) are included in the scope of this invention. It is highly preferred that a transgenic animal of the present invention be produced by introducing into single cell embryos appropriate polynucleotides that encode phytase, or fragments or modified products thereof, in a manner such that these polynucleotides are stably integrated into the DNA of germ line cells of the mature animal, and are inherited in normal mendelian fashion. Advances in technologies for embryo micromanipulation now permit introduction of heterologous DNA into fertilized mammalian ova. For instance, totipotent or pluripotent stem cells can be transformed by microinjection, calcium phosphate mediated precipitation, liposome fusion, retroviral infection or other

means, the transformed cells are then introduced into the embryo, and the embryo then develops into a transgenic animal. In one preferred method, developing embryos are infected with a retrovirus containing the desired DNA, and transgenic animals produced from the infected embryo. In a most preferred method, however, the appropriate DNAs are co-injected into the pronucleus or cytoplasm of embryos, preferably at the single cell stage, and the embryos allowed to develop into mature transgenic animals. Such techniques are well known (see reviews of standard laboratory procedures for microinjection of heterologous DNAs into mammalian fertilized ova, including Hogan et al., Manipulating The Mouse Embryo, (Cold Spring Harbor Press 1986); Krimpenfort et al., Bio/Technology 9:844 (1991); Palmiter et al.,

Cell, 41: 343 (1985); Kraemer et al., Genetic Manipulation Of The Early Mammalian Embryo, (Cold Spring Harbor Laboratory Press 1985); Hammer et al., Nature, 315: 680 (1985); Wagner et al., U.S. Pat. No. 5,175,385; Krimpenfort et al., U.S. Pat. No. 5,175,384, the respective contents of which are incorporated herein by reference).

For a person skilled in art, it will also be clear that the present invention provides for other proteins to be expressed in the salivary gland of the pig. Such proteins may be secreted into saliva to improve digestion and decrease pollution potential (for example, endoglucanases), or specifically targeted for secretion into blood and have effects on the growth and health of the animal (such as growth hormone).

Phytase activity may be measured via a number of assays, the choice of which is not critical to the present invention. For example, the phytase enzyme activity of the transgenic animal tissue may be tested with an ELISA-assay, Western blotting or direct enzyme assays using calorimetric techniques or gel assay system.

The examples included herein are provided so as to give those of ordinary skill in the art a complete disclosure and description of how to make and use the invention and are not intended to limit the scope of what the inventors regard as their invention. Efforts have been made to ensure accuracy with respect to numbers used (e.g., amounts, temperature, pH, etc.) but some experimental errors and deviation should be accounted for. Unless indicated otherwise, temperature is in degrees Centigrade and pressure is at or near atmospheric.

30

25

15

20

Although the invention has been described with reference to certain specific embodiments, various modifications thereof will be apparent to those skilled in the art without departing from the spirit and scope of the invention as outlined in the claims appended hereto.

Table 1. Secretion of phytase in the saliva of transgenic mice containing the R15-PRP/APPA transgene and non-transgenic mice induced with isoproterenol and pilocarpine.

Founder	Mice	PCR	Gender	Generation	Transgene	Phytase activity micromoles/min/ml
A0m	4bfr (+)	positive	F	1	APPA+intron	39.73
A0m	2brm(+)	positive	M	1	APPA+intron	24.29
A0m	2brm(+)	positive	M	2	APPA+intron	14.42
A0m	5brf(+)	positive	F	2	APPA+intron	7.36
A0m	1brm(-)	negative	M	1	APPA+intron	0.00
Alf	9brf(+)	positive	F	1	APPA+intron	0.08
Alf	11w f(+)	positive	F	1	APPA+intron	0.07
Alf	5brm(+)	positive	M	1	APPA+intron	0.03
Alf	10wf(-)	negative	F	1	APPA+intron	0.02
A20f	1brm(+)	positive	·M	1	APPA+intron	0.53
A20f	5brf(+)	positive	F	1	APPA+intron	0.12
A20f	4brf (-)	negative	F	1	APPA+intron	0.03
A2m	13wf(+)	positive	F	1	APPA+intron	87.70
B0m	5brf (+)	positive	F	1	APPA+intron	0.95
B0m	3brm(+)	positive	M	1	APPA+intron	0.73
B0m	6wf (-)	negative	F	1	APPA+intron	0.00
B0f	3wf (+)	positive	F	2	APPA	252.43
B0m-intr	9wf(+)	positive	F	1	APPA	546.74
W0m	8wf(+)	positive	F	1	APPA	60.42
W30m	lwm(+)	positive	M	2	APPA	41.91
W30m	11w f(+)	•	F	1	APPA	43.44
W30m	4wm(-)	negative	M	1	APPA	0.02
W30m	10wf(-)	negative	F	1	APPA	0.02

Table 2. Repeat sequences found in the Lama2-APPA construct.

Start	End	DNA	Repeat	Class/family	Substitu-	Deletions	Insertions
J		strand	·		tions % of	% of	% of
					consensus	consensus	consensus
765	927	+	LIMI	LINE/L1	25	4.2	6.7
928	965	+	(CA)n	Simple repeat	0	0	0
966	1020	+	L1M1	LINE/LI	25	4.2	6.7
1021	1156	+	B1 MM	SINE/Alu	15.4	0	0
1159	1231	+	CAAAC)n	Simple repeat	1.4	0	0
1232	1385	+	L1M1	LINE/LI	25	4.2	6.7
1652	2308	C	Ll	LINE/L1	28.5	11.9	1.7
2334	2406	C	MIR	SINE/MIR	27.4	4.1	0
2415	3266	+	RMER13A	LTR	17.7	4	6.1
6016	6127	С	L1MA9	LINE/L1	25.5	2	11
6831	7007	+	CT-rich	Low	30.5	1.7	3.4
.0831	7007	<u> </u>	01 1.0	complexity			
7299	7510	C	B3	SINE/B2	27.8	7.5	1.4
7718	7746	+	(TCTCTG)n	Simple repeat	6.9	0	0
8499	8581	С	MIR	SINE/MIR	24.1	12.1	3.6
9010	9603	+	Lx4	LINE/L1	21.7	6.4	0.2
10465	10519	+	(TG)n	Simple repeat	5.5	1.8	0
11235	11287	C	MER5A	DNA/MER1 type	28.3	0	1.9
12372	12537	C	L1MA4A	LINE/LI	28.3	5.4	0
14240	14388		B1_MM	SINE/Alu	4	0	1.3
			MIR	SINE/MIR	36.4	1.3	0
14869				LTR/MaLR	29.3	0	6
16391	16540		ORR1D	LTR	21.3	10	11.8
16774			RMER4	LINE/L1	15.3	0	0.8
17229	17718	С	LI MM	LINULI			

Table 3. Salivary phytase activities of G2 mice from the founder female 3-1 generated using the construct Lama2-APPA. The mice were between 21 and 30 days of age.

male mouse #	Phytase (U/ml)	female mouse #	Phytase (U/ml)
5	28.3	1	9.0
6	2.5	2	29.9
8	6.6	4	8.0
9	44.7	5	43.0
10	12.7	6	26.9
12	28.3	8	1.9
15	28.1	9	66.3
18	71.2	10	19.9
19	19.5	11	61.3
20	15.7	12	36.4
21	20.9	13	18.0
22	4.1	17	38.9
24	13.0	18	18.5
26	53.4	19	27.0
28	20.4	23	6.5
29	34.1	24	16.1
30	11.1	25	9.4
32	3.1	26	14.8
33	51.7	27	1.3
. 34	19.0	28	8.2

<u>Table 4. Composition and nutrient levels of Phase II starter diet and low phytate starter diets fed to weanling pigs between 5-10 kg.</u>

Ingredients	Diet/N	utrient Levels <sup>1</sup>
- 0-	Phase II Starter Diet	Low Phytate Starter Diet
Com	33.15	25.44
Barley	8.00	8.00
Wheat	20.00	40.00
Soybean meal	21.00	8.00
Fish meal	5.00	5.00
Meat and bone meal	-	1.00
Whey	8.00	8.00
Fat	2.00	2.00
Lysine-HCl	0.10	0.28
Dicalcium phosphate	1.10	-
CaCO <sub>3</sub>	0.90	1.10
Iodized salt	0.30	0.30
Vitamin premix <sup>1</sup>	0.250	0.55
Mineral premix	0.10	0.10
Lincommix 44	0.10	0.10
Total (kg)	100.00	100.00
Total (NS)		
Calculated nutritive values		
DE (kcal/g)	3.44	3.36
CP (%)	19.46	18.62
Ca (%)	1.00	0.94
Total P (%)	0.74	0.66
Ca/P	1.35:1	1.42:1
Total AA contents (%)		
Arginine	1.16	1.17
Histidine	0.50	0.48
Isoleucine	0.81	0.77
Leucine	1.58	1.54
Lysine	1.17	1.06
Methionine	0.34	0.29
Cysteine	0.34	0.34
Methionine+Cysteine	0.68	0.63
Phenylalanine	0.90	0.90
Tyrosine	0.65	- 0.65
Threonine	0.75	0.68
Tryptophan	0.23	0.23
Valine	0.91	0.86

<sup>&</sup>lt;sup>1</sup>Minerals and vitamins meet or exceed levels recommended by NRC (1998).

Table 5. Composition and nutrient levels of grower and finisher diets.

Ingredients	Diet/Nu	trient Levels	
m.g. ou	Grower Diet	Finishing Diet	
	For pigs 20 to 50 kg	For pigs 50 to 120 kg	
Corn	51.78	40.00	
Barley	8.10	23.03	
Wheat	20.00	23.00	
Soybean meal	16.00	13.00	
Fat	1.00	1.00	
Lysine-HCl	0.12	0.12	
Dicalcium phosphate	1.20	1.00	
CaCO <sub>3</sub>	1.15	. 1.15	
Iodized salt	0.50	0.50	
Vitamin premix <sup>1</sup>	0.15	0.15	
Mineral premix	0.10	0.10	
Total (kg)	100.00	100.05	
10.0. (1.5/			
Calculated nutritive values			
DE (kcal/g)	3.39	3.33	
CP (%)	14.76	14.17	
Ca (%)	0.79	0.74	
Total P (%)	0.57	0.53	
Ca/P	1.39:1	1.39:1	
Total AA contents (%)			
Arginine	0.86	0.80	
Histidine	0.38	0.36	
Isoleucine	0.58	0.55	
Leucine	1.28	1.18	
Lysine	0.78	0.73	
Methionine	0.24	0.23	
Cysteine	0.29	0.29	
Methionine+Cysteine	0.53	0.52	
Phenylalanine	0.70	0.68	
Tyrosine	0.50	0.46	
Threonine	0.52	0.49	
Tryptophan	0.17	0.16	
Valine	0.68	0.65	

<sup>&</sup>lt;sup>1</sup>Minerals and vitamins meet or exceed levels recommended by NRC (1998).

Table 6. Vitamin premix composition1

Nutrient	Amount per 5 kg of premix
Wheat midds	3.867 kg
Vitamin A	10 million IU
Vitamin D	1 million IU
Vitamin E	40 thousand IU
Menadione	2.5 g
Pantothenic acid	15 g
Riboflavin	5 g
Folic acid	2 g
Niacin	25 g
Thiamin	1.5 g
Pyridoxine	1.5 g
Vitamin B <sub>12</sub>	25 mg
Biotin	. 200 mg
Choline	500 g

From Hoffman-LaRoche Limited, P.O. Box 877, Cambridge, ON. N1R5X9

Table 7. Composition of the mineral premix 1,2

Mineral component	Amount (%)
Limestone	43.3
Copper sulfate (25%)	6.0
Ferrous sulfate (30%)	33.4
Zinc oxide (72%)	13.9
Manganous oxide (56%)	3.4

Mineral premix prepared at Arkell

Dicalcium phosphate contained 18.5% calcium and 20.5% of phosphate and normally is added at a level of 1.2% to the pig grower diet, 1.0% to the finisher diet and 1.5% to the nursing sow diet.

Table 8. Statistics on embryo recovery and the introduction of embryos containing the transgene into recipient sows.

Treatment	Number
Gilts used for embryo recovery:	
Yorkshire	279
Yorkshire x Landrace cross	168
Duroc	12
Total	459
Recipient sows <sup>1</sup>	74
Embryos transferred to recipients:	
Embryos microinjected with the transgene	4147
Uninjected carrier embryos	675
Total	4543
Total number of embryo transfers	140

Sows were used for up to three farrowings of potentially transgenic pigs. Sows were inseminated with Yorkshire semen from a high breeding value boars.

Table 9. Transgenic pigs containing a salivary phytase gene generated by microinjections of

single cell zygotes using the Lama2-APPA transgene Zygote source⁴ Salivary phytase Sex Presence of Birth Date D# of Transgene<sup>2</sup>Tail/Blood  $(U/ml)^{2}$ pig1 Yorkshire 6,000 Boar Apr 14/99 +/+ 167-02 Yorkshire Boar 618 +/+ Jun 14/99 282-02 Yorkshire 1,349 +/+ Boar Jun 14/99 282-04 York/Landrace 339 +/+ Gilt Aug 14/99 405-02 York/Landrace 0.8 Gilt -/+ Aug 24/99 421-02 York/Landrace 2.2 Gilt -/+ Aug24/99 421-04 York/Landrace Boar 97 +/+ Aug 24/99 421-06 York/Landrace 0 Gilt +/+ Sep 03/99 448-01 York/Landrace 2.3 +/+ Gilt 491-01 Sep 25/99 York/Landrace 0 Gilt +/+ Sep 25/99 491-02 York/Landrace 0.3 +/+ Gilt 491-03 Sep 25/99 York/Landrace 0 Boar +/+ Sep 25/99 491-05 York/Landrace 0 +/+ Boar Sep 26/99 496-05 York/Landrace 136 +/+ Boar 500-03 Sep 28/99 York/ 0.2 +/+ Boar Sep 28/99 510-01 York/Landrace >418 +\*/+ Boar Nov 01/99 559-05 Yorkshire 5 Boar +\*/+ Nov 02/99 560-04 2.3 Yorkshire Gilt +/+ Nov 18/99 594-03 York/Landrace 0.5 Gilt -/+ Nov 27/99 613-02 York/Landrace 0.3 Gilt -/+ Nov 27/99 613-03 York/Landrace 0.5 Gilt -/+ Dec 13/99 647-01 York/Landrace Gilt 16.3 +\*/+ Dec 13/99 647-03 York/Landrace 0.5 Gilt -\*/+ Dec 13/99 647-04 York/Landrace 0.4 -\*/+ Boar 647-08 Dec 13/99 York/Landrace 1.92 Boar +\*/+ Dec 13/99 647-09 Yorkshire 489 +\*/+ Gilt Dec 17/99 668-01 York/Landrace 6.9 Boar +\*/+ Dec 19/99 671-02 York/Landrace 325 Boar +\*/+ Dec 19/99 671-04 York/Landrace 2.1 Gilt -\*/+ Dec 21/99 675-03 York/Landrace 42.6 +\*/+ Boar Dec 21/99 675-04 York/Landrace 5.0 -\*/+ Boar Dec 21/99 675-06



<sup>&</sup>lt;sup>1</sup>The number preceeding the dash represents the litter number and the number following the dash is the pig number within the litter.

<sup>&</sup>lt;sup>2</sup>All PCR assays were conducted with the primer APPA-up2-APPA-Kpn. Assays indicated with a star gave a negative result with the primer pair. However these samples gave a positive result for the primer set APPA-d4-Lama-up1. Samples 613-02 and 613-03 were negative with the latter primer set.

<sup>&</sup>lt;sup>3</sup>Saliva was sampled and assayed for phytase 2 to 4 days after birth of the piglets.

<sup>&</sup>lt;sup>4</sup>Zygotes used for microinjection were collected from superovulated Yorkshire or Yorkshire-Landrace cross gilts.

Table 10. Phosphorus content of feces collected from pigs producing a salivary phytase and non-transgenic pen-mates<sup>1</sup>. The data was subjected to a T-test analysis and the data recorded below.

	Mean Fecal Phosphorus	SE	Relative reduction in fecal	t	t (1%)
	(%)		phosphorus (%)		
1. 167-02 Grower Diet (122 days):	1.59		24.47	0.517	
Non-transgenic (n=4)	2.11	0.0604669		8.517	4.6
2. 167-02 Finisher Diet (154	1.97		16.97		1
days):				16.717	4.6
Non-transgenic (n=4)	2.37	0.0240767	12.00	10./1/	4.0
3. 282-02 Grower Diet (93 days):	1.85		12.90	10.334	4 02
Non-transgenic (n=5)	2.124	0.022231964		12.324	4.03
4. 282-02 Finisher Diet (145	1.76	İ	16.03		
days):				2 2 9 0	4.03 <sup>2</sup>
Non-transgenic (n=5)	2.096	0.099153384	2.10	3.367	4.03
5. 282-04 Grower Diet (93 days):	1.95		8.19	7 927	4.03
Non-transgenic (n=5)	2.124	0.022231964		1.821	4.03
6. 282-04 Finisher Diet (145	1.56		25.57		\
days):				5.406	4.03
Non-transgenic (n=5)	2.096	0.099153384	27.47	3.400	4.03
7. 421-06 Starter II Diet (40	1.17		27.47		
days):				5 140	4.03
Non-transgenic (n=5)	1.612	0.086155741	10.03	3.140	4.03
8. 421-06 Start III Diet (48 days):	1.57		18.01	2 261	1.03
Non-transgenic (n=5)	1.915	0.102884789	1	3.351	4.03
9. 421-06 Grower Diet (81 days):	2.00		13.28	2.022	4.03
Non-transgenic (n=5)	2.310	0.151658823		2.022	4.03
10. 421-06 Finisher Diet (136	1.71		21.20		1
days):				8.68	4.03
Non-transgenic (n=5)	2.173	0.053023237		8.00	4.03
11. 405-02 Starter II Diet (40	1.81		26.97	1	1
days):				2 05	5 4.03
Non-transgenic (n=5)	2.482	0.173625623		ره.د	9 4.05
12. 405-02 Starter III Diet (48	1.54		36.58		
days):		1		8.49	6 4.6
Non transgenic (n=4)	2.430	0.104642248		0.47	0 4.0
13. 405-02 Grower Diet (80 days):	2.26	<u> </u>	18.19	4.02	9 4.6
Non-transgenic (n=4)	2.763	0.124724697		4.04	9 4.0
14. 405-02 Finisher Diet (136	2.26		13.24		
days):				1.50	8 4.6
Non-transgenic (n=4)	2.605	0.217198066		1.58	

Fresh fecal samples were collected on 3 different days was freeze-dried and then dried to constant weight at 110°C for 24 h, and analyzed for total phosphorus.

 $^{2}$ At the 5% level of confidence t=2.57.




Table 11. Phytase activities of the first generation (G1) transgenic offspring obtained by the crossing the phytase positive boar 167-02 with non-transgenic Yorkshire gilts<sup>1</sup>

ID # of pig	Birth Date	Sex	Salivary phytase (U/ml)	Specific Activity U/mg protein
151-01	Mar 16/00	F	1193	126
151-02	14	F	736	63.3
151-05	66	M	710	109
151-07	"	M	8019	315
152-04		M	10077	364
152-09	44	M	3054	200
154-01	Mar 19/00	F	2472	256
154-03	"	F	6425	706
154-04	"	F	n.d.	n.d.
154-05	"	M	2767	213
154-06		M	341	39
154-07		M	4029	142
154-08	"	M	1184	47.4
159-03	Mar 20/00	F	1563	116
159-04	"	M	2285	201

The number of males and females (M/F) in each litter were 5/3, 7/2, 5/4, and 2/3 for litter numbers 151, 152, 154 and 159, respectively. Saliva was collected from the piglets on day 11.

Á

Table 12. Primers used for construction and detection of transgenic constructs.

Name	Start-End <sup>1</sup>	Forward/	
		Reverse	
Primers use	d in R15/APPA+	intron and R1	5/APPA construction
APPA-		R	TCGGCGCTCACCTTGAGTTC
DOWN2			
APPA-		F	CCGTTTAAAGCCATCTTAATCCCAT
DRA			
APPA-		R	GTCCCGGGTATGCGTGCTTCATTC
SMA			TO A TENSOR HORSE A GOTT A GOTT
CAT-ATG		R	CCATGGTGGCGGCTTTTAGCTTCCTTAGCT
			CCTGA
CAT-TAA		F	AGCGCTTGCAGTTTGTAAGGCAGTTATTG
			GTGCCC
CAT-UP1		F	TCG AGG AGC TTG GCG AGA TT
R15-UP1		F	TTTCGGGCCAATGTTGCTGT
Primers use	ed in SV40/APPA	+intron const	ruction
SV-HIND		F	CCCAAGCTTTACACTTTATGC
SV-XHO		R	GCCCTCGAGCCTCCTCACTACTTCT
	·		
Primers use	ed in Lama2/API	A and Lama2	/PSP/APPA construction
APPA-	12635-12657	F	GGATCGATAAAAGCCGCCACCATGAA
CLA			
APPA-	13307-13326	R	TCGGCGCTCACCTTGAGTTC
DOWN2			TO THE TOTAL COLUMN A TOM
APPA-	12751-12780	R	GCACGCACACCATGACGACTGACAATCAC
DOWN4			C C C C C C C C C C C C C C C C C C C
APPA-	13935-13959	R	CGGGTACCTTACAAACTGCAAGCGG
KPN			TO A COORDA COTO A A
APPA-	12719-12738	F	CAGAGTGAGCCGGAGCTGAA
MATURE			TO A STOCK A SCOOT COTTA
APPA-	13210-13229	F	CGAACTGGAACGGGTGCTTA
UP2			GCATCGATCTTTGGTTCTGACAAATGG
LAMA-	12615-12639	R	GCATCGATCTTTGGTTCTGACAAATGG
CLA			TO LOTOTICA CTTCCCA ATCA
LAMA-		R	TGACTCTGAGTTCCCAATGA
SIGNAL			
LAMA-UP	12111-12130	F	GTGCTGCTCCAAGTTTGGTG
D	r detection of the	e porcine β-glo	bin gene
Primers io			
PIG-BGF		F	GCAGATTCCCAAACCTTCGCAGAG TCTGCCCAAGTCCTAAATGTGCGT

The location of the primers shown for Lama2/APPA sequence.
The start and stop codons of APPA are indicated in bold letters, the optimal initiation sequence for translation is italicized, and the restriction sites for restriction enzymes are underlined.

## Reference List

The following references have been referred to in the present application. The content of these references are incorporated herein by reference.

- 1. Abelson, P.H. 1999. A potential phosphate crisis [editorial]. Science 283: 2015.
- 2. Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. 1990. Basic local alignment search tool. J.Mol.Biol. 215: 403-410.
- 3. Ann,D.K. and Carlson,D.M. 1985. The structure and organization of a proline-rich protein gene of a mouse multigene family. J.Biol.Chem. 260: 15863-15872.
- 4. Arkhipovets, A.I. 1956. Age characteristics of salivary secretion in young pigs.

  Journal of Physiology of USSR 42: 882-886.
- Association of Official Analytical Chemists (AOAC) 1984. Official methods of analysis of the Association of Official Analytical Chemists. Association of Official Analytical Chemists, Washington.
- 6. Ausbel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J.G., Smith, J.A., and Struhl, K. 1992. Short protocols in molecular biology. John Wiley & Sons, New York.
- 7. Barsh, G.S. and Epstein, C.J. 1989. Physical and genetic characterization of a 75-kilobase deletion associated with al, a recessive lethal allele at the mouse agouti locus. Genetics 121: 811-818.
- 8. Bennick, A. 1982. Salivary proline-rich proteins. Mol. Cell Biochem. 45: 83-99.
- 9. Bitar, K. and Reinhold, J.G. 1972. Phytase and alkaline phosphatase activities in intestinal mucosae of rat, chicken, calf, and man. Biochim. Biophys. Acta 268: 442-452.
- 10. Burge, C. and Karlin, S. 1997. Prediction of complete gene structures in human genomic DNA. J.Mol.Biol 268: 78-94.

.

- Burge, C.B. and Karlin, S. 1998. Finding the genes in genomic DNA. Curr. Opin. Struct. Biol. 8: 346-354.
- 12. Carlson, D.M. 1993. Salivary proline-rich proteins: biochemistry, molecular biology, and regulation of expression. Crit Rev.Oral Biol.Med. 4: 495-502.
- 13. Carswell, S. and Alwine, J.C. 1989. Efficiency of utilization of the simian virus 40 late polyadenylation site: effects of upstream sequences. Mol. Cell Biol. 9: 4248-4258.
- 14. Chi, T.H. and Crabtree, G.R. 2000. Perspectives: signal transduction. Inositol phosphates in the nucleus [comment]. Science 287: 1937-1939.
- Clark, A.J., Archibald, A.L., McClenaghan, M., Simons, J.P., Wallace, R., and Whitelaw, C.B. 1993. Enhancing the efficiency of transgene expression. Philos. Trans. R. Soc. Lond B Biol. Sci. 339: 225-232.
- Clements, S., Mehansho, H., and Carlson, D.M. 1985. Novel multigene families encoding highly repetitive peptide sequences. Sequence analyses of rat and mouse proline-rich protein cDNAs. J Biol. Chem. 260: 13471-13477.
- Corring, T. 1980. Endogenous secretions in the pig. In Current concepts of digestion and absorption in pigs. Edited by A.G.Low and I.G.Partridge. National Institute for Research in Dairying, Reading pp. 136-150.
- 18. Cosgrove, D.J. 1980. Inositol phosphates. Their chemistry, biochemistry and physiology. Elsevier, Amsterdam.
- Crameri, A., Dawes, G., Rodriguez, E.Jr., Silver, S. and Stemmer, W.P.C. 1997.
   Molecular evolution of an arsenate detoxification pathway by DNA shuffling. Nature Biotechnol. 15: 436-438.
- 20. Dassa, J., Marck, C., and Boquet, P.L. 1990. The complete nucleotide sequence of the Escherichia coli gene APPA reveals significant homology between pH 2.5 acid phosphatase and glucose-1-phosphatase. J.Bacteriol. 172: 5497-5500.

- 21. Denny, H.R. and Messervy, A. 1972. Surgical techniques for the extirpation of the submandibular salivary glands and the collection of salivary secretions in the pig. Vet. Rec. 90: 650-654.
- Dobrinsky, J.R., Johnson, L.A., and Rath, D. 1996. Development of a culture medium (BECM-3) for porcine embryos: Effect of bovine serum albumin and fetal bovine serum on embryo development. Biol. Reprod. 55: 1069-1074.
- 23. Dvorakova, J. 1998. Phytase: sources, preparation and exploitation. Folia Microbiol. (Praha) 43: 323-338.
- 24. Engelen, A.J., van der Heeft, F.C., Randsdorp, P.H., and Smit, E.L. 1994. Simple and rapid determination of phytase activity. J AOAC Int. 77: 760-764.
- 25. Frandson, R.D. and Spurgeon, T.L. 1992. Anatomy and physiology of farm animals.

  Lea & Febiger, Philadelphia.
- 26. Galfre, G. and Milstein, C. 1981. Preparation of monoclonal antibodies: strategies and procedures. Methods Enzymol. 73: 3-46.
- 27. Geyer, P.K. 1997. The role of insulator elements in defining domains of gene expression. Curr. Opin. Genet. Dev. 7: 242-248.
- 28. Gish, W. and States, D.J. 1993. Identification of protein coding regions by database similarity search. Nature Genetics 3: 266-272.
- Golovan, S., Wang, G., Zhang, J., and Forsberg, C.W. 2000. Characterization and overproduction of the Escherichia coli APPA encoded bifunctional enzyme that exhibits both phytase and acid phosphatase activities [In Process Citation].
   Can. J. Microbiol. 46: 59-71.
- Gordon, J.W., Scangos, G.A., Plotkin, D.J., Barbosa, J.A., and Ruddle, F.H. 1980.
   Genetic transformation of mouse embryos by microinjection of purified DNA.
   Proc. Natl. Acad. Sci. USA 77: 7380-7384.

- 31. Gorman, C., Padmanabhan, R., and Howard, B.H. 1983. High efficiency DNA-mediated transformation of primate cells. Science 221: 551-553.
- 32. Greiner, R. and Jany, K.-D. Characterization of a phytase from Escherichia coli. Herbsttagung der Gesellschaft für Biologische Chemie 372. 1991.
  Ref Type: Abstract
- 33. Greiner, R., Konietzny, U., and Jany, K.D. 1993. Purification and characterization of two phytases from Escherichia coli. Arch Biochem. Biophys. 303: 107-113.
- 34. Hall, J., Hazlewood, G.P., Surani, M.A., Hirst, B.H., and Gilbert, H.J. 1990. Eukaryotic and prokaryotic signal peptides direct secretion of a bacterial endoglucanase by mamalian cells. J.Biol.Chem. 275: 19996-19999.
- 35. Harland, B.F. and Morris, E.R. 1995. Phytate: A good or a bad food component? Nutr. Res. 15: 733-754.
- 36. Harlow, E., and Lane, D. 1988. Antibodies: a laboratory manual. Cold Spring Harbor Laboratory, New York.
- 37. Harayama, S. 1998. Artificial evolution by DNA shuffling. Trends Biotechnol. 16: 76-81.
- 38. Heinoen, J.K. and Lahti, R.J. 1981. A new and convenient colorimetric determination of inorganic orthophosphate and its application to the assay of inorganic pyrophosphate. Anal. Biochem. 133: 313-317.
- 39. Heneine, W. and Switzer, W.M. 1996. Highly sensitive and specific polymerase chain reaction assays for detection of baboon and pig cells following xenotransplantation in humans. Transplantation 62: 1360-1362.
- 40. Higuchi, R. 1989. Simple and rapid preparation of samples for PCR. In PCR technology: principles and applications for DNA amplification. Edited by H.A. Erlich. Macmillan Publishers; Stockton Press, New York, NY pp. 31-38.

- 41. Hu,Y., Nakagawa,Y., Purushotham,K.R., and Humphreys-Beher,M.G. 1992. Functional changes in salivary glands of autoimmune disease-prone NOD mice. Am.J.Physiol. 263: E607-E614.
- 42. Huang, X. 1996. An improved sequence assembly program. Genomics 33: 21-31.
- 43. Huang, X. 1999. A contig assembly program based on sensitive detection of fragment overlaps. Genomics 14: 18-25.
- 44. Huff, W.E., Moore, P.A., Jr., Waldroup, P.W., Waldroup, A.L., Balog, J.M., Huff, G.R., Rath, N.C., Daniel, T.C., and Raboy, V. 1998. Effect of dietary phytase and high available phosphorus corn on broiler chicken performance. Poult Sci 77: 1899-1904.
- 45. Iqbal, T.H., Lewis, K.O., and Cooper, B.T. 1994. Phytase activity in the human and rat small intestine. Gut 35: 1233-1236.
- 46. Jia, Z., Golovan, S., Ye, Q., and Forsberg, C.W. 1998. Purification, crystallization and preliminary X-ray analysis of the Escherichia coli phytase. Acta Crystallogr. D.Biol. Crystallogr. 54 (Pt 4): 647-649.
- 47. Kazazian, H.H.J. 1998. Mobile elemants and disease. Curr. Opin. Genet. Dev. 8: 343-350.
- 48. Kim,H.S. and Maeda,N. 1986. Structures of two HaeIII-type genes in the human salivary proline-rich protein multigene family. J Biol.Chem. 261: 6712-6718.
- 49. Kohler, G. and Milstein, C. 1976. Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion. Eur. J. Immunol. 7: 511-519.
- Kozak, M. 1987. At least six nucleotides preceding the AUG initiator codon enhance traslation in mammalian cells. Proc. Natl. Acad. Sci. USA 196: 947-950.
- 51. Kuchner, O. and Arnold, F.H. 1997. Directed evolution of enzyme catalysts. Trends Biotechnol. 15: 523-530.
- 52. Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. Nature 227: 680-785.



- 53. Larsen, H.J., Brodersen, C.H., and Hjorth, J.P. 1994. High-level salivary gland expression in transgenic mice. Transgenic Res. 3: 311-316.
- 54. Laursen, J. and Hjorth, J.P. 1997. A cassette for high-level expression in the mouse salivary glands. Gene 198: 367-372.
- 55. Levitt, N., Briggs, D., Gil, A., and Proudfoot, N.J. 1989. Definition of an efficient synthetic poly(A) site. Genes Dev. 3: 1019-1025.
- 56. Low, A.G. 1989. Research into the digestive physiology of pigs. In Nutrition and digestive physiology in monogastric farm animals. Edited by E.J. van Weerden and J.Huisman. Pudoc, Wageningen pp. 1-15.
- 57. Madsen, H.O. and Hjorth, J.P. 1985. Molecular cloning of mouse PSP mRNA. Nucleic Acids Res. 13: 1-13.
- 58. Mallin, M.A. 2000. Impacts of industrial animal production on rivers and estuaries.

  American Scientist 88: 26-37.
- Mehansho,H., Ann,D.K., Butler,L.G., Rogler,J., and Carlson,D.M. 1987. Induction of proline-rich proteins in hamster salivary glands by isoproterenol treatment and an unusual growth inhibition by tannins. J.Biol.Chem. 262: 12344-12350.
- 60. Menniti, F.S., Oliver, K.G., Putney, J.W., Jr., and Shears, S.B. 1993. Inositol phosphates and cell signaling: new views of InsP5 and InsP6. Trends Biochem. Sci 18: 53-56.
- 61. Mikkelsen, T.R., Brandt, J., Larsen, H.J., Larsen, B.B., Poulsen, K., Ingerslev, J., Din, N., and Hjorth, J.P. 1992. Tissue-specific expression in the salivary glands of transgenic mice. Nucleic Acids Res. 20: 2249-2255.
- 62. Miner, J.R. 1999. Alternatives to minimize the environmental impact of large swine production units. J.Anim Sci. 77: 440-444.
- 63. Nakai, K. and Kanehisa, M. 1992. A knowledge base for predicting protein localization sites in eukaryotic cells. Genomics 14: 897-911.



- 64. Nesterenko, M.V., Tilley, M., and Upton, S.J. 1994. A simple modification of Blum's silver stain method allows for 30 minute detection of proteins in polyacrylamide gels.

  J Biochem. Biophys. Methods 28: 239-242.
- 65. O'Shannessy, D.J., Voorstad, P.J., and Quarles, R.H. 1987. Quantitation of glycoproteins on electroblots using the biotin-streptavidin complex. Anal. Biochem. 163: 204-209.
- 66. Owerbach, D. and Hjorth, J.P. 1980. Inheritance of a parotid secretory protein in mice and its use in determining salivary amylase quantitative variants. Genetics 95: 129-141.
- 67. Pen,J., Verwoerd,T.C., Vanparidon,P.A., Beudeker,R.F., Vandenelzen,P.J.M., Geerse,K., Vanderklis,J.D., Versteegh,H.A.J., Vanooyen,A.J.J., and Hoekema,A. 1993. Phytase-containing transgenic seeds as a novel feed additive for improved phosphorus utilization. Biotechnology 11: 811-814.
- 68. Petitclerc, D., Attal, J., Theron, M.C., Bearzotti, M., Bolifraud, P., Kann, G., Stinnakre, M.G., Pointu, H., Puissant, C., and Houdebine, L.M. 1995. The effect of various introns and transcription terminators on the efficiency of expression vectors in various cultured cell lines and in the mammary gland of transgenic mice. J Biotechnol. 40: 169-178.
- 69. Pinkert, C.A., Dyer, T.J., Kooyman, D.L., and Kiehm, D.J. 1990. Characterization of transgenic livestock production. Domest. Anim Endocrinol. 7: 1-18.
- Quissell,D.O., Barzen,K.A., Redman,R.S., Camden,J.M., and Turner,J.T. 1998.
   Development and characterization of SV40 immortalized rat parotid acinar cell lines.
   In Vitro Cell Dev.Biol.-Animal. 34: 58-67.
- 71. Reddy, N.R., Sathe, S.K., and Salunkhe, D.K. 1982. Phytates in legumes and cereals. Adv. Food Res. 28: 1-92.
- 72. Rozhkov, Y.I. and Galimov, I.R. 1990. Salivary gland polymorphism in pigs and cattle detected by affinity electrophoresis. Anim. Genet 21: 277-283.

- 73. Samuelson, L.C. 1996. Transgenic approaches to salivary gland research.

  Annu.Rev.Physiol. 58: 209-229.
- 74. Shaw, P. and Schibler, U. 1986. Structure and expression of the parotid secretory protein gene of mouse. J Mol. Biol. 192: 567-576.
- 75. Simons, P.C., Versteegh, H.A., Jongbloed, A.W., Kemme, P.A., Slump, P., Bos, K.D., Wolters, M.G., Beudeker, R.F., and Verschoor, G.J. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. Br J Nutr. 64: 525-540.
- 76. Smit, A.F.A. 1996. The origin of interspersed repeats in the human genome. Curr. Opin. Genet. Dev. 6: 743-748.
- 77. Stahl, C.H., Han, Y.M., Roneker, K.R., House, W.A., and Lei, X.G. 1999. Phytase improves iron bioavailability for hemoglobin synthesis in young pigs. J Anim Sci 77: 2135-2142.
- 78. Svendsen, P., Laursen, J., Krogh-Pedersen, H., and Hjorth, J.P. 1998a. Novel salivary gland specific binding elements located in the PSP proximal enhancer core. Nucleic Acids Res. 26: 2761-2770.
- 79. Taboit-Dameron, F., Malassagne, B., Viglietta, C., Puissant, C., Leroux-Coyau, M., Chereau, C., Attal, J., Weill, B., and Houdebine, L.M. 1999. Association of the 5'HS4 sequence of the chicken beta-globin locus control region with human EF1 alpha gene promoter induces ubiquitous and high expression of human CD55 and CD59 cDNAs in transgenic rabbits. Transgenic Res. 8: 223-235.
- 80. Terada, T. and Nakanuma, Y. 1993. An immunohistochemical survey of amylase isoenzymes in cholangiocarcinoma and hepatocellular carcinoma. Arch Pathol. Lab Med. 117: 160-162.
- 81. Towbin, H., Staehelin, T., and Gordon, J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.
  Proc.Natl.Acad.Sci.USA 76(9), 4350-4354. 1979.
  Ref Type: Generic

- 82. Tryon, A.F. and Bibby, B.G. 1966. Preliminary studies on pig saliva. Arch. Oral Biol. 11: 527-531.
- 83. Tu,Z.J., Lazowski,K.W., Ehlenfeldt,R.G., Wu,G., Lin,H.H., Kousvelari,E., and Ann,D.K. 1993. Isoproterenol/tannin-dependent R15 expression in transgenic mice is mediated by an upstream parotid control region. Gene Expr. 3: 289-305.
- 84. Verwoerd, T.C., van Paridon, P.A., van Ooyen, A.J., van Lent, J.W., Hoekema, A., and Pen, J. 1995. Stable accumulation of Aspergillus niger phytase in transgenic tobacco leaves. Plant Physiol 109: 1199-1205.
- 85. Wall, R.J., Hyman, P., Kerr, D., Pintado, B., and Wells, K. 1997. Transgenic animal technology. J. Androl 18: 236-239.
- 86. Wall, R.J., Pursel, V.G., Hammer, R.E., and Prinster, R.L. (*Editors*). 1985. Development of porcine ova that were centrifuged to permit visualization of pronuclei and nuclei. Biol. Reprod. 32.
- Wessel, D. and Flugge, U.I. 1984. A method for the quantitative recovery of protein in dilute solution in the presence of detergents and lipids. Anal.Biochem. 138: 141-143.
- 88. Whitelaw, C.B., Archibald, A.L., Harris, S., McClenaghan, M., Simons, J.P., and Clark, A.J. 1991. Targeting expression to the mammary gland: intronic sequences can enhance the efficiency of gene expression in transgenic mice. Transgenic Res. 1: 3-13.
- 89. Williamson, C.M., A.J.Bramley, and A.J.Lax 1994. Expression of the lysostaphin gene of *Staphylococcus simulans* in a eukaryotic system. Appl.Environ.Microbiol. 60: 771-776.
- 90. Wodzinski, R.J. and Ullah, A.H. 1996. Phytase. Adv. Appl. Microbiol. 42: 263-302.
- 91. Xiong, Y. and Eickbush, T.H. 1990. Origin and evolution of retroelements based upon their reverse transcriptase sequences. EMBO J. 9: 3353-3362.

PCT/CA00/00430 WO 00/64247

57

## THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

- A transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a heterologous transgene construct, said construct 5 including a trangene encoding a protein, said transgene being operably linked to a first regulatory sequence for salivary gland specific expression of said protein.
- The animal of claim 1 wherein said first regulatory sequence comprises a saliva 2. protein promoter/enhancer sequence, whereby said animal expresses said protein in its saliva. 10
  - The animal of claim 1 wherein said animal is a mammal. 3.
- The animal of claim 3 wherein said animal is chosen from the group comprising pigs, 4. goats, sheep, cows, horses, rabbits, rodents, cats and dogs, and in addition, fish and poultry. 15
  - The animal of claim 1 wherein said saliva protein promoter/enhancer sequence 5. comprises a parotid secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP) promoter/enhancer or a salivary amylase promoter/enhancer.

20

- The animal of claim 5 wherein said promoter/enhancer is a parotid secretory protein 6. (PSP) promoter/enhancer.
- The animal of claim 6 wherein said parotid secretory protein (PSP) 7. promoter/enhancer is derived from a mouse.
- The animal of claim 5 wherein said promoter/enhancer is a proline-rich protein (PRP) 8. promoter/enhancer.
- The animal of claim 8 wherein said proline-rich protein (PRP) promoter/enhancer is 9. 30 derived from a rat.

- The animal of claim 1 wherein said transgene is further operably linked to one or 10. more second regulatory sequences including enhancers, transcription regulatory sequences, termination sequences, and polyadenylation sites.
- The animal of claim 1 wherein said transgene comprises a gene encoding a protein 5 11. having phytase activity.
  - The animal of claim 1 wherein said transgene encodes a phytase or a homologue 12. thereof.

10 The animal of claim 1 wherein said animal is a pig, said transgene comprising a gene 13. encoding a protein having phytase activity and wherein said first regulatory sequence comprises a parotid secretory protein (PSP) promoter/enhancer or a proline-rich protein (PRP) promoter/enhancer.

15

- The animal of claim 1 wherein said transgene construct comprises a nucleic acid 14. sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.
- A transgenic non-human animal that carries in the genome of its somatic and/or germ 15. cells a nucleic acid sequence including a heterologous transgene construct, said construct 20 including a trangene encoding phytase or a homologue thereof.
  - The animal of claim 15 wherein said transgene is operably linked to a first regulatory 16. sequence for salivary gland specific expression of said phytase.

- The animal of claim 16 wherein said first regulatory sequence comprises a parotid 17. secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP) promoter/enhancer or a salivary amylase promoter/enhancer.
- The animal of claim 17 wherein said animal is a mammal. 30 18.

- 19. The animal of claim 18 wherein said phytase or a homologue thereof is expressed in saliva or in the gastrointestinal tract of said animal.
- 20. The animal of claim 15 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.
  - 21. A method of expressing a protein, the method comprising the steps of:
  - a) introducing a transgene construct into a non-human animal embryo such that a non-human transgenic animal that develops from said embryo has a genome that comprises said transgene construct, wherein said transgene construct comprises:
    - i) a transgene encoding said protein, and
    - ii) at least one regulatory sequence for gastrointestinal tract specific expression of said protein,
    - b) transferring said embryo to a foster female; and,
- c) developing said embryo into said transgenic animal wherein said transgene is produced in the gastrointestinal tract of said animal.
  - 22. The method of claim 21 wherein said regulatory sequence provides for salivary gland or pancreatic gland specific expression of said protein.
  - 23. The method of claim 21 wherein said regulatory sequence provides for salivary gland specific expression of said protein.
- 24. The method of claim 23 wherein said salivary gland is a parotid gland, submaxillary25 gland, or a submandibular gland.
  - 25. The method of claim 23 wherein said transgene is expressed in the saliva of said animal.
- 30 26. The method of claim 21 wherein said transgene is heterologous.

. 5

10

20

- 27. The method of claim 21 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence.
- 28. The method of claim 21 wherein said protein is a glycoprotein.
- 29. A transgenic animal adapted for expressing a protein according to the method of claim 21, or a progeny thereof.
- 30. The method of claim 21 wherein said protein is a phytase or a homologue thereof.
- 31. The method of claim 21 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7.
- 32. A process for producing a protein comprising the steps of:
- a) obtaining saliva containing said protein from a non-human transgenic animal, said animal containing within its genome a transgene construct, wherein said transgene construct comprises:
  - i) a transgene encoding said protein, and
  - ii) at least one regulatory sequence for salivary gland specific expression of said protein, and

extracting said protein from said saliva.

- 33. The process of claim 32 wherein said transgene is heterologous.
- 25 34. The process of claim 32 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence.
  - 35. The process of claim 32 wherein said protein is a glycoprotein.
- 36. The process of claim 32 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

- 37. The process of claim 32 wherein said protein is a phytase or a homologue thereof.
- 38. The process of claim 32 wherein said salivary gland is a parotid gland, submaxillary, or a submandibular gland.

10

15

- 39. A method for expressing a phytase or a homologue thereof in a non-human animal, said method comprising:
  - a) constructing a nucleic acid sequence including a transgene construct comprising:
    - i) a transgene encoding said phytase or a homologue thereof, and
    - ii) at least one regulatory sequence for gastrointestinal tract specific expression of said protein, and
- b) transfecting the animal with said nucleic acid sequence; whereby said animal carries within the genome of its somatic and/or germ cells said transgene construct and wherein said animal expresses said phytase or a homologue thereof in its gastrointestinal tract.
- 40. The method of claim 39 wherein said transgene construct results in salivary gland or pancreatic gland specific expression of said phytase or a homologue thereof.
- 20 41. The method of claim 40 wherein said regulatory sequence provides for salivary gland specific expression of said phytase or a homologue thereof.
  - 42. The method of claim 41 wherein said salivary gland is a parotid gland, submaxillary, or a submandibular gland.

- 43. The method of claim 41 wherein said phytase or a homologue thereof is expressed in the saliva of said mammal.
- 44. The method of claim 41 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

25

- 45. The method of claim 39 wherein said nucleic acid sequence is introduced into said animal in the form of a transgene construct.
- 46. The method of claim 45 wherein said transgene construct is a nucleic acid molecule.
- 47. The method of claim 46 wherein said plasmid comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, or SEQ ID NO:6.
- 48. The method of claim 39 wherein said animal is chosen from the group comprising pigs, goats, sheep, cows, horses, rabbits, rodents, cats, dogs, fish and poultry.
  - 49. The method of claim 48 wherein said animal comprises a mouse or a pig.
- 50. A nucleic acid molecule comprising a nucleic acid sequence including a gene
   encoding a protein, said gene being operably linked to at least one regulatory sequence for gastrointestinal tract specific expression of said protein.
- 51. The molecule of claim 50 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence, whereby expression of said protein is salivary gland specific.
  - 52. The molecule of claim 51 wherein said salivary protein promoter/enhancer sequence comprises a parotid secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP) promoter/enhancer, a salivary amylase promoter/enhancer, or a SV40 promoter/enhancer.
  - 53. The molecule of claim 51 wherein said protein comprises a phytase or a homologue thereof.
  - 54. The molecule of claim 53 wherein said molecule is a transgene construct.
  - 55. The molecule of claim 54 wherein said molecule is a nucleic acid molecule.

- 56. The molecule of claim 55 wherein said molecule comprises a nucleic acid sequence according to SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:6.
- 57. The molecule of claim 53 wherein said molecule includes a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.
  - 58. An antibody specific to a protein expressed by a nucleic acid sequence according to SEO ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.
- 10 59. The antibody of claim 58 wherein said antibody is monoclonal.
  - 60. The antibody of claim 58 wherein said antibody is polyclonal.
  - 61. A hybridoma secreting the antibody of claim 59.
  - 62. A host cell transfected with molecule of claim 50.
  - 63. A host cell transfected with the molecule of claim 56.
- 20 64. A host cell transfected with the molecule of claim 57.
  - 65. The host cell of claim 63 wherein said cell is an bacterial cell.
  - 66. The host cell of claim 64 wherein said cell is an animal cell.
  - 67. A diagnostic kit for immunologically detecting a protein expressed by a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7, the kit including an antibody specific to said protein.
- 30 68. The kit of claim 67 wherein said antibody is monoclonal.
  - 69. The kit of claim 68 wherein said antibody is polyclonal.




Figure 1




Figure 1 (continued)




Figure 1 (continued)




Figure 2




Figure 3




Figure 3 (continued)




Figure 3 (continued)




Figure 4. Schematic diagram of the Lama2/APPA construct.

Figure 5. The nucleic acid sequence of the Lama2/APPA plasmid (SEQ ID NO: 1)

```
17-JAN-2000
LOCUS
            Lama-appA
                       20623 bp
                                    DNA
                                          CIRCULAR SYN
DEFINITION
            Lama 2/APPA transgenic construct
ACCESSION
            Lama 2-appA,
            parotid secretory protein; acid glucose-1-phosphatase; appA
KEYWORDS
            periplasmic phosphoanhydride phosphohydrolase; artificial
             sequence;
            cloning vector
             1 (bases 1 to 20623)
REFERENCE
            Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
JOURNAL
            Unpublished.
FEATURES
DEFINITION M. musculus Psp gene for parotid secretory protein.
   ACCESSION X68699
               X68699.1 GI:53809
   VERSION
   SOURCE
               house mouse.
   ORGANISM Mus musculus
      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
      Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
      REFERENCE 1 (bases 3777 to 5332;)
      AUTHORS Svendsen, P., Laursen, J., Krogh-Pedersen, H. and Hjorth, J.P.
               Novel salivary gland specific binding elements located in the PSP
      TITLE
             proximal enhancer core
       JOURNAL Nucleic Acids Res. 26 (11), 2761-2770 (1998)
                98256451
       MEDLINE
      REFERENCE 2 (bases 7147 to 12653; 13952 to 17731)
      AUTHORS Mikkelsen, T.R.
                Direct Submission
       TITLE
       JOURNAL Submitted (07-OCT-1992) T.R. Mikkelsen, Department of Molecular
                   Biology, University of Aarhus, CF Mollers Alle 130, 8000
                   Aarhus, DENMARK
       REFERENCE 3 (bases 7147 to 12653; 13952 to 17731)
       AUTHORS Laursen J, Hjorth JP
       TITLE A cassette for high-level expression in the mouse salivary glands.
       JOURNAL Gene 1997 Oct 1;198(1-2):367-72
       MEDLINE 9370303
 FEATURES
                          Location/Qualifiers
                                     1.to 12653; 13952 to 17731
                     source
                    /organism="Mus musculus"
                    /strain="C3H/As"
                    /db_xref="taxon:10090"
                    /chromosome="2"
                    /map="Estimate: 69 cM from centromere"
                    /clone="Lambda YP1, Lambda YP3, Lambda YP7"
                    /clone_lib="Lambda-PHAGE (Lambda L47.1)"
                    /germline
                    /note="Allele: b"
                      3777-5332
       misc feature
                    /gene="PSP"
                    /function="salivary gland specific positive acting
                    regulatory region"
       enhancer
                    7147..8724
                    /evidence=experimental
                    11778..11824
       exon
                    /gene="Psp"
                    /note="exon a"
                    /number=1
                    /evidence=experimental
                    12626.. 14190
       exon
                    /gene="Psp"
                     /note="exon b fused with exons h and i"
       misc_feature 12644-12652
```

#### Figure 5 (continued):

```
/function=" consensus sequence for initiation in higher
                   eukaryotes *
      misc_feature 13952-13965
                   /function=" M13mp18 polylinker"
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA) gene,
                   M58708 L03370 L03371 L03372 L03373 L03374 L03375
      ACCESSION
                   M58708.1 GI:145283
      VERSION
                   Escherichia coli DNA.
      SOURCE
                  Escherichia coli
      ORGANISM
            Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
             Escherichia.
REFERENCE 1 (bases 12653..13951)
                Dassa, J., Marck, C. and Boquet, P.L.
      AUTHORS
                The complete nucleotide sequence of the Escherichia coli gene appA
      TITLE
                    reveals significant homology between pH 2.5 acid phosphatase
                    and glucose-1-phosphatase
                J. Bacteriol. 172 (9), 5497-5500 (1990)
      JOURNAL
      MEDLINE 90368616
                           Location/Qualifiers
FEATURES
                                  12653..13951
       Source
                           /organism="Escherichia coli"
                           /db xref="taxon:562"
                           12653..12718
       sig_peptide
       /gene="appA"
       CDS12653
                           13951
                           /qene="appA"
                           /standard_name="acid phosphatase/phytase"
                           /transl_table=11
                           /product="periplasmic phosphoanhydride phosphohydrolase"
                           /protein_id="AAA72086.1"
                           /db_xref="GI:145285"
 translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP/
 TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
 GQVALIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
 ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
 YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
 ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
 PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                            12719 13948
       mat_peptide
                            /gene="appA"
                            /product="periplasmic phosphoanhydride phosphohydrolase"
                     replace(12659.. 12661, "gcg changed to gcc")
        mutation
                     /gene="appA"
                     /standard_name="A3 mutant"
                     /note="created by site directed mutagenesis"
                     /citation=[3]
                     /phenotype="silent mutation"
                     replace(13934..13936, " ccg changed to ccc")
        mutation
                     /gene="appA"
                     /standard_name=" P428 mutant"
                     /note="created by site directed mutagenesis"
                     /citation=(3)
                     /phenotype=" silent mutation "
                     replace(13937..13939," gcg changed to gct")
        mutation
                     /gene="appA"
                     /standard_name=" A429 mutant"
                     /note="created by site directed mutagenesis"
```

10/58

```
/citation=[3]
                  /phenotype=" silent mutation "
                  pBluescript II KS(+) vector DNA,
     DEFINITION
     ACCESSION
                  X52327
                  X52327.1 GI:58061
     VERSION
                 artificial sequence; cloning vector; expression vector; vector.
     KEYWORDS
                  synthetic construct.
     SOURCE
                 synthetic construct
     ORGANISM
                  artificial sequence.
                        (bases 17732 to 20623)
     REFERENCE
                  1
                  Thomas, E.A.
     AUTHORS
     TITLE
                  Direct Submission
                  Submitted (20-FEB-1990) Thomas E.A., Stratagene Cloning
     JOURNAL
                  Systems, 11099 North Torney Pines Rd., La Jolla, CA 92037, USA
     REFERENCE
                        (bases 17732 to 20623)
                  2
                  Short, J.M., Fernandez, J.M., Sorge, J.A. and Huse, W.D.
     AUTHORS
                  Lambda ZAP: a bacteriophage lambda expression vector with in
     TITLE
                  vivo excision properties
                  Nucleic Acids Res. 16 (15), 7583-7600 (1988)
     JOURNAL
                  88319944
     MEDLINE
     REFERENCE
                  3
                         (bases 17732 to 20623)
                  Alting-Mees, M.A. and Short, J.M.
     AUTHORS
                  pBluescript II: gene mapping vectors
     TITLE
                  Nucleic Acids Res. 17 (22), 9494 (1989)
     JOURNAL
     MEDLINE
                  90067967
                         Location/Qualifiers
     FEATURES
                         17732 to 20623
      Source
                         /organism="synthetic construct"
                         /db xref="taxon:32630"
                         complement (18967..19827)
      CDS
                  /gene="Amp"
                   /product="b-lactamase"
              5449 a 4847 c 4902 g 5424 t
BASE COUNT
ORIGIN
       1 TCGAGAGTAT CTTTGTCAGC TGTGCCTCCA ACAAAGGGGT ACTGTTGCCC ACATAGAAAG
      61 ATCTAAACTA ATTAATTAAT CCCTCACCCG CAAATCTTTC AGTCACTAAG TTAGCACGAT
     121 TGTTGAACAA GTTCTCCAAA GGAGAGATAC AGATGAGTGC GTATAGGGTG GACCTGGCTG
     181 CTGAGGAGAC ACCTGCATCT GACTAAGAAG AGCCACGGTG TTAGTTGAAT GGTGTGGAGT
     241 AGGGTGGTTC TGTGGGACAG TAGAAAATCG AGAGGCATGT GCCGTTTAGT GAACTGATGG
     301 AAGCTACCCC AAACGACAGA GATTGTCAGT CAGGCCAATC CGTTTCGAGT TTGATGGGCA
     361 GCCGGACAGT GAGACAGACA CACCTACTCA GTTGGAGGAA GGATGAGAAC AATGGCCAGC
     421 AGGGATTGAG AGACCCTGAC AGGCGCAAGG CCCTAACACA CACACCTACC ACCTCACTTG
     481 ACAAAGCTGC CAAAGACCAA AGACTTGTTC TCCATTAGAA ATGACAGCTG GCTTGACCCG
     541 ACAGCATAAT AAGCAGAGTG TACTCTGATT GGAGAACTTT AATGTGTTTC ATTCAGTATT
     601 ATAAAAGGAC AGTATTACAG ATTTTGTTGT ACACTGCTGT TACATGTGGG GCAGTGTGTC
     661 TTTAAGTAGG GTAAAGTACT CTTTAAAAAT GGGTCCTAGA TATTTTTTCC TTTAACTCAA
     721 GTCTCTTACT GTTTAAATGA TTTTTATTTT GTTTAATATG GAGGAAAAAG AAGCGTAAAT
     781 GGACAATATA TATTTAGAGA AAGATGGTTA GCTGTCAGAA AAATATGCAA ATCAAAATCA
     841 CACCAAGACT GCAGCACACC CCTGTCAGAT GGCTGTGATC AAGAAAATAA ATGACAATGA
     961 CACACTGGAG CAACCACTGT GGAAATCAGT ATGAATGGTC CTCAAAAACC TGAAGATAGA
    1021 GCGGGGCGTG GTGGCATACA CTTTTATTCC CAGCACTGGG GAGGCAGAGG CAGGTGGATC
    1081 TCTGAGTTCC AGGCCAGCCT GGTCTATAGC ACAGGTTCTA GGACAGCCAG GGCTACACAG
    1201 ACCAAACCAA ACCAAACCAG ACCAAACCAA AACACTGAAG ATAGAACTTC AGTATTCCAT
    1261 TCCTAGATAT ATACCCAATG GAGACTAAGT CAGCAAGACA CCTGCACAGC CATGTTCACT
    1321 ACTACACTGT TCACCACAGC CAGGCTGTGG AACCAGCCTG AGTGTCCATG ATAAATGAAT
    1381 GGATAGGTAA CTTTCAAGGT AAATGGACTC TGCTGTGTAC ATGCCTCACA TTCTGTTTAT
    1441 TCATTTTCT TTATGAGGTG TCCATTCAGG AGTCACATGG TAGTTCTATT TTCAGTCTTC
    1501 TGAAGATACT ACACTGGTCC CCACAGTTTA CACTTTTATC AGCAGTGAAT AAGGGTTCCT
    1561 CTATCCTTAC CATCATTTGT TGTAATTTTT CTTGATGACC CTCTTTCTGA CAGGGATAGG
    1621 ATGTAATATC AGTGTGAGGA AGTACAACTT GTTTTCTAAG TATTTATTGG CCCCTTGCAT
    1681 TTCTTCTTTT GAAAACTGTC GGTTCCTGAC ATCTGCTCAG GTATTCATTG GATGTTGTTT
```

1741	CTTTGGTGTT	TGAGTTCTTA	TGAATTCTAG	ATGTTAAATC	CCTGCCTGTG	GTTCTCTCCC
1801	ATTCTGTAGG	CTGCCTCCTC	ACCCTGGCAA	TTGTTGTCCT	TGTTTTGCAG	AAACTTTTGA
1861	CTTCATGGAA	TCTCATTTGT	CAGTTTTCCC	TCCTCTGCTA	TAGCCTGAGC	TAATGCACTG
1921	GTTTTTACAG	AGCCCTGGTC	TATGCCTTTA	TCCTCCTCTG	GCAGCTTCGG	AGTTTCATTT
1981	CTTACATTTA	GATCTTTGAT	CCACTTTGAA	CAAGTTTTGG	AGCAGGGTGA	GAGATACGAA
2041	TCTAGTTCCA	TTCTTCCATA	TGTGATCCTA	GTTTACATAG	CATCGTTGGT	TGAAGAGGTT
2101	TTATTTTATT	TAAATAAT	GTGTCATAAA	AAACGAGGTG	GTTGTAGCAG	TGTGGATTTG
2161	TTTCTTTGTC	CTTTGATCTA	CAGGTCTTGT	TTTGTGTCAG	TCTCATGATG	TTTTATTGCT
2221	ATGGCTCTGT	CATACAGTCT	GAGGTCAGGT	ATTGTGATAT	ACCTTCAGTA	TTGCTCCCTC
2281	AGACTCAGGT	TTGCTTTGGC	CAGGAGTCAT	CTTACTCAGT	GCTCTTAGAG	CTCCCCCAGC
2341	ATGTAGCTGC	TACTATTCTT	AGTTGATAAA	TCAGGAAACT	GGGGCTCAGA	GAGATTAACT
2401	GTCTTGAACT	ACTTCTGGGG	AGGTGAAACG	TGGAGACACT	AAACTGTGTT	TACCCTGTAC
2461	TGCTCCAGTA	GCTGTCGGGT	GCTGGGCTAC	AGCAAAGCAC	CTATACTATA	TATTACTCAG
2521	GAGGTGGAAA	AACTCAGCCT	CCCTTGGGGT	TCCCAAGCTC	CCAGGTGTCC	AGTCACTGCT
2581	GGAAACCTCA	TGGAGTCTGA	AAGGAAGGGT	TGAGGGTACA	TGGGGCAGCG	ATGAGGAGCC
2641	TEGEGETTEGE	ATCTCCCAAA	CACCTGGATA	TCCAGATGCC	ACTGGGTCAG	GGGGAGTTGG
2701	GAACAGAGTT	GGGATGTCCA	TGGACCTGTG	ACAAGGCCAG	GGCCAGGGGG	AGGATAACTC
2761	TGGCTTTACT	AATTTGCGAA	AGTCCTTAGC	TTAGCAGCAG	TTGTCTGGGA	GCACAGAGGG
2821	CCCTTCTGTA	AGAGGCTCAG	GCAGTGCCGC	TCTGTAGGCG	AAGGTCTTCT	CCATGTTCCC
2881	CATGGTGGTT	CTTGATGAAA	GAGACAGTCC	TTGGCTCCAA	ACTGGTTTAT	TGATTGTTCA
2941	TTCTCCAAAA	TGGGTGCACA	CCACCTTCTC	AGGGTGGACC	AGAGATCAAA	TACCTTTTGC
3001	ACCCACCAAT	ATCTGGGAAG	GGACGCTTAC	TGGCTAAACC	CTCAGGGCCT	CTAGATACAT
3061	CATTAGCATG	GAGAACTCTG	TTCTGGGCTA	CATGACCACA	GGCCACATTT	CCACAAGCCA
3131	CATTAGGALA	GTGTGGCACA	TGTTCTAGGC	CAGGAATCTG	GTAGGGAGCG	TGGAGCCACC
3121	TACCATCCCA	GGTGGGTGCC	TECETECCAG	GCACCCTGAA	CCCGCTCAAC	CTTACCAAGT
3241	TACCATCCCA	GGTCCACTGT	CCTACACAGA	ACCTGGAGGA	GGTGTGAGGG	TTGTGTCTTT
3241	CTCCNATCTC	CCATGCTGCT	TECECETTO	TTTCTCCACC	TGTACCTCAT	TGGTTTGGGT
3301	ATARARACTO	GGGATACTTT	ATTATTOTOT	GACTOGGTOO	TCACCAAAA	GCATCGTGGC
3361	ATAAAAAGIG	CCACACCCTG	ALIMITOTO	ACTONACCO	CTCCCTAACT	CTCTGGAGTC
3421	MGICCAGGAA	ACAGAGCTGC	CAAACTCTAG	CTTCTTTTCD	CCATABCAGA	GCCATGCTTG
3481	CONNECTIC	AACAGCATTT	CHANGICIAG	CCAMCACATAC	TCACCTCCCT	CTTCATAAAC
3541	GTAAGCAGAC	ACCATGCTGG	COTTCACCAA	DOTTOTTA DOC	CCACACAACT	GTGCAAGGAA
3601	AAGIIGAGAC	GGGCAAGTGG	ACTUAGGAAG	CATCTACCCC	TCAAACTCTC	CAGAGACCAG
3001	CONTON NOCO	TCAAGTGGAG	CCCAACACCT	GCAGCAGCCA	AGCATCTGGC	AGGAGAGGAT
3721	CCATGAAGGC	CCTCTACCAT	CACACACACT	CTTCCTCCAG	GTCACACTTA	ATAGGCCATT
3/81	TOTAL TOTAL	ATCTATCATG	CTCTTCTCTC	CCACATTAAT	CACCTCTTAT	GCTGCGAACA
3041	CANACTTATA	TAAAAACAAG	TCCCCCCCC	TTGTCACTGC	TGCTAAGAAT	GTAGCAGAAA
3901	GAAAGIIAIA	TGTCTCTCTA	איירארא א ארא	NTN N NCCTCT	CCTARGART	AAGCCCTCCA
3961	TIGICICAAG	TCCTTGCTGA	AT CABARACA	CCCATACAAA	CCTCCTCGAT	CCTACACCTC
4021	GITICCICCI	CTCCAAGGTG	CCCACACACA	COCKINCOM	אמכראאאדא	CTTGTTTGGG
4081	TGGGCAGAGA	CTCCTAGGIG	TO THE CONTROL OF THE	CTCCACTCAC	TOTOTO	AGGCCCTCAG
4141	GGTACACCCA	ATGGGCAACA	CCCACACCCA	CCCNATCCAT	CCCONTACC	ACACCCTGGT
4201	TGGGTCTTCC	CGGCCATGCT	CGCAGAGGGA	CATCCCTCCT	CTCCCCTCTC	CCACGCCTTT
4261	TAGTTTACCC	ATCATATCTT	CICIGCICII	CAICCCICCI	CIGCCCICIO	TAGCTATGAT
4321	CTCTGCAGGA	ATCATATCTT	CATATIGGCC	CACAGGIGII	CTTCTACAAC	GCTCACGGAG
4381	GTTTACTTTA	GAGTGACCTT AGAAACGTCT	AGCAGGGCTG	GIGGGAAIGA	NOTTO CTO	CCTCACGGAG
4441	ATGCTAGGGA	AGAAACGTCT	TCTAACTACT	TACTCCACAA	CANATCACAC	CCCAGTCACA
4501	GCCTTTCCCT	TGTTAAAGTC	ACCTIGAAGI	1AG1GCAGAA	NTCCNTCACAC	CCCAGTCACA TTTCAAGAGC
4561	GAGTAAATAT	GGTCCTGAAG	ATTTCCTTTG	MO I GLUCAGA	MICCAIGACA	TCTCTCTCTCTT
4621	CCTCTTTGTA	CCTTAAGTCA	1116666116	TAICIICIGC	. IIGAIGIAIG	TGTGTGTGTT
4681	TATCAAAGAG	TGAGATGGTT	ACATAAGAGG	TGCTCTAAAG	GACAGAGAGAG	ATTTGCAATT
4741	GTGGCATGTG	ACATCCTCAG	GCCTTGCTCT	GGTGCCAGGA	GGAACIGAIG	CAGAAAAGAG
4801	TAAGAGGTCA	TTTCCTGGAG	GCTGTCACTA	TAGAGGAGAT	CITACAGIGO	ATTCCCTCCT
4861	CCAGGCCCTG	CCTGAGGATA	GACATGTGCT	GACTGCAACT	GAAACAGAGG	CTTGGGATGG
4921	AGAGTTAGGT	TCACAGAAGG	GAGGGTGGGA	GATGGATGCT	TGCTGGGTTC	TGGGTCTCAT
4981	CACCAGCTCC	TGACCACCCG	GTCAGCCCAT	GTGCTTATTC	CATAGCTTTC	TTTTGCTATG
5041	. TTTACTCAGT	GTGGTGTTTG	TTGGGACCCA	GCAGAAGCCA	GTCCCAGGCT	GACAGCTGTG
5101	. GATACACAGG	GCAGCATGAG	GGTCCTCAGC	CTGAAGCAGT	CAGGCTGGCA	GAAGAGAAAG
5161	. ACCAGCACAC	ATTCCTTCAA	CCAACTATGT	CTTGAAAAAC	AAACATATTA	TATCACATAT
5221	ATTGCATTTA	TGAGACAGCT	AAAATGTACT	CGGGTAGCAT	GACTCCAGGI	GGGGATATCT
5281	. GCAAGTGCCA	TGAGTGGCAG	AGGGACAGCC	AATGTGAGGC	AAGAAGGAAT	TCTGGCTCAA
5341	CACAGCTTAG	CTCCCTGGTG	TTGGTTCAAA	CTTTGAGAGT	TTGACCACA	GCACTTTATT
5401	TTTGACATAT	TTAAACAGAG	CACAACTITG	GGAAAAAGTT	TTCTTATGA	AATTATCACA
5461	ATAAAGCTTA	AGGCATGACT	ACATTAAAAT	GCCTTTGCA	AGTATATGTO	CCCTCTTCCA
5521	CAAGAATGGT	TCTATTGACT	GAGAAATAAT	GTTCAGGATA	AAGATCCAGG	AAGAAAAGAT
5581	CAGGGATAAG	TAAAATACTA	AACTCTTTTG	CAAAGTACA	AGACCCTCT7	TCATAACAAT
			12			

						ATTA ACCACCA
5641	GGGTTCTATT	GACTGACAAG (	CACTGCTCAG	GAGTTGGGAA	AGAGTCTAGC	AIWWGCWCGW
F701	かないととしていること	ארידרידאנידינא (	<b>GTCTAGTCT</b>	TACAGACAGC	AAAAATCACC	WOOT I WOUND
E761	ርጥ አር አጥተር ልጥ	TTCCAGTTTT (	CTGATCAGGC	ACAGGTATGA	ATCCCTTCTG	TIGAMGAGAA
E071	<b>カカクサウクカサロサ</b>	' מדממממדדדים	<b>PCTGGTTTCT</b>	CCAGTGCTAT	TAGCGAGAAG	ACTIGAGECE
5001	ጥአጥአሮል እርፕሮ	CCACCTGGAG '	TGACATCCTG	TCTTCATGGT	ATATTACATA	CCLAGACACG
E041	CTCNTCTCNC	ACACTTAGGA (	CTTTGTCTTC	TGATCTCCAT	TTCTGATCCC	ACTICCACCI
6001	TOCCOTINGAT	ACTCTCATTT .	TCTTCACTGC	CTTGGTGACA	ACCATGITAT	CCICIGIGIA.
6001	TIGCCIIGAI	ACCATTTTCA	CATTUTACCT	GTATGCAAGA	TCACACAGTC	TTTGTCTTTC
6061	TTTGAGTGTT	CATGCTAATC	TOTACACAAC	AACCCTTCCC	CGTCACTCAG	ATCTTCCTCC
6121	TGTCTGGATG	ACATGCTAATC	TCIACACAAC	CCCACCTTCC	CTTCAGTGGG	GAGCTAGCTG
6181	ATTAACACAT	ACATGGTGCT	GAAGAGGCIA	COCCONNET	CCTCACACAA	GAACTTAGAT
6241	GCTATTGGGC	CTTTTTGACT	GTCCAGGAAG	GCCCCCAATT	AATCAATACT	TATCAACAGG
6301	TCTTCATTAT	TGACTCTAAC	TCATGTATCA	AGCAGAAGCT	AAIGAAIAGI	CACATCCATC
6361	ATCAGAGGTT	CCAGTGTAAG	ACACTTTGAC	ATGAAAGAAC	GGAGGAAGGA	CAGAIGGAIG
C421	こうか ひ ろ ろ ろ こ こ ろ	CCACCACTGC	CCCAGGAAGG	TCCTGGAAAC	TGATGCAGGG	CAMAGGACAG
C401	CONTACTABLE	D D D TOTOL D CC	GAGTCAGGAA	GAGCACAGAG	GAGCTCAACC	MACIGACCAC
C = 43	TO COURT COCC	CTACCAACCC	AATCCTCCCT	GTGGGAACAG	CTAAGCTATU	AGCCAAGGG 1
CC01	**********	CACCACCTCT	GGATGACATG	GAGAGCATAG	GGACCCTGGG	ICCAGCCIII
CCC3	N CCN CCTCCN	CTCTCACCAT	ACTCCACCAT	TGTGTCTTAG	AGAGCCTAGG	GATACIGGGI
C777	CONCOMPTE	CAPCCALCTC	TCTCAGGGTA	CCCCATCACT	GIGICIIGGA	GAGCCIAGGC
C703	N CCCTCCCCTC	CACCCTTCAG	TACCTGCGCT	CTCAGGACAC	CCCACCATTG	ICICIIGCCC
6/81	ACCCIGGGIC	TCCTCTTCCT	CCCTTTCATT	GTCTCTTCTC	TGTTTCTTTC	TTGACTCTCC
6841	CGTCTCTTCT	CACCCTCACT	CCCITTCTC	CCLACACA	CTGCATCACC	CTATTCTCTC
6901	TTTCCCCTCA	CACCUTCACT	CIAGITOTO	TOTAL COLOR	CTCCCTCAAA	TACTTGTCAC
6961	TGTGGTCCCT	CCACTTTCCT	TIAICICICA	CARACCECTC	ANTACCAACA	CTCTCAGATC
7021	CCACTATACT	TCAGGGGCCA	GCTCTAGTGA	CAAAGCIGII	AAIAGCAAAA	CTCTCAGATC
7081	TCCAACGGCT	CAGAGGAGCC	AGACCCACCA	AGAACTCTCT	CCAGGICCAA	TTTCAGGTTC
7141	CTTCGAAAGC	TTTCAGCAAA	TGCTCAGGGA	ACATGCCACT	AACAAGAAGA	TGCAAATTCC
2201	NOTECNENCY	CCCAAACCCC	CTTGCGTAGG	TCCCATCTTC	CAGGCCAAGG	CAGAGGGGG
7761	ማርጥርጥርጥስ አጥ	CCCCATTGAC	AGGGCTCAGA	ACAATGTTTI	GITTITIAAGG	1 TIMITIMIT
7771	THE PROPERTY OF THE PARTY OF TH	C454444444	TTGCATGACC	TTATGTGCAT	CATGIGIGIG	CAGGIICCIG
7201	ATCACACTAC	ACCAGGGCTT	TGAATCCCTG	GGGATAGGAA	L GTTACAGGA	ATTATAAGCT
2443		サーサオーサン (20年)	TTCCCAACAG	AAGTGAATGC	TOTTCACCAC	1 TOMOCCATCI
7507	CALCALY CCCCC	<b>みみごみごみごみです</b> す	GCTTTTATGGA	TATAATTGTG	TGTGTGTGTGT	MACATIGAGG
2561	********	AAAAAAAA	CTTCAGCCGC	TAAGGTTGT/	CAGTTTCACT	L WWIIGCINCI
2623	WANT & COURCE OF	`````````````````````````````````````	<b>AGGTGCTTCA</b>	ACATTTATAT	. VIACAVAVA	1100010010
7601	CHCCHTCNNC	TOTOLOGICA	GGGGTAAGTG	GGTGAGTTC	r CITITITUIG	L CICIGICICI
7683	. GIGGIICAAC	TGIGNGTECT	тстталасса	AATAAACATI	CAGCTGGG	TATAGCTCAT
774.	Grererete	TICCALICIA	TCIAMAGC	ראיזיפררייינ	GTGGGTGGT	TTACCAGCTG
780	CAATATGGAA	GTTACAGAAG	ON COMMENCE	CACTCCCTG	TOTETOTOT	G TCTGTATGAG
7863	ATTTTTGGTT	GTCCTGCAAG	GAGGICIGG	COTTCACCO	r cccmccm	C CTGAGTGAAC
792	TGAGGGAAGT	CTGGGGAGCA	GATTCCCTA	A CLIICAGCC.	P CTCACTGGT	G ACAGGGAACA
798:	CCAGCCTCTC	TGGTCCTAGT	AGCTTTTTCC	, AAACAGGAA	ב ארכאאפרידנו	G ACAGGGAACA
804	LAGTACCAGCO	CATTGCTTAA	GTGCCAGGG	TAGTGAGGG	ACCULATION A	C CATAGCTGGG
810	L ATTAGTAGT	CTATTGGATG	TAGGAAGTC	TATCCTGGG	A CAGCIAAIC	C TTAATGCTTC
816	L ACTGGAGATI	TTCAATGAGA	AATTTATCC	ACGGCCCATA	A TGGCCCCAT	C CTTTTGTCTC
000	CARCACCCAI	ערבא העדער (CD	. TTAGAGGAG	A CTTCCTGTA	C ACTIGATES	A IGCICATION
0.70	. XXCCTCXCTT	r cccccacTCA	GTACAGACT"	r GGGATGACC	T CIGACAGCC	I WWCCICICCC
			י היריריית אירירית ז	י אדיבוד בעדיבודי	A GACATIGIC	W GGWGIGICCG
040		TOCCCAGTGT	CAGGGCTCT	C ATAGGTTTC	C CACTGTCTT	A ICIACACAGO
046	• ~ x ~ x x x ~ ~ x ~ r	י אכבידים מכריוני	CAGTITCCCA	. ILILALII.	W CHONOGING	4. 0
053	TOCONCOTO	TOTACCCAGO	AGTGGAAAG	A ATGAGGATT	T GAACTCAGG	T CTTCCAAGIC
000		י ראיתריתריתרים (מו	CAAGTCCCT	T GCCACCCTC	A CGATGUUTT	A GACACITOCC
856	- BOGGGGGGGG	n acmandeac	TGCAGGTAC	A AGGGGTTTA	C CCATGTAGO	A GCTGAGGCAG
864	1 TGCCCTTTA	T ACIAAGGAGA	CACCCCTCA	T GTCACCACT	C TAACTCCAG	C ATCCCCAGTC
870	1 CTGGGGATA	AIACCAGCAC	, AMOGCETOR	T ANCANGATT	G TECANCAGT	C CTTGGCTCTG
876	1 TGTGTTCCT	GAGTGTGAA	AICCCIACI	n cammmemee	A ACATGGTGG	C AGCCAGCCAA
882	1 TGACCCATA	G CTGGAAACAC	GATTCICAL	T GAILIGIGG	N CACCACACA	C AGCCAGCCAA
888	1 AAAGAGGGT	C TGCATACAGI	A AGACACGTG	a momentum	TO THE TOTAL PARTY OF LAND PAR	C TGACTACCTT
894	1 AGCTTACAG	A ATTACAAGG	r CATAATGTC	C TCTGCTTTG	G TUNCUTUAT	T CCCCAACTT
000	1 COCOTTA TOC	א אכאידכככככי	A GAAGACTGA	A GGAATGGCC	A ACCAATAAC	1 GGCCCAACII
000	1 CNONCOCNT	C CTACAGGCA	A CCATCAATT	C CTGACACTA	C TAATGATAC	T CIGITALGCI
017	1 TOOLOGO	N NGCCTAGCA'	T AACTATCCT	C CGAGAGGTC	C ACCCAGCA	IC IGACIGAMAC
010	1 30333303	ጥ አጥሮሮኒርርርር	C AAACAGTGG	A TGGAGGTCA	IG GGACTATT	11 CCCWCWCCIO
074	1 TOCONACCA	ጥ ጥኔልልልልሮሮሮ	T GAAGGGGAT	'A GGAACCCCA	AC AGGAAGAC	A ACAGAGICAA
		C TOTOGGAGO	T CTCAGAGAC	T GAGCCACC	IA CCAAAGAG	A IACACAGGCC
026	1 COTOCONGO	C ACCTGGCAC	G TGTGAAGCA	G ACATGCAGO	T CAGTCTCC	AT GTAGGICCIC
~		C TECCCTCEC	<b>ጥ ሮሮልሮፕልፕሮር</b>	'A ATCCCCAAG	A GGGCTGCA	IN GICIGGCCIC
942	I CAATAAGCG	C CATCOCCIONC	A ATCCTCCAC	A GACTTGATO	A GTGGAGAG	CT ATCCAGGGGG
948	I AGTGGGGGA	O GAIGULUL.				
			1	3/58		

uic 5 (	Milandody.					
9541	AACCCACCCT	CTCTGAGAAG	GGAATGGGGA	TGGGGGAGGG	ACTCTGTGAA	GAGGGGACAA
9601	GGACAAACAA	GAACCTCAAA	TAGGTCAGGC	CCTAAAGGCT	TGCTAAGTAG	CAGTGGCCCA
9661	GCTCTGTCCT	GTTCCTCAGC	CCAAGGCTCA	GCTCCCACCT	GTTTCTGTGT	TTTTCTGGCT
9721	TTTCATGGGC	CTAGGACTTG	GTGACCAGTT	CAAACAATGG	GGCCTGTGGA	AGACACAATA
9781	TACAAGACTA	GGGACATTCC	TGTTCTGCTG	ACTATCCATA	GCCTGATGTA	GGTGGAAGGA
9841	CCCAATCACT	GGATTTCTAC	CCTTGCACAA	CCTTGACAGC	TGAGGGCCTC	TCAGAAACCT
9901	ATTTCTTCCA	CTGAAAAATG	AGACTCTCAA	ATGAACGTCG	TGACAATCAT	CAGGCTTATT
9961	AAAGAGGTGT	ATCTAACCTG	AATGGCAAGC	AGACAGCAGG	CAAATGTCTG	TATCAACCTC
10021	TAGGAAGGAC	AAGAACTGCT	CACTGCTGCC	CCCCAGGAGG	CCATTTGCTG	AAACAGCTGC
10081	TCTCCTGCTG	GTGCACAGGC	CCTGCCTTCT	CATTGCAGCC	ACAGCCCCTT	CCTGTCTGAA
10141	CCTCCTGTCA	GGTCACTGGG	AAACAGATCA	AGATGGAACA	GGACAGCTCC	TGATGGTAAA
10201	TAAAAAACAG	TGGTCATGGC	TATTCATAGG	GGTTTATGCT	TCTTCAGTCC	ACACTGTGAA
10261	GAGCTGTGGG	CATGAACCAC	AGTGTTCGAG	GTAGAGTTGG	GGTTCTGAAA	TTCACAGTGG
10321	GGTGAGCTCA	GTAAATGTGA	GCTGGAGGTC	ACTCGTGAGA	CACACAGTCC	TGCTGCTTCT
10381	GTTCCCAATA	TCCTGAGGAG	ACGACACATC	TACTITGTTC	AGAGGCCACA	GTCTAGTTGA
10441	CCTGAGAGTT	ACCAGTTTCT	TATTTGTGTG	TGTGTGTGTG	TGTGTGTGTG	TGTGTGTGTG
10501	TGTTGTTCGT	GTGTGAGTGC	AGGTGCACAT	ATGATAGCGT	ACACGTTGAG	GTCAGAGGAT
10561	AACTATCAGG	CGTTGTCCCC	TCCTACTTTT	CCTCGGACTC	TGGAGAACAA	ACATGGGTCC
10621	TTATTCCAGG	GGAGCAAGTC	GCTGTTGGCT	GACACATCTT	GCTCACATAC	ATTTTACCTA
10681	GACAATGGAG	CCTCCATCAG	AGTATTACTT	TAGCTCCTCA	CCGATGGCAA	TGCACCACCT
10741	CTCTACCCAC	ATAGGAGTTG	GGTCTCCACA	CACCCCCACA	CCCCCTTCAC	CAAAACGTTT
10801	TCAGTTACTT	TATCTGGTAA	AGTTCATCAG	AGAATGAAGC	CAGTATTAAG	AACATGGAAT
10861	CATTTGGGAA	CCTGGATCTA	GCAATACCCC	ACCCTAGATG	GAGTTGCTGA	GTTTTCACCT
10921	CAGATTATAA	TTCCCCCCTA	<b>GCTTCTATGG</b>	TTTATTCTGA	AACCAGGGGA	ACTCGATTCC
10981	TCCCTTTGGA	CCACAGACAT	CCTGGCTTGT	GAATTCACAT	GTCATCTACT	GCTAATCCAT
11041	TGGTAGTATG	TGGCTCACAG	AGACACACTA	CAGTCATGGC	CAATGTCAAG	GTAGGACAGA
11101	TGTGAATCAT	TCCCCCAGTC	CTGCTGTTTT	CATGACTAAC	CCTCCTCAGC	ACAGTGACCA
11161	TGAACCTACT	TTTCCCCTCC	TTTTATTTTT	AGAATTGCTG	GAATTITCTA	TTTTGAGAAA
11221	TAATAGCCTT	GGGCAGCATT	AAACAAAATC	ATCTAGAAAG	CTGGTTTAAA	ATACAGATGG
11281	TTGAGTCAGT	GAAAGAGTGA	GGAATGTCAT	TATTGGCCCC	TCACAGAGGC	TGGCTCACTC
11341	CAGCAGAGGT	GGTTGAAGCT	CTTGGACACG	GGTCAGGTGC	ATAGGAAAGG	TNGTCTGGGA
11401	CACTGAGAAC	CACAATTGAA	CAAACAGAAC	TGTTGGCTTT	TTTTTTTTTA	AATGAGTTCT
11461	CAAAAAATGA	CTGGCTAGCT	TAGGCAAATA	CTTCGAGCCA	ACCCAACAGA	ACATTCTTCC
11521	ATTGATTCAT	TCTGGATCTT	CTTTCTAGAC	AATACTGAAC	TGACCCCTTG	TTGGCAGTCT
11581	CAAGTTTGAC	AACATAGGGC	TTTGAACTTG	GCACAAGGTC	CATCACTGTC	ACCCAAGCAT
11641	CCTGGGTGAC	CTTTGGGTTG	GAATATCTTG	GCTAACCITA	GATATTTTCT	TIGGAGIAIC
11701	TTTAGAACAT	CCAGGAAATA	GGGCTTGATT	CTCATCCTGG	GACCACAATA	TAAGTCACCC
11761	TAGAATCCCA	GGAGATCGTG	CAGAGAAACA	AGGATCTCTC	TCGTGTGCAT	CCTTCTTCAA
11821	AGCAGTGAGT	AGTGACTCCA	CTAAACTGAG	TTCCCATCTG	AGAGTCCACA	GGAGGCIIIG
11881	GGGCAAGAAG	CAGAGGGAAG	GCACTGTTTG	TGTTGGTAAA	GTTTTGACTC	COMMONOTOR
11941	GAAGACATAG	ATGACATTGT	GTCAGACTAA	CAACAACCTA	GACTCATGIG	GGIICIGIII
12001	AGGGATCAGA	TTTTATTCAT	CAATGACTTG	TCTTAGTGTA	TAGAGAAAGG	CITCUIACIG
12061	GAGTGTAGGC	TCAATAATGA	CAGAAGAGAT	AGCTATTTCC	CCTAGGGACI	GIGCIGCICC
12121	AAGTTTGGTG	GAGAAAGGCA	GTGGGGAACC	TAGATGTGCT	CICIGGGGAG	, GGGGICIGAA
12181	GCTGGCTTCA	TAGAAGGTGT	GAAGTTTTGC	TGAAACATCT	AAACAGAAII	ATAGCTIAGG
12241	AAAGTGAGCA	GGCAAGGCAG	GGAATGTGTT	GCATATGTAT	AIGIACAIGA	MIMIMITATE CCC
12301	TTATAGATAC	ACACACATTT	DAACCTCATT	COTTCCNTCCT	, AGMAMMIAGO TTTTCTC111	TGCCACAATT
12361	TCTCTTAACI	GCTAAGCACA	ATGACTTCCA	BETCCATCC	CCCCCCTACT	TGCCACAATT TCATCCACTC
12421	TCATTTTCA	TTGTGGCTGA	ATAAAATTCC	ATTGCAGACT	. GGGCCCIACI	AGTGCAACTG
12481	. CTGAGGGCAG	GCATATCCCC	TGGCTCCATT	CCCACCAAT	. 101024040	GTTTCTTCTT
12541	. TCTTGTTGAA	AGGCAAGCGT	GAGAGAGGCA	DGCACIMALI DDCDCCDC	A NA NOCCOCCO	CCATGAAAGC
12601	. CCTGCTATGA	CICICCAIII	GICAGAACCA	TOCOTON	CCCCAATCTC	CATTCGCTCA
12661	CATCTTAATC	COATTITIAL	TOTAL	CCCTIAAC	AGTCGTCATC	GIGIGCGIÇC
12721	GAGTGAGCCC	GAGCIGAAGC	TCARAGET	TOTOLOGIC	CACCCATCC	CAACCTGGCC
12781	TCCAACCAAC	GCCACGCAAC	CACCCCCCCC	TOTCACCCC	A TOCCOCATOC	TCGGACATTA
12841	GGTAAAACTC	, GGIIGGCIGA	COCACCON	CCACCCOV)	Y VICCCIAIC	CGCAGTCTGG
12901	CCAACGCCAC	, CGTCTGGTAG	THEREGALIAN CON	GCTGGCGWW	י ששמשהשהנים	AAGCCTTCGC
12961	TCAGGTCGCC	ATTATTGCTG	HIGICGACGA	CCTACATAC	י ראמת באטטבנ	CGTCCAGTCC
13021	CGCCGGGCTC	GCACCTGACT	JAMIAMJOLO POTOKKKKT	CGIACAIAC	CTGGATAAC	CGAACGTGAC
13081	L CGATCCGTT/	TITAMICCIC	- LAMMANCIGO	CGITIGECTA!	י ייידארררניניי דיידאררניניי	ATCGGCAAAC
13141	CCCCTTTCC	CICAGCAGGG	CAGGAGGGIC	. התנוטכוטאי מרווטכוטאי	TCARACTTC	GCCTTAAACG
13201	L GGCGTTTCGC	CANCIGONAC	CTTCATTAR	CAGGCETT	CCATCGGAM	TCAAGGTGAG
13201	L IGAGAAACAU	T CTCTCDTTDE	ייים אייים אייי	AAGCCTCGC	TCAATGCTG	CGGAGATATT
12261	TOTOTOTO A	CPFCCFIVE	GAATGCCGG	GCCGGGGTG	GGAAGGATC	CCGATTCACA
13381	LICICIOCAV	- LANGUNGAGO		/ COCCOGGGGGGG		

	Jonatha Cay.					
13441	CCAGTGGAAC	ACCTTGCTAA	GTTTGCATAA	CGCGCAATTT	TATTTGCTAC 1	AACGCACGCC
13501	AGAGGTTGCC	CGCAGCCGCG	CCACCCCGTT .	ATTAGATTTG	ATCAAGACAG (	CGTTGACGCC
12561	CCATCCACCG	CAAAAACAGG	CGTATGGTGT	GACATTACCC	ACTTCAGTGC '	IGTTTATCGC
13631	CCCACACGAT	ACTAATCTGG	CAAATCTCGG	CGGCGCACTG	GAGCTCAACT (	GGACGCTTCC
12691	CCCTCACCCC	GATAACACGC	CGCCAGGTGG	TGAACTGGTG	TTTGAACGCT (	GCCTCGCCT
12741	ANGCONTANC	AGCCAGTGGA	TTCAGGTTTC	GCTGGTCTTC	CAGACTTTAC :	AGCAGATGCG
12001	TCATAAAACG	CCCCTGTCAT	TAAATACGCC	GCCCGGAGAG	GTGAAACTGA	CCCTGGCAGG
12961	DATATADAGAG	CGAAATGCGC	AGGGCATGTG	TTCGTTGGCA	GGTTTTACGC .	AAATCGTGAA
13921	TGAAGCACGC	ATACCCGCTT	GCAGTTTGTA	AGGTACCCGG	GGATCACAAC	TIGCCCTCIG
12001	ADGAGGAAGA	ACAGAAGGAT	GCCACAACTC	TCCTGCTGGC	TACTCTCCAG	TGGTTTCATC
14041	עבורוויוויו עינייני	TEGEATTTEE	CTCTAGAAAG	TGCTACTATC	ATCCACACAT	TTCTACCTGA
14101	CACCACCCAA	AGGACCCTCC	CAAATTCTCT	TCCTCTCTGA	GTAGTCTCCA	CACCTGTTAC
34363	CACCATCCCA	CAATTAAAAT	CCTAACTGCA	CTCTGGCGTG	TGACTTGCCT	CAGTCCTTGC
1/221	AATAACACTT	GTTGGCAGTG	CCAGGCGTGG	TGGCGCACGC	CTTTAATTCC	AGCACTIGGG
34201	ACCCAGAGGC	BCCCCCATTT	CTGAGTTCGA	GGCCAGCCTG	GTCTACAGAG	TGAGTTCCAG
14241	CACACCCAGG	CCTATACAGA	GAAACCCTGT	GTCGAAAAAC	CAAAAAAAAA	AAAAAAAGI 1
34403	CTTCCCAGAG	TGTGGGTTAT	ATACCAGGTG	GAGATTTCAA	ATGAGTGGCT.	GAAGCIGIAG
14401	CCACAACCA	CTTAGAGGAT	AGCTCATAAC	TTAAAAAGAA	ATGTAGAGAG	TAGCAGAAAC
34531	ATTENDACACAC	TCCCCCACACA	GCCACTGTGT	GAATGTGGCA	GAACACAATC	CAGCCAGCTA
14521	MI TONGAGAG	ACTOTATATT	GGCGCCATCC	TGACTGATGA	GACACAGGAA	AACAGATAGA
14201	CCCCCTTACC	TGGCCATGGC	CTTTCCTGCC	TGCCTCTTCC	TAAGGGTCAT	CTCAAGACCT
14041	TATCCTCT	TOGCCATOGC	ATTGCTACTT	AGCTTCTAGA	TATCACCTCC	AGATTAGTCT
14/01	TATGUTUTE	ATCACTCATC	CTCGTGATAT	CCAGGGCTTC	CTGATTCCAT	CTTTGTCATA
14/61	CCTTGGGTAC	CTARRETCE	CTTCTTAATA	CTTCACACCC	TGATGCCAAA	AGGAAGACAC
14821	GAGGCIGCAA	ACACCTCA AC	TCATTCATGT	AGGACATACA	GTGAGCAAGC	ATCAGGGTCC
14881	AGAAGTTCAC	AGAGGIGAAG	A DOTTOTTATG	TANATGTGCT	TTATGCCATT	AACACTGTCA
14941	GGATTATCTG	MONOGRACICI	CACACTCCCA	AGCACTCTTA	GGCACAAGCC	ACAATTAAGG
15001	TTCCTGTGCT	TCAGCICIGG	A TOTA A TOTA CC	ATGGTGGTCT	CTATGTTTCC	AGATTCATGA
15061	GACTCTGACA	CICIGCATIG	CCTATCAACC	CTCTCACCAA	ATTTTTTGGG	GACAGAATTG
15121	TIGITICACT	TICCATATAG	CCNACCCTCT	ATCTGGAAAA	GCTTACAACT	CAGGGACAGT
15181	GAGGCAATCC	ACCICICICA	CTCTCCNAAA	TCCCTTTTAT	GGTTTGAATC	TGCAAAGCCT
15241	AACTGTAGGC	CCAGICCIIG	ANCATEGAGE	CTCCTCCTGG	TAACACTGTA	TTGGAGGCTT
15301	. TCCATGTGCT	CAAAGGIIIG	CTCCCATGTT	TTGCTACATC	ATCTGTCAAG	ATATGACCCA
15361	TIGAGACIGG	AIGCICIIIG	ACACTATECC	TCTCCAGCTT	TCATGTTCTC	CCCACCATGA
15421	GGCATGCTAC	CAGCIACCAC	AGACIAIGCC	ACCADACTTT	TCCTGCATTA	AGTTTTTTT
15481	TAGACTTGTA	TCTCCTAAAA	AIGGAAICAA	AGCAAACIII CAAAACACTC	AATACAGATA	ATTAGTACCA
15541	TTTCTGTTAA	GIGITIGGIC	ACAGGGACAA	איריא א אירידים איריא א אירידים	TAGGGCTTTG	GAACTGATTT
15601	GAGTTGAGGT	TCATTGCTCT	MGCMAGIIGG	TCCCCTACAC	AAGTGTCACC	AGTTTTTAAG
15661	LATAAGAGACA	TGTAGAAGAG	1CIGMAGCIG	TACACIACO ATO	CTCACACAAA	GGCAGACAGG
1572	L AATAGTTTAA	TACACCATGG	GAALIGIGAA	ANICAGAGIC	ACCTAGGGGG	AAATGAGCTA
1578	L AAAACGTGAC	CATGTGGCGT	GIGAGAGGGC	. AIAAGAAGGA	TTCCCCCATG	CCCTGGCAAT
15843	L GAAGCCATTO	GGCTACGTTA	GGGAACGIGI	GIGGCIGIG	TTGGCCCATG	AATATCAAGA
1590	L CTGAATGAGG	CCAAATTTTA	AAGGAGIGGA	TCACCCACC	TGTCAGAGAA	GCCAGCTCTA
1596	1 CAGACCACCA	CTCAGGCTAT	GCCGTGTTTC	TOACCOACC	GCTACTCTTA	TGAAGTAAGG
1602	l TTGTGAAATT	r ccagagcaai	TATCAGAGCA	1 TGAAGATAC	A TACAGTTTAG	אכיזיבארארידים
1608	1 GGTGTGGGT	CCTAAGTGGA	TGGTGCATAA	ATCIAIGIA	GTGATGCCTA	ACACACATTT
1614	l GATAATCCAJ	AATATCAGCA	ATGTGGAATC	TCTTCCAAG	AGACCTGTAG	CARCACATTA
1620	1 TAGAACTTT	CTCATGGCTC	TAATAAATAG	CTAGCTAGA	A ATCATTTCCT	TCCACTCAGG
1626	1 GTCTGAGTT	A CGGTTCCAGO	GCAAACATTO	AGTGATGGC	A AGGAAGGCAI	TGCAGTCAGG
1632	1 AGCCAAAGG	r cagctggtca	CATTGCATC	AGAGTAGAG	A GICAGAGIGI	GAGTAGAAAG
1638	1 AGGATACAG	G TTATAAAACO	TCACTGTCC	A CTCTCAGCA	A TOUATTICE	CCTAAAAGGC
1644	1 TTTACCTTC	r aaagatttt/	A GTCTTCAAA	CCAGTACCA	G TAGCCTGGGA	ACAAAAGTTG
1650	1 AAACAAATG	A GCCTTTGTGC	G GGCATTTCAC	ACTTAAAAC.	A GGGCATCACC	TAGGAGGAGC
1656	1 CCTGTGTGC	A GTAGGAAGT	TGGCCTCTG	r GTCAGGAAT	G CTCAGGCTAA	TAAGGGGTCC
1662	1 TCTATCTGA	G GGACCCTAT(	AAGATTCAA	AAGTAGTTG	T GAGAATTCCC	TGTAAATGGA
1668	1 TGCTACCAA	T TTGACATTT	3 TAGACCTGC	r ATTGTGTGC	T TCTTTATTGO	GCTCTCCCAT
1674	1 CTCCCAACT	T TCCAACCCA	I ATTCCACAT	r AATCCCTTC	C ACCACCATGO	AACACTAGGT
1.000	1 300303030	C CARCCTTAGE	AGAGAAAGT	3 GGTATAGAT	C TATTIAGACI	ACTICCIGCI
1000	1 CATTACCCC	C ABGTCCABT(	CTCATTGTC	A GGATACCTC	C AACCAGCAAG	CAGCAAACCA
1.000	1 CCANATCAC	A AACAGCAAA	A GCAGCCAAC	A AGGCAGCAC	T AACCAGCAG	ATTGGGGTCG
1600	1 CTACCCTCC	G AGCAGTCAC	r ACTGGTCTT	C TCATGGCTT	T GGCATTAATA	A CTCTCTCAAG
1704	1 NNNTTCCGT	<u> ል አ</u> ተተሞሞሞሞርር	C CACCACCTG	A AATTCCGTA	A TTTTAAATG	: AAACTATCTA
1210	1 CACCTCCCA	A ASSTCACAT	C TCTCCTAGA	g CACAAGACA	A ATCATAGITA	A CTGGCTATTT
1716	1 CCARTCTCA	A GCATCTCAA	T ATCCCACAC	C TGGGATTAA	A ACAAAAACA'	r ATTCACATCA
1777	1 CATESCTOT	ጥ ጥጥጥጥጥጥጥር።	C AATTTTTTA	T TAGGTATTI	T CTTTATTTA	C ATTTCAAAIG
1728	1 CTATCCCGA	A AGTCCCCTA	T ACCCTCCCA	C CTCCCTGCT	C CCCTACACA	CCACTCCCAC
				5/58		

17341	TTTTTGACCC	TGGAGTTCCC	CGGTACTGGG	GCATATAAAG	TTTGCAAGAC	CAAGGGGCCT
17401	CTCTTCCCAG	TGATGGCCGA	CTAAGCCATC	TTCTGCTACA	TATGCAGATA	GAGACACGAG
17461	CTCTGGGGGT	ACTAGTTAGT	TCATATTGTT	GTTCCACCTA	TAGGGTCGCA	GACCCCTTCA
17521	GCTCCTTGGG	TACTTTGTCT	AGCTCCTCCA	CTGGGGGCTC	TGTGTTTTAT	CTAATAGATG
17581	ACTGTGAGCA	TCCACTTCTG	TATTTGACAG	GCACTGGCCT	AGCGTCACAT	GAGCCAGCTA
17641	TATCAGGGTC	CTTTCAGCAA	AACCITGCTG	GCATGTGCAA	TAGTGTCTGC	GTTTGGTGGT
17701	TGATTATGGG	ATGGATCCAC	TAGTTCTAGA	GCGGCCGCCA	CCGCGGTGGA	GCTCCAGCTT
17761	TTGTTCCCTT	TAGTGAGGGT	TAATTGCGCG	CTTGGCGTAA	TCATGGTCAT	AGCTGTTTCC
17821	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA	CGAGCCGGAA	GCATAAAGTG
17881	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGCTA	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC
17941	CGCTTTCCAG	TCGGGAAACC	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG
18001	GAGAGGCGGT	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	CTCACTGACT	CGCTGCGCTC
18061	GGTCGTTCGG	CTGCGGCGAG	CGGTATCAGC	TCACTCAAAG	GCGGTAATAC	GGTTATCCAC
18121	AGAATCAGGG	GATAACGCAG	GAAAGAACAT	GTGAGCAAAA	GGCCAGCAAA	AGGCCAGGAA
18181	CCGTAAAAAG	GCCGCGTTGC	TGGCGTTTTT	CCATAGGCTC	CGCCCCCTG	ACGAGCATCA
18241	CAAAAATCGA	CGCTCAAGTC	AGAGGTGGCG	AAACCCGACA	GGACTATAAA	GATACCAGGC
18301	GTTTCCCCCT	GGAAGCTCCC	TCGTGCGCTC	TCCTGTTCCG	ACCCTGCCGC	TTACCGGATA
		TTTCTCCCTT				
18421	TCTCAGTTCG	GTGTAGGTCG	TTCGCTCCAA	GCTGGGCTGT	GTGCACGAAC	CCCCCGTTCA
18481	GCCCGACCGC	TGCGCCTTAT	CCGGTAACTA	TCGTCTTGAG	TCCAACCCGG	TAAGACACGA
18541	CTTATCGCCA	CTGGCAGCAG	CCACTGGTAA	CAGGATTAGC	AGAGCGAGGT	ATGTAGGCGG
18601	TGCTACAGAG	TTCTTGAAGT	GGTGGCCTAA	CTACGGCTAC	ACTAGAAGGA	CAGTATTTGG
18661	TATCTCCCCT	CTGCTGAAGC	CAGTTACCTT	CGGAAAAAGA	GTTGGTAGCT	CTTGATCCGG
18721	CARACAAACC	ACCGCTGGTA	GCGGTGGTTT	TTTTGTTTGC	AAGCAGCAGA	TTACGCGCAG
18781	DADADAGGA	TCTCAAGAAG	ATCCTTTGAT	CTTTTCTACG	GGGTCTGACG	CTCAGTGGAA
18847	CCDDDDCTCD	CGTTAAGGGA	TTTTGGTCAT	GAGATTATCA	AAAAGGATCT	TCACCTAGAT
18901	COMPTTALANT	TAAAAATGAA	GTTTTAAATC	AATCTAAAGT	ATATATGAGT	AAACTTGGTC
18961	TGACAGTTAC	CAATGCTTAA	TCAGTGAGGC	ACCTATCTCA	GCGATCTGTC	TATTTCGTTC
10001	ATCCATACTT	GCCTGACTCC	CCCTCCTCTA	GATAACTACG	ATACGGGAGG	GCTTACCATC
10021	TOCCOCACT	GCTGCAATGA	TACCGCGAGA	CCCACGCTCA	CCGGCTCCAG	ATTTATCAGC
10141	NATA NACCACI	CCAGCCGGAA	CCCCCGACCG	CAGAAGTGGT	CCTGCAACTT	TATCCGCCTC
10207	CATCCACTCT	ATTAATTGTT	CCCCCCAAGC	TAGAGTAAGT	AGTTCGCCAG	TTAATAGTTT
10261	CAICCAGICI	GTTGCCATTG	CTACACCCAT	CCTCCTCTCA	CCCTCCTCCT	TTGGTATGGC
10221	TTCNTTCNC11	TCCGGTTCCC	DACCATCAAG	CCCACTTACA	TGATCCCCCA	TGTTGTGCAA
10201	A A A C C C C T T	AGCTCCTTCG	CTCCTCCCAT	CCTTCTCAGA	AGTAAGTTGG	CCGCAGTGTT
19301	AMAGCGGII	GTTATGGCAG	CACTCCATAA	TTCTCTTACT	CTCATCCCAT	CCGTAAGATG
10501	CTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	ACTGGTGAGT	ACTUALIA	CTCATTCTCA	GAATAGTGTA	TGCGGCGACC
19501	CACTTCCTGTG	TGCCCGGCGT	CANTACCCA	TAATACCCC	CCACATAGCA	GAACTTTAAA
10001	AGDIGCTOT	ATTGGAAAAC	CAMIACGGGA	CCCNNNNCTC	TCAACCATAGCA	TACCGCTGTT
19621	CACATCCACT	TCGATGTAAC	CCACTCCTCC	ACCCAACTGA	TCTTCAGCAT	CTTTTACTT
10741	CACCACCOTT	TCTGGGTGAG	CARCICOIGC	ACCOMAGINA	GCCGCAAAAA	AGGGAATAAG
10001	CACCAGCGII	AAATGTTGAA	TACTCATACT		יינינית איינים יי דיד מידיד מידימים	GAAGCATTTA
19001	TO COCOME TO	TGTCTCATGA	CCCCATACA	ATTICITIES	מממבותותו	ΑΤΑΑΑΓΑΑΑΤ
13861	TCAGGGTTAT	CGCACATTTC	CCCCATACAT	ALLIGAMICI	TTCTA ACCCT	מיידייים מיים מיים
19921	AGGGGTTCCG	CGCACATTTC	CCCGAAAAG1	GCCACCIAAA	TIGIAAGCGI	CCCCGAAATC
19981	TTAAAATTCG	CTTATAAATT	TIGITAAATC	AGCICATITI	TIMACCAMIA	TOTTCCACTT
20041	GGCAAAATCC	CTTATAAATC	AAAAGAATAG	ACCGAGATAG	COLLGAGIGE	NANA ACCOMO
20101	TGGAACAAGA	GTCCACTATT	AAAGAACGTG	GACTCCAACG	CAAAGGGGCG	CCCCTCCACC
20161	TATCAGGGCG	ATGGCCCACT	ACGTGAACCA	TCACCCTAAT	CAAGTTTTTT	GGGGTCGAGG
20221	TGCCGTAAAG	CACTAAATCG	GAACCCTAAA	GGGAGCCCCC	. GATTTAGAGC	TTGACGGGGA
20281	AAGCCGGCGA	ACGTGGCGAG	AAAGGAAGGG	AAGAAAGCGA	AAGGAGCGGG	CGCTAGGGCG
20341	CTGGCAAGTG	TAGCGGTCAC	GCTGCGCGTA	ACCACCACAC	CCGCCGCGCT	TAATGCGCCG
20401	CTACAGGGCG	CGTCCCATTC	GCCATTCAGG	CTGCGCAACT	GTTGGGAAGG	GCGATCGGTG
20461	CGGGCCTCTT	CGCTATTACG	CCAGCTGGCG	AAAGGGGGAT	GTGCTGCAAG	GCGATTAAGT
20521	TGGGTAACGC	CAGGGTTTTC	CCAGTCACGA	CGTTGTAAA	CGACGGCCAG	TGAGCGCGCG
20581	TAATACGACT	CACTATAGGG	CGAATTGGGI	, vccdddccc	CCC	




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 15B




Figure 16




Figure 17

# Figure 18: Nucleic acid sequence of the known segment of the R15/appa+intron plasmid, including the vector sequences of pBLCAT3 (SEQ ID NO:2).

```
15-APR-2000
                                               SYN
                              6708 bp DNA
LOCUS
           R15/appa+intron
DEFINITION R15/appa+intron transgene with vector cut 13543 to 4954
ACCESSION R15/appa+intron
REFERENCE 1 (bases 1 to 6708))
       synthetic construct.
SOURCE
      ORGANISM synthetic construct
                artificial sequence.
           salivary proline-rich protein, acid glucose-1-phosphatase; appA
KEYWORDS
           gene; periplasmic phosphoanhydride phosphohydrolase; artificial
           sequence;
           Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
 JOURNAL Unpublished.
    DEFINITION Rat salivary proline-rich protein (RP15) gene.
    ACCESSION M64793 M36414
               M64793.1 GI:206711
    VERSION
               Rat (Sprague-Dawley) liver DNA.
     SOURCE
      ORGANISM Rattus norvegicus
                Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
Mammalia;
                Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
Rattus.
     REFERENCE 1 (bases 1 to 1748)
      AUTHORS Lin, H.H. and Ann, D.K.
      TITLE Molecular characterization of rat multigene family
encoding
               proline-rich proteins
       JOURNAL Genomics 10, 102-113 (1991)
       MEDLINE 91257817
                         Location/Qualifiers
     FEATURES
                         1..1748
          source
                          /organism="Rattus norvegicus"
                          /strain="Sprague-Dawley"
                          /db xref="taxon:10116"
                          /tissue_type="liver"
                          /tissue_lib="cosmid genomic library"
                                 1802-1810
           misc_feature
                          /function=" consensus sequence for initiation in
                                      higher eukaryotes "
                     Location/Qualifiers
FEATURES
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
gene,
      ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
                 M58708.1 GI:145283
      VERSION
                        Escherichia coli DNA.
      SOURCE
                 Escherichia coli
      ORGANISM
            Bacteria; Proteobacteria; gamma subdivision;
      Enterobacteriaceae;
            Escherichia.
                (bases 1811..3109)
 REFERENCE 1
      AUTHORS
                Dassa, J., Marck, C. and Boquet, P.L.
```

```
The complete nucleotide sequence of the Escherichia coli
     TITLE
                 gene appA reveals significant homology between pH 2.5
                 acid phosphatase and glucose-1-phosphatase
               J. Bacteriol. 172 (9), 5497-5500 (1990)
     JOURNAL
     MEDLINE 90368616
                       Location/Qualifiers
FEATURES
                              1811..3109
     Source
                        /organism="Escherichia coli"
                        /db xref="taxon:562"
                        1811.. 1876
     sig peptide
     /gene="appA"
                        1811..3109
     CDS
                        /gene="appA"
                        /standard_name="acid phosphatase/phytase"
                        /transl_table=11
                        /product="periplasmic phosphoanhydride
                        phosphohydrolase"
                        /protein_id="AAA72086.1"
                        /db_xref="GI:145285"
translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP/
TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
                        PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                         1877 3106
      mat_peptide
                         /gene="appA"
                         /product="periplasmic phosphoanhydride
                               phosphohydrolase"
                   replace(1817.. 1819, "gcg changed to gcc")
      mutation
                   /gene="appA"
                   /standard_name="A3 mutant"
                   /note="created by site directed mutagenesis"
                   /phenotype="silent mutation"
                   replace(3092..3094," ccg changed to ccc")
       mutation
                   /gene="appA"
                   /standard_name=" P428 mutant"
                   /note="created by site directed mutagenesis"
                   /phenotype=" silent mutation "
                   replace(3095..3097," gcg changed to gct")
       mutation
                   /gene="appA"
                   /standard_name=" A429 mutant"
                   /note="created by site directed mutagenesis"
                   /phenotype=" silent mutation "
```

```
DEFINITION Plasmid pBLCAT3 (bases 3109 to 6708)
    ACCESSION X64409
    VERSION X64409.1 GI:58163
               synthetic construct.
    SOURCE
      ORGANISM synthetic construct
               artificial sequence.
    REFERENCE 1 (bases 3109 to 6708)
      AUTHORS Luckow, B.H.R.
      TITLE
              Direct Submission
      JOURNAL Submitted (06-FEB-1992) B.H.R. Luckow, German Cancer Res
                Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG
    REFERENCE 2 (bases 3109 to 6708)
      AUTHORS Luckow, B. and Schutz, G.
      TITLE CAT constructions with multiple unique restriction sites
for
                the functional analysis of eukaryotic promoters and
regulatory
                elements
                Nucleic Acids Res. 15 (13), 5490 (1987)
       JOURNAL
                87260024
      MEDLINE
                Promoterless CAT vector for transient transfection
     COMMENT
experiments
                 with eukaryotic cells. Allows the analysis of foreign
                 promoters and enhancers.
                         Location/Qualifiers
     FEATURES
                          3109 to 6116
         source
                          /organism="synthetic construct"
                          /db xref="taxon:32630"
                          3197..3810
          SV40 t intron
                          /note="SV40 signals"
          polyA_signal
                          3807..4047
                          /note="SV40 signals"
                          complement (5244..6104)
          CDS
                          /codon start=1
                          /transl table=11
                          /gene="Amp"
                          /product="beta-lactamase"
                          /protein id="CAA45753.1"
                          /db_xref="GI:58165"
                                 1515 g 1798 t
BASE COUNT
               1916 a 1479 c
ORIGIN
        1 GGATCCCCTT TGCTATGTAG TTTTTAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
       61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
      121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT
      181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG
      241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG
      301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGCACA
      361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
      421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
      481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
      541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT
      601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG
      661 TAAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA
      721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT
      781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT
      841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT
                                    32/58
```

901	TAAGATAAAG	GTAACTGTAT	ACATTTGTCC	CATTGAGGGG	ACAAGAAAGC	TGCTCTCATG
961	TTCAGCTCTA	TAATTCTTGC	CTTAAACAAC	TTAAATAGAA	TGATTTAAAA	TATGGAGCTG
1021	TCCATGGACC	TTTGAAATAT	AAAATAGTCA	AGCAACTTAT	CAAGGAATTA	CAGATTCCTT
1081	GATACTAACA	CAGGTAAATC	CCACACGTGT	TTTGAGACTA	CATTTGCTGG	GATTTTATTG
1141	ATGTAATAGG	TCACATGTTT	TTCGGGCCAA	TGTTGCTGTT	ATTCGGTTAC	TTCAAGAGAA
1201	TAGTGGCAAC	TGATGCTATG	TATTCTAGGG	GTTTGAAGTG	ATGTTTCATG	ATTGAAATTT
1261	GTAAAAGAAT	AACATCATCA	TTCTTAACAA	TAGAACATAT	AAAGTCACAC	AGAAGTGACA
1321	GTGTTTAAGC	TGTACTATTG	ATCAAAGAAA	TTTATTACCT	TCAGTTTCAA	TGGAAATAAT
1381	TACTGATAAT	ACAAACATGT	GTGAACACAC	ACTAATCCTA	TCCAAATGCA	CAGTGATACA
1441	CAGAAAATAT	TAGCAAGTAG	AATGCAATAT	TTATATAACG	ATTGTATTTA	TCAATCAATT
1501	GTATGTATCA	ATATATGGGC	TATTTTCTTA	CACATGATTT	TATTCAAATT	TACTCTAATC
1561	ATTGTTGAAC	CATTTAGAAA	AGGCATACTG	GCAACTTTTC	CTTACCTCAT	CCAGCTGGGC
1621	AAAAGTCCCA	GTGTGGAGTA	AAGGATGCAA	GATTTCCTGC	TCTGTTAAGT	ATAAAATAAT
1681	AGTATGAATT	CAAAGGTGCC	ATTCTTCTGC	TTCTAGTTAT	AAAGGCAGTG	CTTGCTTCTT
1741	CCAGCACAGA	TCTGGATCTC	GAGGAGCTTG	GCGAGATTTT	CAGGAGCTAA	GGAAGCTAAA
1801	AGCCGCCACC	ATGAAAGCCA	TCTTAATCCC	ATTTTTATCT	CTTCTGATTC	CGTTAACCCC
1861	GCAATCTGCA	TTCGCTCAGA	GTGAGCCGGA	GCTGAAGCTG	GAAAGTGTGG	TGATTGTCAG
1921	TCGTCATGGT	GTGCGTGCTC	CAACCAAGGC	CACGCAACTG	ATGCAGGATG	TCACCCCAGA
1981	CGCATGGCCA	ACCTGGCCGG	TAAAACTGGG	TTGGCTGACA	CCGCGCGGTG	GTGAGCTAAT
2041	CGCCTATCTC	GGACATTACC	AACGCCAGCG	TCTGGTAGCC	GACGGATTGC	TGGCGAAAAA
2101	GGGCTGCCCG	CAGTCTGGTC	AGGTCGCGAT	TATTGCTGAT	GTCGACGAGC	GTACCCGTAA
2161	AACAGGCGAA	GCCTTCGCCG	CCGGGCTGGC	ACCTGACTGT	GCAATAACCG	TACATACCCA
2221	GGCAGATACG	TCCAGTCCCG	ATCCGTTATT	TAATCCTCTA	AAAACTGGCG	TTTGCCAACT
2281	GGATAACGCG	AACGTGACTG	ACGCGATCCT	CAGCAGGGCA	GGAGGGTCAA	TTGCTGACTT
2341	TACCGGGCAT	CGGCAAACGG	CGTTTCGCGA	ACTGGAACGG	GTGCTTAATT	TTCCGCAATC
2401	AAACTTGTGC	CTTAAACGTG	AGAAACAGGA	CGAAAGCTGT	TCATTAACGC	AGGCATTACC
2461	ATCGGAACTC	AAGGTGAGCG	CCGACAATGT	CTCATTAACC	GGTGCGGTAA	GCCTCGCATC
2521	AATGCTGACG	GAGATATTTC	TCCTGCAACA	AGCACAGGGA	ATGCCGGAGC	CGGGGTGGGG
2581	AAGGATCACC	GATTCACACC	AGTGGAACAC	CTTGCTAAGT	TTGCATAACG	CGCAATTTTA
2641	TTTGCTACAA	CGCACGCCAG	AGGTTGCCCG	CAGCCGCGCC	ACCCCGTTAT	TAGATTTGAT
2701	CAAGACAGCG	TTGACGCCCC	ATCCACCGCA	AAAACAGGCG	TATGGTGTGA	CATTACCCAC
2761	TTCAGTGCTG	TTTATCGCCG	GACACGATAC	TAATCTGGCA	AATCTCGGCG	GCGCACTGGA
2821	GCTCAACTGG	ACGCTTCCCG	GTCAGCCGGA	TAACACGCCG	CCAGGTGGTG	AACTGGTGTT
2881	TGAACGCTGG	CGTCGGCTAA	GCGATAACAG	CCAGTGGATT	CAGGTTTCGC	TGGTCTTCCA
2941	GACTTTACAG	CAGATGCGTG	ATAAAACGCC	GCTGTCATTA	AATACGCCGC	CCGGAGAGGT
3001	GAAACTGACC	CTGGCAGGAT	GTGAAGAGCG	AAATGCGCAG	GGCATGTGTT	CGTTGGCAGG
3061	TTTTACGCAA	ATCGTGAATG	AAGCACGCAT	ACCCGCTTGC	AGTTTGTAAG	GTATAAGGCA
3121	GTTATTGGTG	CCCTTAAACG	CCTGGTGCTA	CGCCTGAATA	. AGTGATAATA	AGCGGATGAA
3181	TGGCAGAAAT	TCGCCGGATC	TTTGTGAAGG	AACCTTACTI	CTGTGGTGTG	ACATAATTGG
3241	ACAAACTACC	TACAGAGATI	' TAAAGCTCTA	AGGTAAATAT	AAAATTTTTA	AGTGTATAAT
3301	GTGTTAAACT	ACTGATTCTA	ATTGTTTGTG	TATTTTAGAT	TCCAACCTAT	GGAACTGATG
3361	AATGGGAGCA	GTGGTGGAAT	GCCTTTAATO	AGGAAAACCI	GTTTTGCTCA	GAAGAAATGC
3421	CATCTAGTGA	TGATGAGGCT	ACTGCTGACT	CTCAACATTC	TACTCCTCCA	AAAAAGAAGA
3481	L GAAAGGTAGA	AGACCCCAAG	GACTTTCCT	CAGAATTGCT	AAGTTTTTT	AGTCATGCTG
3541	TGTTTAGTAA	TAGAACTCTI	GCTTGCTTTC	CTATTTACAC	CACAAAGGAA	AAAGCTGCAC
3601	L TGCTATACAA	GAAAATTATG	GAAAAATATI	CTGTAACCTI	TATAAGTAGG	CATAACAGTT
3661	L ATAATCATAA	CATACTGTTT	TTTCTTACT	CACACAGGCA	TAGAGTGTCT	GCTATTAATA
372	ACTATGCTCA	AAAATTGTGT	ACCTTTAGCT	OTTTAATTTT 1	TAAAGGGGTT	AATAAGGAAT
378:	L ATTTGATGTA	TAGTGCCTTC	ACTAGAGATO	C ATAATCAGCO	ATACCACATT	TGTAGAGGTT
384	TTACTTGCT	TAAAAAACCI	CCCACACCT	CCCCTGAACC	: TGAAACATA	A AATGAATGCA
390.	ATTGTTGTTG	TTAACTTGTT	TATTGCAGC	TATAATGGT	C ACAAATAAAC	CAATAGCATC
396	ACABATTTC	CAAATAAAGO	ATTTTTTC	A CTGCATTCT	A GTTGTGGTT	C GTCCAAACTC
402	ATCAATGTAT	CTTATCATG	CTGGATCGAT	r ccccgggta	C CGAGCTCGA	A TTCGTAATCA
408	TGGTCATAGO	TGTTTCCTG?	GTGAAATTG	TATCCGCTC	A CAATTCCAC	A CAACATACGA
414	1 GCCGGAAGC	A TAAAGTGTA	A AGCCTGGGG	r gcctaatga	TGAGCTAAC	CACATTAATT
420	1 GCGTTGCGCT	CACTGCCCG	TTTCCAGTC	G GGAAACCTG	r CGTGCCAGC	GCATTAATGA
426	1 ATCGGCCAAG	C GCGCGGGGA	G AGGCGGTTT	G CGTATTGGG	C GCTCTTCCG	TTCCTCGCTC
432	1 ACTGACTCG	TGCGCTCGG	r cgtrcggct	G CGGCGAGCG	TATCAGCTC	A CTCAAAGGCG

## Figure 18 (continued):

```
4381 GTAATACGGT TATCCACAGA ATCAGGGGAT AACGCAGGAA AGAACATGTG AGCAAAAGGC
4441 CAGCAAAAGG CCAGGAACCG TAAAAAAGGCC GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC
4501 CCCCCTGACG AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA CCCGACAGGA
4561 CTATAAAGAT ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TGCGCTCTCC TGTTCCGACC
4621 CTGCCGCTTA CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC GCTTTCTCAA
4681 TGCTCACGCT GTAGGTATCT CAGTTCGGTG TAGGTCGTTC GCTCCAAGCT GGGCTGTGTG
4741 CACGAACCCC CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACTATCG TCTTGAGTCC
4801 AACCCGGTAA GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG GATTAGCAGA
4861 GCGAGGTATG TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA CGGCTACACT
4921 AGAAGGACAG TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT
4981 GGTAGCTCTT GATCCGGCAA ACAAACCACC GCTGGTAGCG GTGGTTTTTT TGTTTGCAAG
5041 CAGCAGATTA CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT TTCTACGGGG
5101 TCTGACGCTC AGTGGAACGA AAACTCACGT TAAGGGATTT TGGTCATGAG ATTATCAAAA
5161 AGGATOTICA COTAGATOOT TITAAATTAA AAATGAAGTT TIAAATCAAT CIAAAGTATA
5221 TATGAGTAAA CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC TATCTCAGCG
5281 ATCTGTCTAT TTCGTTCATC CATAGTTGCC TGACTCCCCG TCGTGTAGAT AACTACGATA
5341 CGGGAGGGCT TACCATCTGG CCCCAGTGCT GCAATGATAC CGCGAGACCC ACGCTCACCG
5401 GCTCCAGATT TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG AAGTGGTCCT
5461 GCAACTTTAT CCGCCTCCAT CCAGTCTATT AATTGTTGCC GGGAAGCTAG AGTAAGTAGT
5521 TCGCCAGTTA ATAGTTTGCG CAACGTTGTT GCCATTGCTA CAGGCATCGT GGTGTCACGC
5581 TCGTCGTTTG GTATGGCTTC ATTCAGCTCC GGTTCCCAAC GATCAAGGCG AGTTACATGA
5641 TCCCCCATGT TGTGCAAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT TGTCAGAAGT
5701 AAGTTGGCCG CAGTGTTATC ACTCATGGTT ATGGCAGCAC TGCATAATTC TCTTACTGTC
5761 ATGCCATCCG TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC ATTCTGAGAA
5821 TAGTGTATGC GGCGACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA TACCGCGCCA
5881 CATAGCAGAA CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG AAAACTCTCA
5941 AGGATCTTAC CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC CAACTGATCT
6001 TCAGCATCTT TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG GCAAAATGCC
6061 GCAAAAAGG GAATAAGGGC GACACGGAAA TGTTGAATAC TCATACTCTT CCTTTTTCAA
6121 TATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT TGAATGTATT
6181 TAGAAAAATA AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC
6241 TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCCCTTT
6301 CGTCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG
 6361 GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG
 6421 GGTGTTGGCG GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT TGTACTGAGA
 6481 GTGCACCATA TGCGGTGTGA AATACCGCAC AGATGCGTAA GGAGAAAATA CCGCATCAGG
 6541 CGCCATTCGC CATTCAGGCT GCGCAACTGT TGGGAAGGGC GATCGGTGCG GGCCTCTTCG
 6601 CTATTACGCC AGCTGGCGAA AGGGGGGATGT GCTGCAAGGC GATTAAGTTG GGTAACGCCA
 6661 GGGTTTTCCC AGTCACGACG TTGTAAAACG ACGGCCAGTG CCAAGCTT
```

//

Figure 19: Nucleic acid sequence of the known segment of the R15/appa+intron transgene used for the generation of transgenic mice (SEQ ID NO: 3).

```
15-APR-2000
                                                SYN
                                   DNA
           R15/appa
                        4060 bp
LOCUS
DEFINITION R15/appa transgene without vector
ACCESSION R15/appa
REFERENCE 1 (bases 1 to 4060)
SOURCE
           synthetic construct.
      ORGANISM synthetic construct
                artificial sequence.
            salivary proline-rich protein, acid glucose-1-phosphatase; appA
KEYWORDS
            gene; periplasmic phosphoanhydride phosphohydrolase; artificial
            sequence;
            Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
           Unpublished.
  JOURNAL
     DEFINITION Rat salivary proline-rich protein (RP15) gene.
     ACCESSION M64793 M36414
     VERSION
                M64793.1 GI:206711
                 Rat (Sprague-Dawley) liver DNA.
     SOURCE
       ORGANISM Rattus norvegicus
                 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
Mammalia;
                 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
Rattus.
     REFERENCE 1 (bases 1 to 1748)
       AUTHORS
                 Lin, H.H. and Ann, D.K.
                 Molecular characterization of rat multigene family
       TITLE
encoding
                 proline-rich proteins
                 Genomics 10, 102-113 (1991)
       JOURNAL
       MEDLINE 91257817
                          Location/Qualifiers
     FEATURES
                          1..1748
          source
                          /organism="Rattus norvegicus"
                          /strain="Sprague-Dawley"
                          /db xref="taxon:10116"
                          /tissue_type="liver"
                          /tissue_lib="cosmid genomic library"
                                  1802-1810
           misc_feature
                          /function=" consensus sequence for initiation in
                                      higher eukaryotes "
                     Location/Qualifiers
 DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
 gene,
       ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
                  M58708.1 GI:145283
       VERSION
                        Escherichia coli DNA.
       SOURCE
       ORGANISM Escherichia coli
            Bacteria; Proteobacteria; gamma subdivision;
       Enterobacteriaceae;
            Escherichia.
                 (bases 1811..3109)
 REFERENCE 1
                Dassa, J., Marck, C. and Boquet, P.L.
       AUTHORS
```

```
The complete nucleotide sequence of the Escherichia coli
     TITLE
                 gene appA reveals significant homology between pH 2.5
                 acid phosphatase and glucose-1-phosphatase
               J. Bacteriol. 172 (9), 5497-5500 (1990)
     JOURNAL
     MEDLINE 90368616
                        Location/Qualifiers
FEATURES
                              1811..3109
     Source
                        /organism="Escherichia coli"
                        /db xref="taxon:562"
                        1811.. 1876
      sig peptide
      /gene="appA"
                   1811..3109
CDS
                        /gene="appA"
                        /standard_name="acid phosphatase/phytase"
                        /transl_table=11
                        /product="periplasmic phosphoanhydride
                        phosphohydrolase"
                        /protein_id="AAA72086.1"
                        /db xref="GI:145285"
translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP/
TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GOVALIADVDERTRKTGEAFAAGLAPDCALTVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
                         PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                         1877 3106
      mat_peptide
                         /gene="appA"
                         /product="periplasmic phosphoanhydride
                               phosphohydrolase"
                   replace(1817.. 1819, "gcg changed to gcc")
       mutation
                   /gene="appA"
                   /standard_name="A3 mutant"
                   /note="created by site directed mutagenesis"
                  /phenotype="silent mutation"
                   replace(3092..3094," ccg changed to ccc")
       mutation
                   /gene="appA"
                   /standard_name=" P428 mutant"
                   /note="created by site directed mutagenesis"
                   /phenotype=" silent mutation "
                   replace(3095..3097," gcg changed to gct")
       mutation
                   /gene="appA"
                   /standard_name=" A429 mutant"
                   /note="created by site directed mutagenesis"
                   /phenotype=" silent mutation "
```

## Figure 19 (continued):

BASE COUNT 1257 a 814 c 843 g 1146 t ORIGIN

1 GGATCCCCTT TGCTATGTAG TTTTTAATGG AAATTACAAC CCATAGTGTG TTGATAAATA 61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA 121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT 181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG 241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG 301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGCACA 361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC 421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA 481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC 541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT 601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG 661 TAAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA 721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT 781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT 841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT 901 TAAGATAAAG GTAACTGTAT ACATTTGTCC CATTGAGGGG ACAAGAAAGC TGCTCTCATG 961 TTCAGCTCTA TAATTCTTGC CTTAAACAAC TTAAATAGAA TGATTTAAAA TATGGAGCTG 1021 TCCATGGACC TTTGAAATAT AAAATAGTCA AGCAACTTAT CAAGGAATTA CAGATTCCTT 1081 GATACTAACA CAGGTAAATC CCACACGTGT TTTGAGACTA CATTTGCTGG GATTTTATTG 1141 ATGTAATAGG TCACATGTTT TTCGGGCCAA TGTTGCTGTT ATTCGGTTAC TTCAAGAGAA 1201 TAGTGGCAAC TGATGCTATG TATTCTAGGG GTTTGAAGTG ATGTTTCATG ATTGAAATTT 1261 GTAAAAGAAT AACATCATCA TTCTTAACAA TAGAACATAT AAAGTCACAC AGAAGTGACA 1321 GTGTTTAAGC TGTACTATTG ATCAAAGAAA TTTATTACCT TCAGTTTCAA TGGAAATAAT 1381 TACTGATAAT ACAAACATGT GTGAACACAC ACTAATCCTA TCCAAATGCA CAGTGATACA 1441 CAGAAAATAT TAGCAAGTAG AATGCAATAT TTATATAACG ATTGTATTTA TCAATCAATT 1501 GTATGTATCA ATATATGGGC TATTTTCTTA CACATGATTT TATTCAAATT TACTCTAATC 1561 ATTGTTGAAC CATTTAGAAA AGGCATACTG GCAACTTTTC CTTACCTCAT CCAGCTGGGC 1621 AAAAGTCCCA GTGTGGAGTA AAGGATGCAA GATTTCCTGC TCTGTTAAGT ATAAAATAAT 1681 AGTATGAATT CAAAGGTGCC ATTCTTCTGC TTCTAGTTAT AAAGGCAGTG CTTGCTTCTT 1741 CCAGCACAGA TCTGGATCTC GAGGAGCTTG GCGAGATTTT CAGGAGCTAA GGAAGCTAAA 1801 AGCCGCCACC ATGAAAGCCA TCTTAATCCC ATTTTTATCT CTTCTGATTC CGTTAACCCC 1861 GCAATCTGCA TTCGCTCAGA GTGAGCCGGA GCTGAAGCTG GAAAGTGTGG TGATTGTCAG 1921 TCGTCATGGT GTGCGTGCTC CAACCAAGGC CACGCAACTG ATGCAGGATG TCACCCCAGA 1981 CGCATGGCCA ACCTGGCCGG TAAAACTGGG TTGGCTGACA CCGCGCGGTG GTGAGCTAAT 2041 CGCCTATCTC GGACATTACC AACGCCAGCG TCTGGTAGCC GACGGATTGC TGGCGAAAAA 2101 GGGCTGCCCG CAGTCTGGTC AGGTCGCGAT TATTGCTGAT GTCGACGAGC GTACCCGTAA 2161 AACAGGCGAA GCCTTCGCCG CCGGGCTGGC ACCTGACTGT GCAATAACCG TACATACCCA 2221 GGCAGATACG TCCAGTCCCG ATCCGTTATT TAATCCTCTA AAAACTGGCG TTTGCCAACT 2281 GGATAACGCG AACGTGACTG ACGCGATCCT CAGCAGGGCA GGAGGGTCAA TTGCTGACTT 2341 TACCGGGCAT CGGCAAACGG CGTTTCGCGA ACTGGAACGG GTGCTTAATT TTCCGCAATC 2401 AAACTTGTGC CTTAAACGTG AGAAACAGGA CGAAAGCTGT TCATTAACGC AGGCATTACC 2461 ATCGGAACTC AAGGTGAGCG CCGACAATGT CTCATTAACC GGTGCGGTAA GCCTCGCATC 2521 AATGCTGACG GAGATATTTC TCCTGCAACA AGCACAGGGA ATGCCGGAGC CGGGGTGGGG 2581 AAGGATCACC GATTCACACC AGTGGAACAC CTTGCTAAGT TTGCATAACG CGCAATTTTA 2641 TTTGCTACAA CGCACGCCAG AGGTTGCCCG CAGCCGCGCC ACCCCGTTAT TAGATTTGAT 2701 CAAGACAGCG TTGACGCCCC ATCCACCGCA AAAACAGGCG TATGGTGTGA CATTACCCAC 2761 TTCAGTGCTG TTTATCGCCG GACACGATAC TAATCTGGCA AATCTCGGCG GCGCACTGGA 2821 GCTCAACTGG ACGCTTCCCG GTCAGCCGGA TAACACGCCG CCAGGTGGTG AACTGGTGTT 2881 TGAACGCTGG CGTCGGCTAA GCGATAACAG CCAGTGGATT CAGGTTTCGC TGGTCTTCCA

```
2941 GACTTTACAG CAGATGCGTG ATAAAACGCC GCTGTCATTA AATACGCCGC CCGGAGAGGT
    3001 GAAACTGACC CTGGCAGGAT GTGAAGAGCG AAATGCGCAG GGCATGTGTT CGTTGGCAGG
    3061 TTTTACGCAA ATCGTGAATG AAGCACGCAT ACCCGCTTGC AGTTTGTAAG GTATAAGGCA
    3121 GTTATTGGTG CCCTTAAACG CCTGGTGCTA CGCCTGAATA AGTGATAATA AGCGGATGAA
    3181 TGGCAGAAAT TCGCCGGATC TTTGTGAAGG AACCTTACTT CTGTGGTGTG ACATAATTGG
    3241 ACAAACTACC TACAGAGATT TAAAGCTCTA AGGTAAATAT AAAATTTTTA AGTGTATAAT
    3301 GTGTTAAACT ACTGATTCTA ATTGTTTGTG TATTTTAGAT TCCAACCTAT GGAACTGATG
    3361 AATGGGAGCA GTGGTGGAAT GCCTTTAATG AGGAAAACCT GTTTTGCTCA GAAGAAATGC
    3421 CATCTAGTGA TGATGAGGCT ACTGCTGACT CTCAACATTC TACTCCTCCA AAAAAGAAGA
    3481 GAAAGGTAGA AGACCCCAAG GACTTTCCTT CAGAATTGCT AAGTTTTTTG AGTCATGCTG
    3541 TGTTTAGTAA TAGAACTCTT GCTTGCTTTG CTATTTACAC CACAAAGGAA AAAGCTGCAC
    3601 TGCTATACAA GAAAATTATG GAAAAATATT CTGTAACCTT TATAAGTAGG CATAACAGTT
    3661 ATAATCATAA CATACTGTTT TTTCTTACTC CACACAGGCA TAGAGTGTCT GCTATTAATA
    3721 ACTATGCTCA AAAATTGTGT ACCTTTAGCT TTTTAATTTG TAAAGGGGTT AATAAGGAAT
    3781 ATTTGATGTA TAGTGCCTTG ACTAGAGATC ATAATCAGCC ATACCACATT TGTAGAGGTT
    3841 TTACTTGCTT TAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA AATGAATGCA
    3901 ATTGTTGTTG TTAACTTGTT TATTGCAGCT TATAATGGTT ACAAATAAAG CAATAGCATC
    3961 ACAAATTTCA CAAATAAAGC ATTTTTTTCA CTGCATTCTA GTTGTGGTTT GTCCAAACTC
    4021 ATCAATGTAT CTTATCATGT CTGGATCGAT CCCCGGGTAC
//
```

## Figure 20: Nucleic acid sequence of the known segment of the R15/appa plasmid (including the vector sequences of pBLCAT3 (SEO ID NO:4).

```
15-APR-2000
                                                      SYN
                           6116 bp
                                      DNA
LOCUS
           R15/appa
DEFINITION R15/appa transgene with vector
ACCESSION R15/appa
REFERENCE 1 (bases 1 to 6116)
          synthetic construct.
SOURCE
      ORGANISM synthetic construct
                 artificial sequence.
            salivary proline-rich protein, acid glucose-1-phosphatase; appA
KEYWORDS
            gene; periplasmic phosphoanhydride phosphohydrolase; artificial
            sequence;
            Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
           Unpublished.
  JOURNAL
     DEFINITION Rat salivary proline-rich protein (RP15) gene.
     ACCESSION M64793 M36414
                 M64793.1 GI:206711
     VERSION
                 Rat (Sprague-Dawley) liver DNA.
     SOURCE
       ORGANISM Rattus norvegicus
                 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
Mammalia;
                 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
Rattus.
     REFERENCE 1 (bases 1 to 1748)
       AUTHORS Lin, H.H. and Ann, D.K.
                Molecular characterization of rat multigene family
       TITLE
encoding
                 proline-rich proteins
       JOURNAL Genomics 10, 102-113 (1991)
       MEDLINE 91257817
                           Location/Qualifiers
     FEATURES
                           1..1748
          source
                           /organism="Rattus norvegicus"
                           /strain="Sprague-Dawley"
                           /db_xref="taxon:10116"
                           /tissue_type="liver"
                           /tissue_lib="cosmid genomic library"
                                  1802-1810
           misc feature
                           /function=" consensus sequence for initiation in
                                       higher eukaryotes "
 FEATURES
                      Location/Qualifiers
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
gene,
                M58708 L03370 L03371 L03372 L03373 L03374 L03375
      ACCESSION
                 M58708.1 GI:145283
      VERSION
                 Escherichia coli DNA.
       SOURCE
       ORGANISM
                  Escherichia coli
            Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
            Escherichia.
              (bases 1811..3109)
 REFERENCE 1
      AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
                The complete nucleotide sequence of the Escherichia coli gene appA
       TITLE
                  reveals significant homology between pH 2.5 acid phosphatase
                   and glucose-1-phosphatase
       JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
```

```
MEDLINE
                90368616
                          Location/Oualifiers
FEATURES
                                1811..3109
      Source
                          /organism="Escherichia coli"
                          /db xref="taxon:562"
                          1811.. 1876
      sig_peptide
      /gene="appA"
      CDS
                           1811..3109
                                /gene="appA"
                          /standard_name="acid phosphatase/phytase"
                          /transl_table=11
                          /product="periplasmic phosphoanhydride phosphohydrolase"
                          /protein_id="AAA72086.1"
                          /db_xref="GI:145285"
/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP
TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
CQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEI FLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
                          PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                          1877 3106
       mat peptide
                           /gene="appA"
                           /product="periplasmic phosphoanhydride phosphohydrolase"
                    replace(1817.. 1819, "gcg changed to gcc")
       mutation
                    /gene="appA"
                    /standard name="A3 mutant"
                    /note="created by site directed mutagenesis"
                    /phenotype="silent mutation"
                    replace(3092..3094," ccg changed to ccc")
       mutation
                    /gene="appA"
                    /standard_name=" P428 mutant"
                    /note="created by site directed mutagenesis"
                    /phenotype=" silent mutation "
                    replace(3095..3097, " gcg changed to gct")
       mutation
                    /gene="appA"
                    /standard_name=" A429 mutant"
                    /note="created by site directed mutagenesis"
                    /phenotype=" silent mutation "
 DEFINITION Plasmid pBLCAT3 (bases 3109 to 6116)
      ACCESSION X64409
                   X64409.1 GI:58163
      VERSION
      SOURCE
                  synthetic construct.
        ORGANISM synthetic construct
                   artificial sequence.
                   1 (bases 3109 to 6116)
      REFERENCE
        AUTHORS Luckow, B.H.R.
                   Direct Submission
        TITLE
                   Submitted (06-FEE-1992) B.H.R. Luckow, German Cancer Res
        JOURNAL
                   Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG
```

```
REFERENCE
                2 (bases 3109 to 6116)
      AUTHORS Luckow, B. and Schutz, G.
                CAT constructions with multiple unique restriction sites
      TITLE
for
                 the functional analysis of eukaryotic promoters and
regulatory
                 elements
                Nucleic Acids Res. 15 (13), 5490 (1987)
       JOURNAL
                 87260024
       MEDLINE
                 Promoterless CAT vector for transient transfection
     COMMENT
experiments
                  with eukaryotic cells. Allows the analysis of foreign
                  promoters and enhancers.
                          Location/Qualifiers
     FEATURES
                          3109 to 6116
          source
                          /organism="synthetic construct"
                          /db_xref="taxon:32630"
                          3262..3457
          polyA signal
                          /note="SV40 signals"
                          complement (4654..5514)
          CDS
                          /codon_start=1
                          /transl_table=11
                          /gene="Amp"
                          /product="beta-lactamase"
                          /protein id="CAA45753.1"
                          /db_xref="GI:58165"
               1724 a
                        1386 c
                                 1407 g
                                         1599 t
BASE COUNT
ORIGIN
        1 GGATCCCCTT TGCTATGTAG TTTTTAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
       61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
      121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT
      181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG
      241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG
      301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGCACA
       361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
       421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
       481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
       541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT
       601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG
       661 TAAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA
       721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT
       781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT
       841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT
       901 TAAGATAAAG GTAACTGTAT ACATTTGTCC CATTGAGGGG ACAAGAAAGC TGCTCTCATG
       961 TTCAGCTCTA TAATTCTTGC CTTAAACAAC TTAAATAGAA TGATTTAAAA TATGGAGCTG
      1021 TCCATGGACC TTTGAAATAT AAAATAGTCA AGCAACTTAT CAAGGAATTA CAGATTCCTT
      1081 GATACTAACA CAGGTAAATC CCACACGTGT TTTGAGACTA CATTTGCTGG GATTTTATTG
      1141 ATGTAATAGG TCACATGTTT TTCGGGCCAA TGTTGCTGTT ATTCGGTTAC TTCAAGAGAA
      1201 TAGTGGCAAC TGATGCTATG TATTCTAGGG GTTTGAAGTG ATGTTTCATG ATTGAAATTT
      1261 GTAAAAGAAT AACATCATCA TTCTTAACAA TAGAACATAT AAAGTCACAC AGAAGTGACA
      1321 GTGTTTAAGC TGTACTATTG ATCAAAGAAA TTTATTACCT TCAGTTTCAA TGGAAATAAT
      1381 TACTGATAAT ACAAACATGT GTGAACACAC ACTAATCCTA TCCAAATGCA CAGTGATACA
      1441 CAGAAAATAT TAGCAAGTAG AATGCAATAT TTATATAACG ATTGTATTTA TCAATCAATT
      1501 GTATGTATCA ATATATGGGC TATTTTCTTA CACATGATTT TATTCAAATT TACTCTAATC
      1561 ATTGTTGAAC CATTTAGAAA AGGCATACTG GCAACTTTTC CTTACCTCAT CCAGCTGGGC
      1621 AAAAGTCCCA GTGTGGAGTA AAGGATGCAA GATTTCCTGC TCTGTTAAGT ATAAAATAAT
```

1681	AGTATGAATT	CAAAGGTGCC	ATTCTTCTGC	TTCTAGTTAT	AAAGGCAGTG (	CIIGCIICII
1741	CCAGCACAGA	TCTGGATCTC	GAGGAGCTTG	GCGAGATTTT	CAGGAGCTAA	GAAGCIAAA
1801	AGCCGCCACC	ATGAAAGCCA	TCTTAATCCC	ATTTTTATCT	CTTCTGATTC	CGITAACCCC
1861	GCAATCTGCA	TTCGCTCAGA	GTGAGCCGGA	GCTGAAGCTG	GAAAGTGTGG	TGATIGICAG
1921	TCGTCATGGT	GTGCGTGCTC	CAACCAAGGC	CACGCAACTG	ATGCAGGATG	TCACCCCAGA
1981	CGCATGGCCA	ACCTGGCCGG	TAAAACTGGG	TTGGCTGACA	CCGCGCGGTG	GTGAGCTAAT
2041	CGCCTATCTC	GGACATTACC	AACGCCAGCG	TCTGGTAGCC	GACGGATTGC	TGGCGAAAAA
2101	CCCCTCCCC	CAGTCTGGTC	AGGTCGCGAT	TATTGCTGAT	GTCGACGAGC	GTACCCGTAA
2161	AACAGGGGAA	GCCTTCGCCG	CCGGGCTGGC	ACCTGACTGT	GCAATAACCG	TACATACCCA
2221	GGCAGATACG	TCCAGTCCCG	ATCCGTTATT	TAATCCTCTA	AAAACTGGCG	TTIGCCAACI
2281	GCATAACGCG	AACGTGACTG	ACGCGATCCT	CAGCAGGGCA	GGAGGGTCAA	TIGCIGACII
2341	TACCGGGCAT	CGGCAAACGG	CGTTTCGCGA	ACTGGAACGG	GTGCTTAATT	TTCCGCAATC
2401	AAACTTGTGC	CTTAAACGTG	AGAAACAGGA	CGAAAGCTGT	TCATTAACGC	AGGCATTACC
2461	ATCGGAACTC	AAGGTGAGCG	CCGACAATGT	CTCATTAACC	GGTGCGGTAA	GCCTCGCATC
2521	AATGCTGACG	GAGATATTTC	TCCTGCAACA	AGCACAGGGA	ATGCCGGAGC	CGGGGTGGGG
2581	AAGGATCACC	GATTCACACC	AGTGGAACAC	CTTGCTAAGT	TTGCATAACG	CGCAATTTA
2641	TTTGCTACAA	CGCACGCCAG	AGGTTGCCCG	CAGCCGCGCC	ACCCCGTTAT	TAGATTIGAT
2701	CANGACAGCG	TTGACGCCCC	ATCCACCGCA	AAAACAGGCG	TATGGTGTGA	CATTACCCAC
2761	TTCACTCCTC	TTTATCGCCG	GACACGATAC	TAATCTGGCA	AATCTCGGCG	GCGCACTGGA
2821	CCTCAACTGG	ACGCTTCCCG	GTCAGCCGGA	TAACACGCCG	CCAGGTGGTG	AACTGGTGTT
2001	TGAACGCTGG	CGTCGGCTAA	GCGATAACAG	CCAGTGGATT	CAGGTTTCGC	TGGTCTTCCA
2941	CACTUTUTACAG	CAGATGCGTG	ATAAAACGCC	GCTGTCATTA	AATACGCCGC	CCGGAGAGGI
2001	CNANCTCACC	CTGGCAGGAT	GTGAAGAGCG	AAATGCGCAG	GGCATGTGTT	CGTTGGCAGG
2061	<b>ጥምምምልሮ</b> ርር ል ል	ATCGTGAATG	AAGCACGCAT	ACCCGCTTGC	AGTTTGTAAG	GTATAAGGCA
3121	CTTATTCCTC	CCCTTAAACG	CCTGGTGCTA	CGCCTGAATA	AGTGATAATA	AGCGGATGAA
3191	TCCCAGAAAT	TCGCCGGATC	TTTGTGAAGG	AACCTTACTT	CTGTGGTGTG	ACATAATIGG
2241	DCDDCTDCC	TACAGAGATT	TAAAAAACCT	CCCACACCTC	CCCCTGAACC	TGAAACATAA
2201	አ አጥር አ አጥር ር አ	ATTGTTGTTG	TTAACTTGTT	TATTGCAGCT	TATAATGGTT	ACAAATAAAG
2261	רא אידא בראידר	ACAAATTTCA	CAAATAAAGC	ATTTTTTCA	CTGCATTCTA	GTTGTGGLII
2/21	CTCCAAACTC	ATCAATGTAT	CTTATCATGT	CTGGATCGAT	CCCCGGGTAC	CGAGCTCGAA
2491	TTCGTAATCA	TGGTCATAGC	TGTTTCCTGT	' GTGAAATTGT	TATCCGCTCA	CAATTCCACA
25/1	CAACATACGE	GCCGGAAGCA	TAAAGTGTAA	, AGCCTGGGGT	GCCTAATGAG	TGAGCTAACT
3601	CACATTAATT	GCGTTGCGCT	CACTGCCCGC	TTTCCAGTCG	GGAAACCTGT	CGTGCCAGCT
3661	CCATTAATG	ATCGGCCAAC	GCGCGGGGAG	; AGGCGGTTTG	CGTATIGGGC	GUTUTTUCGU
3721	TTCCTCCCTC	ACTGACTCGC	TGCGCTCGGT	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA
2791	CTCABAGGCC	GTAATACGGT	TATCCACAGA	L ATCAGGGGAT	' AACGCAGGAA	AGAACATGIG
2047	L ACCADANGE	CAGCAAAAGG	CCAGGAACCG	TAAAAAGGCC	GCGTTGCTGG	CGTTTTTCCA
2001	TACCARAROGO	CCCCTGAC	AGCATCACAZ	AAATCGACGC	TCAAGTCAGA	GGTGGCGAAA
390.	CCCCACACGG	CTATAAAGAT	ACCAGGCGTT	TCCCCCTGGA	AGCTCCCTCG	TGCGCTCTCC
402	TGTTCCGAC	CTGCCGCTT	CCGGATACCT	GTCCGCCTTI	CTCCCTTCGG	GAAGCGTGGC
400		TGCTCACGCT	GTAGGTATC1	r CAGTTCGGTC	TAGGTCGTTC	GCTCCAAGCT
400.	CCCCTCTCTCT	G CACGAACCC	CCGTTCAGC	CGACCGCTGC	GCCTTATCCG	GTAACTATCG
414	T GGGCIGIGIV	T ANCOCCOTAL	GACACGACT	r ATCGCCACTO	GCAGCAGCCA	CTGGTAACAG
420	I ICIIGAGIC	ARCCOCCIA:	TAGGCGGTG	TACAGAGTTO	TTGAAGTGGT	GGCCTAACTA
420	I GALLAGCAG	r ACAACCACAC	TATTTGGTA	r crecector	CTGAAGCCAG	TTACCTTCGG
432	1 CGGCTACAC	T CCTACCTCT	CATCCGCA	ACAAACCAC	GCTGGTAGCG	GTGGTTTTTT
438	1 AAAAAGAGI	CACCACATT	CCCCCAGAA	AAAAGGATCI	CAAGAAGATO	CTTTGATCTT
444	1 TGTTTGCAA	S TOTOLOGIA	T AGTGGAACG	A AAACTCACG	r TAAGGGATTI	TGGTCATGAG
450	I TICTACGGG	S ICIGACGCIO	COTACATOC	ר דיים בסוום א	AAATGAAGTT	TTAAATCAAT
456	1 ATTATCAAA	A AGGAICTICA	CTTCCTCTC	A CAGTTACCA	TGCTTAATCA	GTGAGGCACC
462	1 CTAAAGTAT	A TAIGAGIAA	r mmccmmcvm	ר כאסבורטטה. ר כאסאמרדפרני	TGACTCCCCC	TCGTGTAGAT
468	1 TATCTCAGC	ATCTGTCTA	T TICGIICAL	C CEINGIIGC	r GCAATGATAC	CGCGAGACCC
474	1 AACTACGAT	A CGGGAGGGC	I TACCATCIO	T ABBCCAGIGC.	CCCGGAAGGG	CCGAGCGCAG
480	1 ACGCTCACC	G GCTCCAGAT	TATCAGCAA	T WWWCCWGCC	T AATTGTTGC	GGGAAGCTAG
486	1 AAGTGGTCC	T GCAACTTTA	L CCGCCTCCA	C CNNCCTTCINI	r GCCATTGCT	GGGAAGCTAG CAGGCATCGT
492	1 AGTAAGTAG	T TCGCCAGTT	A ATAGTTTGC	G CAACGIIGI	- GCCWIIGCI	A CAGGCATCGT
498	1 GGTGTCACG	C TCGTCGTTT	G GTATGGCTT	D ACCOMMEND	C TECTTECAM	C GATCAAGGCG C CTCCGATCGT
504	1 AGTTACATG	A TCCCCCATG	T TGTGCAAAA	A AUCUGTTAG	T ATGGCAGGA	C CTCCGATCGT
510	1 TGTCAGAAG	T AAGTTGGCC	G CAGIGITAT	C ACTCATGGT	I AIGGLAGCA	C TGCATAATTC

```
5161 TCTTACTGTC ATGCCATCCG TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC
    5221 ATTCTGAGAA TAGTGTATGC GGCGACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA
    5281 TACCGCGCCA CATAGCAGAA CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG
    5341 AAAACTCTCA AGGATCTTAC CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC
    5401 CAACTGATCT TCAGCATCTT TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG
    5461 GCAAAATGCC GCAAAAAAGG GAATAAGGGC GACACGGAAA TGTTGAATAC TCATACTCTT
    5521 CCTTTTCAA TATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT
    5581 TGAATGTATT TAGAAAAATA AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC
    5641 ACCTGACGTC TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC
    5701 GAGGCCCTTT CGTCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT
    5761 CCCGGAGACG GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG
    5821 CGCGTCAGCG GGTGTTGGCG GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT
    5881 TGTACTGAGA GTGCACCATA TGCGGTGTGA AATACCGCAC AGATGCGTAA GGAGAAAATA
    5941 CCGCATCAGG CGCCATTCGC CATTCAGGCT GCGCAACTGT TGGGAAGGGC GATCGGTGCG
    6001 GGCCTCTTCG CTATTACGCC AGCTGGCGAA AGGGGGGATGT GCTGCAAGGC GATTAAGTTG
    6061 GGTAACGCCA GGGTTTTCCC AGTCACGACG TTGTAAAACG ACGGCCAGTG CCAAGC
//
```

# Figure 21: Nucleic acid sequence of the known segment of the R15/appa transgene used for the generation of transgenic mice (SEQ ID NO:5).

```
15-APR-2000
                                                   SYN
                                   DNA
LOCUS
            R15/appa
                        3470 bp
DEFINITION R15/appa transgene with vector sequences removed.
ACCESSION R15/appa
REFERENCE 1 (bases 1 to 3470)
            synthetic construct.
SOURCE
       ORGANISM synthetic construct
                 artificial sequence.
            salivary proline-rich protein, acid glucose-1-phosphatase; appA
KEYWORDS
            gene; periplasmic phosphoanhydride phosphohydrolase; artificial
            sequence;
            Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
           Unpublished.
  JOURNAL
     DEFINITION Rat salivary proline-rich protein (RP15) gene.
     ACCESSION M64793 M36414
     VERSION
                 M64793.1 GI:206711
                 Rat (Sprague-Dawley) liver DNA.
     SOURCE
       ORGANISM Rattus norvegicus
                 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
Mammalia;
                  Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
Rattus.
                  1 (bases 1 to 1748)
     REFERENCE
       AUTHORS Lin, H.H. and Ann, D.K.
                 Molecular characterization of rat multigene family
       TITLE
encoding
                  proline-rich proteins
       JOURNAL Genomics 10, 102-113 (1991)
       MEDLINE
                  91257817
                           Location/Qualifiers
     FEATURES
                           1..1748
          source
                           /organism="Rattus norvegicus"
                           /strain="Sprague-Dawley"
                           /db xref="taxon:10116"
                           /tissue_type="liver"
                           /tissue_lib="cosmid genomic library"
           misc_feature
                                  1802-1810
                            /function=" consensus sequence for initiation in
                                       higher eukaryotes "
                      Location/Qualifiers
 FEATURES
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
gene,
                   M58708 L03370 L03371 L03372 L03373 L03374 L03375
       ACCESSION
                  M58708.1 GI:145283
       VERSION
       SOURCE
                  Escherichia coli DNA.
       ORGANISM
                  Escherichia coli
             Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
             Escherichia.
                (bases 1811..3109)
 REFERENCE 1
       AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
                The complete nucleotide sequence of the Escherichia coli gene appA
       TITLE
                   reveals significant homology between pH 2.5 acid phosphatase
                   and glucose-1-phosphatase
                                     44/58
```

```
J. Bacteriol. 172 (9), 5497-5500 (1990)
      TOURNAL.
                90368616
      MEDLINE
                          Location/Qualifiers
FEATURES
                                 1811..3109
      Source
                          /organism="Escherichia coli"
                          /db_xref="taxon:562"
                          1811.. 1876
      sig peptide
                          /gene="appA"
                           1811..3109
      CDS
                          /gene="appA"
                          /standard_name="acid phosphatase/phytase"
                          /transl_table=11
                          /product="periplasmic phosphoanhydride phosphohydrolase"
                           /protein_id="AAA72086.1"
                          /db_xref="GI:145285"
/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP
TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
                           PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                                3106
                           1877
       mat_peptide
                           /gene="appA"
                           /product="periplasmic phosphoanhydride phosphohydrolase"
                    replace(1817.. 1819, "gcg changed to gcc")
       mutation
                    /gene="appA"
                     /standard_name="A3 mutant"
                     /note="created by site directed mutagenesis"
                     /phenotype="silent mutation"
                    replace(3092..3094," ccg changed to ccc")
       mutation
                     /gene="appA"
                     /standard_name=" P428 mutant"
                     /note="created by site directed mutagenesis"
                     /phenotype=" silent mutation "
                     replace(3095..3097," gcg changed to gct")
       mutation
                     /gene="appA"
                     /standard_name=" A429 mutant"
                     /note="created by site directed mutagenesis"
                     /phenotype=" silent mutation "
            polyA_signal
                              3262..3457
                              /note="SV40 signals"
                                                949 t
                  1065 a
                             721 c
                                       735 g
 BASE COUNT
 ORIGIN
          1 GGATCCCCTT TGCTATGTAG TTTTTAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
         61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
        121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT
        181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG
        241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG
```

#### Figure 21 (continued):

```
301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGCACA
361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT
601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG
661 TAAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA
721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT
781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT
841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT
901 TAAGATAAAG GTAACTGTAT ACATTTGTCC CATTGAGGGG ACAAGAAAGC TGCTCTCATG
961 TTCAGCTCTA TAATTCTTGC CTTAAACAAC TTAAATAGAA TGATTTAAAA TATGGAGCTG
1021 TCCATGGACC TTTGAAATAT AAAATAGTCA AGCAACTTAT CAAGGAATTA CAGATTCCTT
1081 GATACTAACA CAGGTAAATC CCACACGTGT TTTGAGACTA CATTTGCTGG GATTTTATTG
1141 ATGTAATAGG TCACATGTTT TTCGGGCCAA TGTTGCTGTT ATTCGGTTAC TTCAAGAGAA
1201 TAGTGGCAAC TGATGCTATG TATTCTAGGG GTTTGAAGTG ATGTTTCATG ATTGAAATTT
1261 GTAAAAGAAT AACATCATCA TTCTTAACAA TAGAACATAT AAAGTCACAC AGAAGTGACA
1321 GTGTTTAAGC TGTACTATTG ATCAAAGAAA TTTATTACCT TCAGTTTCAA TGGAAATAAT
1381 TACTGATAAT ACAAACATGT GTGAACACAC ACTAATCCTA TCCAAATGCA CAGTGATACA
1441 CAGAAAATAT TAGCAAGTAG AATGCAATAT TTATATAACG ATTGTATTTA TCAATCAATT
1501 GTATGTATCA ATATATGGGC TATTTTCTTA CACATGATTT TATTCAAATT TACTCTAATC
1561 ATTGTTGAAC CATTTAGAAA AGGCATACTG GCAACTTTTC CTTACCTCAT CCAGCTGGGC
1621 AAAAGTCCCA GTGTGGAGTA AAGGATGCAA GATTTCCTGC TCTGTTAAGT ATAAAATAAT
1681 AGTATGAATT CAAAGGTGCC ATTCTTCTGC TTCTAGTTAT AAAGGCAGTG CTTGCTTCTT
1741 CCAGCACAGA TCTGGATCTC GAGGAGCTTG GCGAGATTTT CAGGAGCTAA GGAAGCTAAA
1801 AGCCGCCACC ATGAAAGCCA TCTTAATCCC ATTTTTATCT CTTCTGATTC CGTTAACCCC
1861 GCAATCTGCA TTCGCTCAGA GTGAGCCGGA GCTGAAGCTG GAAAGTGTGG TGATTGTCAG
1921 TCGTCATGGT GTGCGTGCTC CAACCAAGGC CACGCAACTG ATGCAGGATG TCACCCCAGA
1981 CGCATGGCCA ACCTGGCCGG TAAAACTGGG TTGGCTGACA CCGCGCGGTG GTGAGCTAAT
2041 CGCCTATCTC GGACATTACC AACGCCAGCG TCTGGTAGCC GACGGATTGC TGGCGAAAAA
2101 GGGCTGCCCG CAGTCTGGTC AGGTCGCGAT TATTGCTGAT GTCGACGAGC GTACCCGTAA
2161 AACAGGCGAA GCCTTCGCCG CCGGGCTGGC ACCTGACTGT GCAATAACCG TACATACCCA
2221 GGCAGATACG TCCAGTCCCG ATCCGTTATT TAATCCTCTA AAAACTGGCG TTTGCCAACT
2281 GGATAACGCG AACGTGACTG ACGCGATCCT CAGCAGGGCA GGAGGGTCAA TTGCTGACTT
2341 TACCGGGCAT CGGCAAACGG CGTTTCGCGA ACTGGAACGG GTGCTTAATT TTCCGCAATC
2401 AAACTTGTGC CTTAAACGTG AGAAACAGGA CGAAAGCTGT TCATTAACGC AGGCATTACC
2461 ATCGGAACTC AAGGTGAGCG CCGACAATGT CTCATTAACC GGTGCGGTAA GCCTCGCATC
2521 AATGCTGACG GAGATATTTC TCCTGCAACA AGCACAGGGA ATGCCGGAGC CGGGGTGGGG
2581 AAGGATCACC GATTCACACC AGTGGAACAC CTTGCTAAGT TTGCATAACG CGCAATTTTA
2641 TTTGCTACAA CGCACGCCAG AGGTTGCCCG CAGCCGCGCC ACCCCGTTAT TAGATTTGAT
2701 CAAGACAGCG TTGACGCCCC ATCCACCGCA AAAACAGGCG TATGGTGTGA CATTACCCAC
2761 TTCAGTGCTG TTTATCGCCG GACACGATAC TAATCTGGCA AATCTCGGCG GCGCACTGGA
2821 GCTCAACTGG ACGCTTCCCG GTCAGCCGGA TAACACGCCG CCAGGTGGTG AACTGGTGTT
2881 TGAACGCTGG CGTCGGCTAA GCGATAACAG CCAGTGGATT CAGGTTTCGC TGGTCTTCCA
2941 GACTTTACAG CAGATGCGTG ATAAAACGCC GCTGTCATTA AATACGCCGC CCGGAGAGGT
3001 GAAACTGACC CTGGCAGGAT GTGAAGAGCG AAATGCGCAG GGCATGTGTT CGTTGGCAGG
3061 TTTTACGCAA ATCGTGAATG AAGCACGCAT ACCCGCTTGC AGTTTGTAAG GTATAAGGCA
3121 GTTATTGGTG CCCTTAAACG CCTGGTGCTA CGCCTGAATA AGTGATAATA AGCGGATGAA
3181 TGGCAGAAAT TCGCCGGATC TTTGTGAAGG AACCTTACTT CTGTGGTGTG ACATAATTGG
3241 ACAAACTACC TACAGAGATT TAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA
3301 AATGAATGCA ATTGTTGTTG TTAACTTGTT TATTGCAGCT TATAATGGTT ACAAATAAAG
3361 CAATAGCATC ACAAATTTCA CAAATAAAGC ATTTTTTTCA CTGCATTCTA GTTGTGGTTT
3421 GTCCAAACTC ATCAATGTAT CTTATCATGT CTGGATCGAT CCCCGGGTAC
```

//

Figure 22: Nucleic acid sequence of the SV40/APPA+intron plasmid (SEQ ID NO:6).

```
14-APR-2000
                                             CIRCULAR SYN
                                      DNA
            SV40/APPA
                          5421 bp
LOCUS
DEFINITION Ligation of SV40 promoter/enhancer into CAT/APPA+intron
ACCESSION SV40/APPA
REFERENCE 1 (bases 1 to 5421)
           synthetic construct.
SOURCE
       ORGANISM synthetic construct
                  artificial sequence.
            SV40 promoter/enhancer, acid glucose-1-phosphatase; appA gene;
KEYWORDS
            periplasmic phosphoanhydride phosphohydrolase; artificial
             sequence;
            Golovan, S., Forsberg, C.W., Phillips, J.
AUTHORS
 JOURNAL Unpublished.
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
gene,
      ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
                M58708.1 GI:145283
Escherichia coli DNA.
      VERSION
       SOURCE
                   Escherichia coli
       ORGANISM
             Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
             Escherichia.
               (bases 40 1337)
REFERENCE 1
       AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
                The complete nucleotide sequence of the Escherichia coli gene appA
       TITLE
                    reveals significant homology between pH 2.5 acid phosphatase
                    and glucose-1-phosphatase
       JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
       MEDLINE 90368616
                          Location/Qualifiers
 FEATURES
                          40 1337
       Source
                          /organism="Escherichia coli"
                          /db_xref="taxon:562"
                          40..105
       sig_peptide
                           /gene="appA"
                            40 1337
       CDS
                                 /gene="appA"
        /standard_name="acid phosphatase/phytase"
                           /transl_table=11
                           /product="periplasmic phosphoanhydride phosphohydrolase"
                           /protein_id="AAA72086.1"
                           /db_xref="GI:145285"
 /translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP
 TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
 GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
  ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
  YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
  ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
                           PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                           106 1334
        mat_peptide
                           /gene="appA"
```

```
/product="periplasmic phosphoanhydride phosphohydrolase"
                  replace(46.. 48, "gcg changed to gcc")
     mutation
                  /gene="appA"
                  /standard name="A3 mutant"
                  /note="created by site directed mutagenesis"
                  /phenotype="silent mutation"
                  replace(1320..1322; " ccg changed to ccc")
     mutation
                  /gene="appA"
                  /standard_name=" P428 mutant"
                  /note="created by site directed mutagenesis"
                  /phenotype=" silent mutation "
                  replace(1323..1325, " gcg changed to gct")
      mutation
                  /gene="appA"
                  /standard_name=" A429 mutant"
                  /note="created by site directed mutagenesis"
                  /phenotype=" silent mutation "
DEFINITION Plasmid pBLCAT3 (bases 2200 to 4924)
     ACCESSION X64409
                 X64409.1 GI:58163
     VERSION
                 synthetic construct.
     SOURCE
       ORGANISM synthetic construct
                 artificial sequence.
     REFERENCE 1 (bases 2200 to 4924)
       AUTHORS Luckow, B.H.R.
       TITLE Direct Submission
       JOURNAL Submitted (06-FEB-1992) B.H.R. Luckow, German Cancer Res
                 Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG
     REFERENCE 2 (bases 2200 to 4924)
       AUTHORS Luckow, B. and Schutz, G.
                 CAT constructions with multiple unique restriction sites
       TITLE
for
                 the functional analysis of eukaryotic promoters and
regulatory
                 elements
       JOURNAL Nucleic Acids Res. 15 (13), 5490 (1987)
       MEDLINE 87260024
                 Promoterless CAT vector for transient transfection
     COMMENT
experiments
                   with eukaryotic cells. Allows the analysis of foreign
                   promoters and enhancers.
                           Location/Qualifiers
     FEATURES
                           2200 to 4924
          source
                           /organism="synthetic construct"
                           /db xref="taxon:32630"
                           1380..1993
          SV40 t intron
                           /note="SV40 signals"
          polyA_signal
                           1990..2230
                           /note="SV40 signals"
                           complement (3471..4317)
           CDS
                           /codon start=1
                           /transl_table=11
                           /gene="Amp"
                           /product="beta-lactamase"
                           /protein_id="CAA45753.1"
                           /db_xref="GI:58165"
```

## Figure 22 (continued):

SV40 promoter/enhancer 5023..5402 /note="SV40 signals"

1331 g 1355 t 1321 c BASE COUNT 1413 a ORIGIN 1 CGAGATITTC AGGAGCTAAG GAAGCTAAAA GCCGCCACCA TGAAAGCCAT CTTAATCCCA 61 TTTTTATCTC TTCTGATTCC GTTAACCCCG CAATCTGCAT TCGCTCAGAG TGAGCCGGAG 121 CTGAAGCTGG AAAGTGTGGT GATTGTCAGT CGTCATGGTG TGCGTGCTCC AACCAAGGCC 181 ACGCAACTGA TGCAGGATGT CACCCCAGAC GCATGGCCAA CCTGGCCGGT AAAACTGGGT 241 TGGCTGACAC CGCGNGGTGG TGAGCTAATC GCCTATCTCG GACATTACCA ACGCCAGCGT 301 CTGGTAGCCG ACGGATTGCT GGCGAAAAAG GGCTGCCCGC AGTCTGGTCA GGTCGCGATT 361 ATTGCTGATG TCGACGAGCG TACCCGTAAA ACAGGCGAAG CCTTCGCCGC CGGGCTGGCA 421 CCTGACTGTG CAATAACCGT ACATACCCAG GCAGATACGT CCAGTCCCGA TCCGTTATTT 481 AATCCTCTAA AAACTGGCGT TTGCCAACTG GATAACGCGA ACGTGACTGA CGCGATCCTC 541 AGCAGGGCAG GAGGGTCAAT TGCTGACTTT ACCGGGCATC GGCAAACGGC GTTTCGCGAA 601 CTGGAACGGG TGCTTAATTT TCCGCAATCA AACTTGTGCC TTAAACGTGA GAAACAGGAC 661 GAAAGCTGTT CATTAACGCA GGCATTACCA TCGGAACTCA AGGTGAGCGC CGACAATGTC 721 TCATTAACCG GTGCGGTAAG CCTCGCATCA ATGCTGACGG AGATATTTCT CCTGCAACAA 781 GCACAGGGAA TGCCGGAGCC GGGGTGGGGA AGGATCACCG ATTCACACCA GTGGAACACC 841 TTGCTAAGTT TGCATAACGC GCAATTTTAT TTGCTACAAC GCACGCCAGA GGTTGCCCGC 901 AGCCGCGCCA CCCCGTTATT AGATTTGATC AAGACAGCGT TGACGCCCCA CCACCGCAAA 961 AACAGGCGTA TGGTGTGACA TTACCCACTT CAGTGCTGTT TATCGCCGGA CACGATACTA 1021 ATCTGGCAAA TCTCGGCGGC GCACTGGAGC TCAACTGGAC GCTTCCCGGT CAGCCGGATA 1081 ACACGCCGCC AGGTGGTGAA CTGGTGTTTG AACGCTGGCG TCGGCTAAGC GATAACAGCC 1141 AGTGGATTCA GGTTTCGCTG GTCTTCCAGA CTTTACAGCA GATGCGTGAT AAAACGCCGC 1201 TGTCATTAAA TACGCCGCCC GGAGAGGTGA AACTGACCCT GGCAGGATGT GAAGAGCGAA 1261 ATGCGCAGGG CATGTGTTCG TTGGCAGGTT TTACGCAAAT CGTGAATGAA GCACGCATAC 1321 CCGCTTGCAG TTTGTAAGGC AGTTATTGGT GCCCTTAAAC GCCTGGTGCT ACGCCTGAAT 1381 AAGTGATAAT AAGCGGATGA ATGGCAGAAA TTCGCCGGAT CTTTGTGAAG GAACCTTACT 1441 TCTGTGGTGT GACATAATTG GACAAACTAC CTACAGAGAT TTAAAGCTCT AAGGTAAATA 1501 TAAAATTTTT AAGTGTATAA TGTGTTAAAC TACTGATTCT AATTGTTTGT GTATTTTAGA 1561 TTCCAACCTA TGGAACTGAT GAATGGGAGC AGTGGTGGAA TGCCTTTAAT GAGGAAAACC 1621 TGTTTTGCTC AGAAGAAATG CCATCTAGTG ATGATGAGGC TACTGCTGAC TCTCAACATT 1681 CTACTCCTCC AAAAAAGAAG AGAAAGGTAG AAGACCCCAA GGACTTTCCT TCAGAATTGC 1741 TAAGTTTTTT GAGTCATGCT GTGTTTAGTA ATAGAACTCT TGCTTGCTTT GCTATTTACA 1801 CCACAAAGGA AAAAGCTGCA CTGCTATACA AGAAAATTAT GGAAAAATAT TCTGTAACCT 1861 TTATAAGTAG GCATAACAGT TATAATCATA ACATACTGTT TTTTCTTACT CCACACAGGC 1921 ATAGAGTGTC TGCTATTAAT AACTATGCTC AAAAATTGTG TACCTTTAGC TTTTTAATTT 1981 GTAAAGGGGT TAATAAGGAA TATTTGATGT ATAGTGCCTT GACTAGAGAT CATAATCAGC 2041 CATACCACAT TTGTAGAGGT TTTACTTGCT TTAAAAAACC TCCCACACCT CCCCTGAAC 2101 CTGAAACATA AAATGAATGC AATTGTTGTT GTTAACTTGT TTATTGCAGC TTATAATGGT 2161 TACAAATAAA GCAATAGCAT CACAAATTTC ACAAATAAAG CATTTTTTTC ACTGCATTCT 2221 AGTTGTGGTT TGTCCAAACT CATCAATGTA TCTTATCATG TCTGGATCGA TCCCCGGGTA 2281 CCGAGCTCGA ATTCGTAATC ATGGTCATAG CTGTTTCCTG TGTGAAATTG TTATCCGCTC 2341 ACAATTCCAC ACAACATACG AGCCGGAAGC ATAAAGTGTA AAGCCTGGGG TGCCTAATGA 2401 GTGAGCTAAC TCACATTAAT TGCGTTGCGC TCACTGCCCG CTTTCCAGTC GGGAAACCTG 2461 TCGTGCCAGC TGCATTAATG AATCGGCCAA CGCGCGGGGA GAGGCGGTTT GCGTATTGGG 2521 CGCTCTTCCG CTTCCTCGCT CACTGACTCG CTGCGCTCGG TCGTTCGGCT GCGCGAGCG 2581 GTATCAGCTC ACTCAAAGGC GGTAATACGG TTATCCACAG AATCAGGGGA TAACGCAGGA 2641 AAGAACATGT GAGCAAAAGG CCAGCAAAAG GCCAGGAACC GTAAAAAGGC CGCGTTGCTG 2701 GCGTTTTTCC ATAGGCTCCG CCCCCTGAC GAGCATCACA AAAATCGACG CTCAAGTCAG 2761 AGGTGGCGAA ACCCGACAGG ACTATAAAGA TACCAGGCGT TTCCCCCTGG AAGCTCCCTC 2821 GTGCGCTCTC CTGTTCCGAC CCTGCCGCTT ACCGGATACC TGTCCGCCTT TCTCCCTTCG 2881 GGAAGCGTGG CGCTTTCTCA ATGCTCACGC TGTAGGTATC TCAGTTCGGT GTAGGTCGTT 2941 CGCTCCAAGC TGGGCTGTGT GCACGAACCC CCCGTTCAGC CCGACCGCTG CGCCTTATCC 3001 GGTAACTATC GTCTTGAGTC CAACCCGGTA AGACACGACT TATCGCCACT GGCAGCAGCC 3061 ACTGGTAACA GGATTAGCAG AGCGAGGTAT GTAGGCCGGTG CTACAGAGTT CTTGAAGTGG

```
3121 TGGCCTAACT ACGGCTACAC TAGAAGGACA GTATTTGGTA TCTGCGCTCT GCTGAAGCCA
   3181 GTTACCTTCG GAAAAAGAGT TGGTAGCTCT TGATCCGGCA AACAAACCAC CGCTGGTAGC
   3241 GGTGGTTTTT TTGTTTGCAA GCAGCAGATT ACGCGCAGAA AAAAAGGATC TCAAGAAGAT
   3301 CCTTTGATCT TTTCTACGGG GTCTGACGCT CAGTGGAACG AAAACTCACG TTAAGGGATT
   3361 TTGGTCATGA GATTATCAAA AAGGATCTTC ACCTAGATCC TTTTAAATTA AAAATGAAGT
   3421 TITAAATCAA TCTAAAGTAT ATATGAGTAA ACTTGGTCTG ACAGTTACCA ATĢCTTAATC
   3481 AGTGAGGCAC CTATCTCAGC GATCTGTCTA TTTCGTTCAT CCATAGTTGC CTGACTCCCC
   3541 GTCGTGTAGA TAACTACGAT ACGGGAGGGC TTACCATCTG GCCCCAGTGC TGCAATGATA
   3601 CCGCGAGACC CACGCTCACC GGCTCCAGAT TTATCAGCAA TAAACCAGCC AGCCGGAAGG
   3661 GCCGAGCGCA GAAGTGGTCC TGCAACTTTA TCCGCCTCCA TCCAGTCTAT TAATTGTTGC
   3721 CGGGAAGCTA GAGTAAGTAG TTCGCCAGTT AATAGTTTGC GCAACGTTGT TGCCATTGCT
   3781 ACAGGCATCG TGGTGTCACG CTCGTCGTTT GGTATGGCTT CATTCAGCTC CGGTTCCCAA
   3841 CGATCAAGGC GAGTTACATG ATCCCCCATG TTGTGCAAAA AAGCGGTTAG CTCCTTCGGT
   3901 CCTCCGATCG TTGTCAGAAG TAAGTTGGCC GCAGTGTTAT CACTCATGGT TATGGCAGCA
   3961 CTGCATAATT CTCTTACTGT CATGCCATCC GTAAGATGCT TTTCTGTGAC TGGTGAGTAC
   4021 TCAACCAAGT CATTCTGAGA ATAGTGTATG CGGCGACCGA GTTGCTCTTG CCCGGCGTCA
   4081 ATACGGGATA ATACCGCGCC ACATAGCAGA ACTTTAAAAG TGCTCATCAT TGGAAAACGT
   4141 TCTTCGGGGC GAAAACTCTC AAGGATCTTA CCGCTGTTGA GATCCAGTTC GATGTAACCC
    4201 ACTCGTGCAC CCAACTGATC TTCAGCATCT TTTACTTTCA CCAGCGTTTC TGGGTGAGCA
    4261 AAAACAGGAA GGCAAAAATGC CGCAAAAAAG GGAATAAGGG CGACACGGAA ATGTTGAATA
    4321 CTCATACTCT TCCTTTTTCA ATATTATTGA AGCATTTATC AGGGTTATTG TCTCATGAGC
    4381 GGATACATAT TTGAATGTAT TTAGAAAAAT AAACAAATAG GGGTTCCGCG CACATTTCCC
    4441 CGAAAAGTGC CACCTGACGT CTAAGAAACC ATTATTATCA TGACATTAAC CTATAAAAAT
    4501 AGGCGTATCA CGAGGCCCTT TCGTCTCGCG CGTTTCGGTG ATGACGGTGA AAACCTCTGA
    4561 CACATGCAGC TCCCGGAGAC GGTCACAGCT TGTCTGTAAG CGGATGCCGG GAGCAGACAA
    4621 GCCCGTCAGG GCGCGTCAGC GGGTGTTGGC GGGTGTCGGG GCTGGCTTAA CTATGCGGCA
    4681 TCAGAGCAGA TTGTACTGAG AGTGCACCAT ATGCGGTGTG AAATACCGCA CAGATGCGTA
    4741 AGGAGAAAAT ACCGCATCAG GCGCCATTCG CCATTCAGGC TGCGCAACTG TTGGGAAGGG
    4801 CGATCGGTGC GGGCCTCTTC GCTATTACGC CAGCTGGCGA AAGGGGGATG TGCTGCAAGG
    4861 CGATTAAGTT GGGTAACGCC AGGGTTTTCC CAGTCACGAC GTTGTAAAAC GACGGCCAGT
    4921 GCCAAGCTTT ACACTTTATG CTTCCGGCTC GTATGTTGTG TGGAATTGTG AGCGGATAAC
    4981 AATTTCACAC AGGAAACAGC TATGACCATG ATTACGAATT CGGCGCAGCA CCATGGCCTG
    5041 AAATAACCTC TGAAAGAGGA ACTTGGTTAG GTACCTTCTG AGGCGGAAAG AACCAGCTGT
    5101 GGAATGTGTG TCAGTTAGGG TGTGGAAAGT CCCCAGGCTC CCCAGCAGGC AGAAGTATGC
    5161 AAAGCATGCA TCTCAATTAG TCAGCAACCA GGTGTGGAAA GTCCCCAGGC TCCCCAGCAG
    5221 GCAGAAGTAT GCAAAGCATG CATCTCAATT AGTCAGCAAC CATAGTCCCG CCCCTAACTC
    5281 CGCCCATCCC GCCCCTAACT CCGCCCAGTT CCGCCCCATTC TCCGCCCCAT GGCTGACTAA
    5341 TTTTTTTAT TTATGCAGAG GCCGAGGCCG CCTCGGCCTC TGAGCTATTC CAGAAGTAGT
    5401 GAGGAGGCTC GAGGAGCTTG G
//
```

Figure 23. The nucleic acid sequence of the Lama2/APPA transgene used for the generation of transgenic mice and transgenic pigs (SEQ ID NO: 7)

```
14-APR-2000
                                                   SYN
           transgene
                       17732 bp
                                   DNA
LOCUS
DEFINITION Lama-appA cut XhoI..20623 to NotI..17732
ACCESSION transgene
           parotid secretory protein; acid glucose-1-phosphatase; appA
KEYWORDS
           gene;
           periplasmic phosphoanhydride phosphohydrolase; artificial
           sequence;
           cloning vector
REFERENCE 1 (bases 1 to 17732)
AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
JOURNAL
          Unpublished.
FEATURES
DEFINITION M. musculus Psp gene for parotid secretory protein.
   ACCESSION X68699
   VERSION X68699.1 GI:53809
              house mouse.
   SOURCE
   ORGANISM Mus musculus
      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
      Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
      REFERENCE 1 (bases 3777 to 5332;)
      AUTHORS Svendsen, P., Laursen, J., Krogh-Pedersen, H. and Hjorth, J.P.
               Novel salivary gland specific binding elements located in
      TITLE
            the PSP proximal enhancer core
      JOURNAL Nucleic Acids Res. 26 (11), 2761-2770 (1998) MEDLINE 98256451
      REFERENCE 2 (bases 7147 to 12653; 13952 to 17731)
      AUTHORS Mikkelsen, T.R.
                Direct Submission
      TITLE
                Submitted (07-OCT-1992) T.R. Mikkelsen, Department of
      JOURNAL
                  Molecular Biology, University of Aarhus, CF Mollers Alle
                  130, 8000 Aarhus, DENMARK
      REFERENCE 3 (bases 7147 to 12653; 13952 to 17731)
      AUTHORS Laursen J, Hjorth JP
      TITLE A cassette for high-level expression in the mouse salivary
 glands.
       JOURNAL Gene 1997 Oct 1;198(1-2):367-72
       MEDLINE 9370303
                        Location/Oualifiers
 FEATURES
                                   1.to 12653; 13952 to 17731
                   source
                   /organism="Mus musculus"
                   /strain="C3H/As"
                   /db xref="taxon:10090"
                   /chromosome="2"
                   /map="Estimate: 69 cM from centromere"
                   /clone="Lambda YP1, Lambda YP3, Lambda YP7"
                   /clone lib="Lambda-PHAGE (Lambda L47.1)"
                   /germline
                   /note="Allele: b"
                       3777-5332
       misc_feature
                   /gene="PSP"
                   /function="salivary gland specific positive acting
                   regulatory region"
                   7147..8724
       enhancer
```

#### Figure 23 (continued):

```
/evidence=experimental
                 11778..11824
     exon
                 /gene="Psp"
                 /note="exon a"
                 /number=1
                 /evidence=experimental
                 :12626.. 14190
     exon
                 /gene="Psp"
                 /note="exon b fused with exons h and i"
     misc_feature
                       12644-12652
                  /function=" consensus sequence for initiation in higher
                 eukaryotes · "
                        13952-13965
     misc feature
                  /function=" M13mp18 polylinker"
DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
gene,
                 M58708 L03370 L03371 L03372 L03373 L03374 L03375
      ACCESSION
      VERSION
                  M58708.1 GI:145283
                        Escherichia coli DNA.
      SOURCE
      ORGANISM Escherichia coli
            Bacteria; Proteobacteria; gamma subdivision;
      Enterobacteriaceae;
            Escherichia.
          1 (bases 12653..13951)
REFERENCE
                Dassa, J., Marck, C. and Boquet, P.L.
      AUTHORS
                The complete nucleotide sequence of the Escherichia coli
      TITLE
                  gene appA reveals significant homology between pH 2.5
                  acid phosphatase and glucose-1-phosphatase
               J. Bacteriol. 172 (9), 5497-5500 (1990)
      JOURNAL
      MEDLINE 90368616
                        Location/Qualifiers
FEATURES
                              12653..13951
      Source
                         /organism="Escherichia coli"
                         /db xref="taxon:562"
                        12653..12718
      sig_peptide
      /gene="appA"
                         12653
                                     13951
      CDS
                         /gene="appA"
                         /standard_name="acid phosphatase/phytase"
                         /transl_table=11
                         /product="periplasmic phosphoanhydride
                         phosphohydrolase"
                         /protein_id="AAA72086.1"
                         /db xref="GI:145285"
 translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP/
 TKATQLMQDVTPDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
 GOVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
```

52/58

```
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
                      12719 13948
     mat_peptide
                      /gene="appA"
                       /product="periplasmic phosphoanhydride
                            phosphohydrolase"
                 replace(12659.. 12661, "gcg changed to gcc")
     mutation
                 /gene="appA"
                 /standard_name="A3 mutant"
                 /note="created by site directed mutagenesis"
                 /citation=[3]
                 /phenotype="silent mutation"
                 replace(13934..13936," ccg changed to ccc")
      mutation
                 /gene="appA"
                  /standard_name=" P428 mutant"
                  /note="created by site directed mutagenesis"
                  /citation=[3]
                  /phenotype=" silent mutation "
                  replace(13937..13939, gcg changed to gct)
      mutation
                  /gene="appA"
                  /standard_name=" A429 mutant"
                  /note="created by site directed mutagenesis"
                  /citation=(3)
                  /phenotype=" silent mutation "
                       4125 c 4168 g
                                       4719 t
               4719 a
 BASE COUNT
 ORIGIN
        1 TCGAGAGTAT CTTTGTCAGC TGTGCCTCCA ACAAAGGGGT ACTGTTGCCC ACATAGAAAG
       61 ATCTAAACTA ATTAATTAAT CCCTCACCCG CAAATCTTTC AGTCACTAAG TTAGCACGAT
       121 TGTTGAACAA GTTCTCCAAA GGAGAGATAC AGATGAGTGC GTATAGGGTG GACCTGGCTG
       181 CTGAGGAGAC ACCTGCATCT GACTAAGAAG AGCCACGGTG TTAGTTGAAT GGTGTGGAGT
       241 AGGGTGGTTC TGTGGGACAG TAGAAAATCG AGAGGCATGT GCCGTTTAGT GAACTGATGG
       301 AAGCTACCCC AAACGACAGA GATTGTCAGT CAGGCCAATC CGTTTCGAGT TTGATGGGCA
       361 GCCGGACAGT GAGACAGACA CACCTACTCA GTTGGAGGAA GGATGAGAAC AATGGCCAGC
       421 AGGGATTGAG AGACCCTGAC AGGCGCAAGG CCCTAACACA CACACCTACC ACCTCACTTG
       481 ACAAAGCTGC CAAAGACCAA AGACTTGTTC TCCATTAGAA ATGACAGCTG GCTTGACCCG
       541 ACAGCATAAT AAGCAGAGTG TACTCTGATT GGAGAACTTT AATGTGTTTC ATTCAGTATT
       601 ATAAAAGGAC AGTATTACAG ATTTTGTTGT ACACTGCTGT TACATGTGGG GCAGTGTGTC
       661 TTTAAGTAGG GTAAAGTACT CTTTAAAAAT GGGTCCTAGA TATTTTTTCC TTTAACTCAA
       721 GTCTCTTACT GTTTAAATGA TTTTTATTTT GTTTAATATG GAGGAAAAAG AAGCGTAAAT
       781 GGACAATATA TATTTAGAGA AAGATGGTTA GCTGTCAGAA AAATATGCAA ATCAAAATCA
       841 CACCAAGACT GCAGCACACC CCTGTCAGAT GGCTGTGATC AAGAAAATAA ATGACAATGA
       961 CACACTGGAG CAACCACTGT GGAAATCAGT ATGAATGGTC CTCAAAAACC TGAAGATAGA
      1021 GCGGGGCGTG GTGGCATACA CTTTTATTCC CAGCACTGGG GAGGCAGAGG CAGGTGGATC
      1081 TCTGAGTTCC AGGCCAGCCT GGTCTATAGC ACAGGTTCTA GGACAGCCAG GGCTACACAG
      1201 ACCABACCAA ACCABACCAG ACCABACCAA AACACTGAAG ATAGAACTTC AGTATTCCAT
      1261 TCCTAGATAT ATACCCAATG GAGACTAAGT CAGCAAGACA CCTGCACAGC CATGTTCACT
      1321 ACTACACTGT TCACCACAGC CAGGCTGTGG AACCAGCCTG AGFGTCCATG ATAAATGAAT
```

1381 GGATAGGTAA CTTTCAAGGT AAATGGACTC TG	CTGTGTAC ATGCCTCACA TTCTGTTTAT
1441 TCATTTTTT TTATGAGGTG TCCATTCAGG AG	TCACATGG TAGTTCTATT TICAGTCTIC
1501 TOARGATACT ACACTGGTCC CCACAGTTTA CA	CTTTTATC AGCAGTGAAT AAGGGTTCCT
JEST CTATCCTTAC CATCATTTGT TGTAATTTTT CT	TGATGACC CTCTTTCTGA CAGGGATAGG
1621 ATCTARTATC AGTGTGAGGA AGTACAACTT GT	TTTCTAAG TATTTATTGG CCCCTTGCA1
1601 TTCTTCTTTT GAAAACTGTC GGTTCCTGAC AT	CTGCTCAG GTATTCATTG GATGITGILL
1741 CTTTCGTGTT TGAGTTCTTA TGAATTCTAG AT	GTTAAATC CCTGCCTGTG GTTCTCTCCC
1901 ATTOTOTAGG CTGCCTCCTC ACCCTGGCAA TT	GTTGTCCT TGTTTTGCAG AAACTTTTGA
1961 CTTCATGGAA TCTCATTTGT CAGTTTTCCC TC	CTCTGCTA TAGCCTGAGC TAATGCACTG
1921 GTTTTTACAG AGCCCTGGTC TATGCCTTTA TC	CTCCTCTG GCAGCTTCGG AGITTCATIT
1991 CTTACATTTA GATCTTTGAT CCACTTTGAA CA	AGTTTTGG AGCAGGGTGA GAGATACGAA
2041 TOTAGTTOCA TTOTTCCATA TGTGATCCTA GI	TTACATAG CATCGTTGGT TGAAGAGGII
2101 TEATTTETT TTTAATTAAT GTGTCATAAA AA	ACGAGGTG GTTGTAGCAG TGTGGALILG
2161 TTTCTTTGTC CTTTGATCTA CAGGTCTTGT TI	TTGTGTCAG TCTCATGATG TTTTATIGCT
2221 ATCCCTCTGT CATACAGTCT GAGGTCAGGT AT	TTGTGATAT ACCTTCAGTA TIGCICCCIC
2281 AGACTCAGGT TTGCTTTGGC CAGGAGTCAT CI	TTACTCAGT GCTCTTAGAG CTCCCCCAGC
2241 ATCTACCTCC TACTATTCTT AGTTGATAAA TO	CAGGAAACT GGGGCTCAGA GAGATTAACI
2401 CTCTTGAACT ACTTCTGGGG AGGTGAAACG TO	GGAGACACT AAACTGTGTT TACCCTGTAC
AACA TECTTORIA GOTGTOGGGT GOTGGGCTAC AC	GCAAAGCAC CTATACTATA TATTACTCAG
2521 GAGGTGGAAA AACTCAGCCT CCCTTGGGGT TO	CCCAAGCTC CCAGGTGTCC AGTCACTGCT
2503 GGAACCTCA TGGAGTCTGA AAGGAAGGGT TG	GAGGGTACA TGGGGCAGCG ATGAGGAGCC
2641 TECHETTECE ATETECANA CACCIGATA TO	CCAGATGCC ACTGGGTCAG GGGGAGIIGG
2702 CAACACACTT CCCATCTCCA TGGACCTGTG A	CAAGGCCAG GGCCAGGGGG AGGATAACIC
2761 TCCCTTTACT AATTTCCGAA AGTCCTTAGC T	TAGCAGCAG TTGTCTGGGA GCACAGAGGG
2921 CCCTTCTGTA AGAGGCTCAG GCAGTGCCGC T	CTGTAGGCG AAGGTCTTCT CCAIGITCCC
2001 CATGGTGGTT CTTGATGAAA GAGACAGTCC T	TGGCTCCAA ACTGGTTTAT TGATIGTICA
2041 TTGTGGDDDD TGGGTGCDCD CCACCTTCTC A	GGGTGGACC AGAGATCAAA TACCITITGC
2001 ACCCACCAAT ATCTGGGAAG GGACGCTTAC T	GGCTAAACC CTCAGGGCCT CTAGATACAT
AACA CATTAGCATG GAGAACTCTG TTCTGGGCTA C	ATGACCACA GGCCACATTT CLACAAGCCA
2121 CATCTCCCAA CTCTCCCACA TGTTCTAGGC C	AGGAATCTG GTAGGGAGCG TGGAGCCACC
3181 TACCATCCCA GGTGGGTGCC TGGGTGCCAG G	GACCCTGAA CCCGCTCAAC CTTACCAAGI
2241 TTCCTCCCAC GCTCCACTGT CCTACACAGA A	GCTGGAGGA GGTGTGAGGG TTGTGTCTT
2201 GTGGAATGTC CCATGCTGCT TGGGGCTCAG T	TTCTCCACC TGTACCTCAT TGGT11GGG1
3361 ATARABACTG GGGATACTTT ATTATTCTCT G	ACTCGGTCC TGAGGAAAAA GCATCGIGGC
3431 DETCCAGGAA CCACACCCTG AGGTTCCTGC A	CTGAAGGGA CTCCCTAAGT CTCIGGAGIC
2/01 TCTCCCCTTC ACAGAGCTGC CAAAGTCTAG G	TTCTTTGA GGATAACAGA GCCAIGCIIG
2541 CTARCCAGAC ARCAGCATTT GTTTACTCAA C	CTTCTTTTG TCAGCTCCCT CTTCATAAAC
SENT ANGUTGAGAG ACCATGCTGG CTTGAGGAAG A	CTTCTAAAG CCAGACAACT GIGCAAGGAA
3661 CARCARGA GCCCAAGTGG AGTTAGCCTG G	SATGTAGCCC TCAAAGTCTC CAGAGACCAG
2721 CCATGAAGGC TCAAGTGGAG GGCAAGACCT G	CAGCAGCCA AGCATCTGGC AGGAGAGGAI
THE COMPANY OF CONCENTRATION GARACATATE	TTTCCTCCAG GTCACACTTA ATAGGCCATT
2041 TOTTATTEC ATCTATCATE GTGTTCTGTG	CAGATTAAT GAGGTGTTAT GCTGCGAACA
PART CANACTTATA TAAAAACAAG TCCCCCCCC I	TTGTCACTGC TGCTAAGAAT GTAGCAGAAA
3061 TTGTCTCDDG TGTCTCTA ATCAGAAACA A	ATAAAGGTCT CCTTGGATTC AAGCCCTCCA
4021 CTTTCCTCCT TCCTTGCTGA GCCTTGGACA (	CCCATACAAA CCTCCTGGAT GCTACAGCIC
4001 TCCCCAGAGA CTCCAAGGTG GGGAGAGACT (	GATGGTACAA AAGCAAAATA CTTGTTTGGG
4141 GGTACACCCA CTCCTCTGCC TGTGTGGTTC (	CTGCAGTCAG TCCTGCAGAC AGGCCCICAG
4201 TEGETETTEE ATGGGCAACA CGCAGAGGGA	GGCAATGGAT GGGAATACCC ACACCCIGGI
4261 TAGTTTACCC CGGCCATGCT CTCTGCTCTT (	CATCCCTCCT CTGCCCTCTG CCACGGCIII
4321 CTCTGCDGGD ATCATATCTT CATATTGGCC (	CACAGGTGTT CTCCTCACCC TAGCTATGAT
4391 CTTTACTTTA GAGTGACCTT AGCAGGGCTG	GTGGGAATGA GTTCTAGAAG GCTCACGGAG
AAA1 BTGCTBGGGB BGBBACGTCT TCTBACTACT (	GAGGTTACTA AGTTCCTGGT GGTTGTCTCT
AEA1 GCCTTTCCCT TGTTAAAGTC ACCTTGAAGT '	TAGTGCAGAA GAAATCAGAG CCCAGTCACA
ASSI CACTABATAT GGTCCTGAAG ATTTCCTTTG	AGTGCCCAGA ATCCATGACA TTICAAGAGC
4621 CCTCTTTGTA CCTTAAGTCA TTTGGGGTTG	TATCTTCTGC TTGATGTATG TGTGTGTGT
ACOL TATCADAGAG TGAGATGGTT ACATAAGAGG '	TGCTCTAAAG GACAGAGAGG ATTIGCAATI
4741 GTGGCATGTG ACATCCTCAG GCCTTGCTCT	GGTGCCAGGA GGAACTGATG CAGAAAAGAG
4801 TAAGAGGTCA TTTCCTGGAG GCTGTCACTA	TAGAGGAGAT CTTACAGTGC ATTCCCTCCT
ENIED	

4861	CCAGGCCCTG	CCTGAGGATA	GACATGTGCT	GACTGCAACT	GAAACAGAGG	CTTGGGATGG
4921	AGAGTTAGGT	TCACAGAAGG	GAGGGTGGGA	GATGGATGCT	TGCTGGGTTC '	TGGGTCTCAL
4981	CACCAGCTCC	TGACCACCCG	GTCAGCCCAT	GTGCTTATTC	CATAGCTTTC	TITIGCTATE
5047	TTTACTCAGT	GTGGTGTTTG	TTGGGACCCA	GCAGAAGCCA	GTCCCAGGCT	GACAGCTGTG
5101	GATACACAGG	GCAGCATGAG	GGTCCTCAGC	CTGAAGCAGT	CAGGCTGGCA	GAAGAGAAAG
5161	ACCAGCACAC	ATTCCTTCAA	CCAACTATGT	CTTGAAAAAC	AAACATATTA	TATCACATAT
5221	ΑΤΤΡΑΟΣΤΙΤΑ	TGAGACAGCT	AAAATGTACT	CGGGTAGCAT	GACTCCAGGT	GGGGATATCT
5281	GCAAGTGCCA	TGAGTGGCAG	AGGGACAGCC	AATGTGAGGC	AAGAAGGAAT	TCTGGCTCAA
5341	CACAGCTTAG	CTCCCTGGTG	TTGGTTCAAA	CTTTGAGAGT	TTGACCACAA	GCACTTTATT
5401	TTTGACATAT	TTAAACAGAG	CACAACTTTG	GGAAAAAGTT	TTCTTATGAA	AATTATCACA
5461	ATAAAGCTTA	AGGCATGACT	ACATTAAAAT	GCCTTTGCAA	AGTATATGTG	CCCTCTTCCA
5521	CAAGAATGGT	TCTATTGACT	GAGAAATAAT	GTTCAGGATA	AAGATCCAGG	AAGAAAAGAT
5581	CAGGGATAAG	TAAAATACTA	AACTCTTTTG	CAAAGTACAT	AGACCCTCTT	TCATAACAAT
5641	CCCTTCTATT	GACTGACAAG	CACTGCTCAG	GAGTTGGGAA	AGAGTCTAGC	ATAAGCACGA
5701	TACCCTCCAC	ACTCTAGTGA	GGTCTAGTCT	TACAGACAGC	AAAAATCACC	AGGTTACAAA
5761	СТАСАТТСАТ	TTCCAGTTTT	CTGATCAGGC	ACAGGTATGA	ATCCCTTCTG	TTGAAGAGAA
5821	AAGTCCATGT	CTTTAAAATA	TCTGGTTTCT	CCAGTGCTAT	TAGCGAGAAG	ACTTGAGCCC
5881	TATACAACTC	CCACCTGGAG	TGACATCCTG	TCTTCATGGT	ATATTACATA	CCTAGACACG
5041	CTCATCTCAC	AGACTTAGGA	CTTTGTCTTC	TGATCTCCAT	TTCTGATCCC	ACTICCACCI
6001	THECHTEAT	AGTGTCATTT	TCTTCACTGC	CTTGGTGACA	ACCATGTTAT	CCTCTGTGTA
6061	TTTCACTCTT	ACCATTTTCA	GATTTTACCT	GTATGCAAGA	TCACACAGTC	Trigrettie
6121	TGTCTGGATG	CATGCTAATC	TCTACACAAC	AACCCTTCCC	CGTCACTCAG	ATCTTCCTCC
6181	משמשמשת	ACATGGTGCT	GAAGAGGCTA	GGGAGCTTCC	CTTCAGTGGG	GAGCTAGCIG
6241	CCTATTCCCC	CTTTTTGACT	GTCCAGGAAG	GCCCCCAATT	GCTGAGACAA	GAACTTAGAT
6301	тсттсаттат	TGACTCTAAC	TCATGTATCA	AGCAGAAGCT	AATGAATAGT	TATCAACAGG
6361	ATCAGAGGTT	CCAGTGTAAG	ACACTTTGAC	ATGAAAGAAC	GGAGGAAGGA	CAGATGGATG
6121	CATAAAAGCA	GGACCACTGC	CCCAGGAAGG	TCCTGGAAAC	TGATGCAGGG	CAAAGGACAG
C 1 D 1	CTTATAAACC	' ልልልጥሮጥጥልGG	GAGTCAGGAA	GAGCACAGAG	GAGCTCAACC	AACTGACCAC
6541	тссттасссс	CTACCAACCC	AATCCTCCCT	· GTGGGAACAG	CTAAGCTATC	AGCCAAGGGI
6601	ססמממממ	CAGGACCTGT	GGATGACATO	GAGAGCATAG	GGACCCTGGG	TCCAGCCITI
5551	ACCACCTCC	CTCTCAGGAT	ACTCCACCAT	TGTGTCTTAG	AGAGCCTAGG	GATACTGGGT
6721	CCAGCCTTTC	GTACCTTCAC	TCTCAGGGTA	CCCCATCACI	GTGTCTTGGA	GAGCCTAGGC
6781	ACCCTGGGTC	CAGCCTTCAG	TACCTGCGCT	CTCAGGACAC	CCCACCATIG	TCTCTTGCCC
C011	CCTCTCTTCT	י ייירטיייייייייייייייייייייייייייייייי	CCCTTTCATI	GTCTCTTCTC	TGTTTCTTTC	TIGACICICC
£901	יייייר כי כי כי בייי	CACCCTCACT	CTAGTTCTCC	CCTTCCCTCI	CIGCATCACC	CTATTUTCIC
6961	TOTOGTOCO	r ccactttcc1	TTATCTCTC	A TGCTTCTCTC	CTCCCTCAAA	TACTIGICAC
702	CCACTATACT	TCAGGGGCCA	GCTCTAGTG/	A CAAAGCTGTT	: AATAGCAAGA	CICICAGAIC
700	יייייייייייייייייייייייייייייייייייייי	r CAGAGGAGCC	: AGACCCACC	AGAACTCTC1	CCAGGTCCAA	TITCAGGITC
714		TTTCAGCAA	TGCTCAGGG	A ACATGCCACT	' AACAAGAAGA	TGCAAATICC
720	ACTTCACAC'	r GGGAAAGGC	CTTGCGTAG	3 TCCCATCTT	CAGGCCAAGG	TCAGAGGGGC
726	TOTOTOTAL	r CCGGATTGAC	AGGGCTCAG	A ACAATGTTT	CTTTTTAAGG	TTATTALL
727	י יייא מכייביייי	A GTGTCTTTG(	TTGCATGAC	TTATGTGCA	CATGTGTGTC	CAGGTTCCIG
720	1 አጥርአሮአርፕሊ	Z ACCACCCT	r TGAATCCCT	g GGGATAGGA	A GTTACAGGAA	ATTATAAGCI
744	1 CCTTTCTCC	TOTTCTAGE	r TTCCCAACA	3 AAGTGAATG	TCTTCACCAC	TGAGCCATCT
750	CTCTAGGCC	ר אאכאפאראיי	r GCTTTATGG	A TATAATTGT	G TGTGTGTGTC	AACATTGAGG
756	1 AAAGGGAAA'	AAAAAAA T	A CTTCAGCCG	C TAAGGTTGT	A CAGTTTCACT	MATIGCIACI
762	1 TTTACTTCT	C ATAAAATGG	C AGGTGCTTC	A ACATTTATA'	r atacaaaaa	TICCCIGCIG
760	T CTCCTTCAA	C TGTGAGAAC	T GGGGTAAGT	G GGTGAGTTC'	r ctttttctg:	r creference
771	1 GTCTCTCTC	C TTCCATTCT	T TCTTAAAGG	A AATAAACAT	r gcagctggg:	TATAGCTCAT
790	י כאאייאייככא	A CTTACAGAA	G TGAAAAAAG	G CATTGCCTT	G GTGGGTGGT	3 TTACCAGCTG
706	יי איייייייייייייייייייייייייייייייייי	יי מדרכידוכר או	G GAGGTCTGG	G GACTGGCTG	C TCTGTCTCTC	3 TCTGTATGAG
797	1 TCACCCAAC	T CTGGGGAGC	A GATTCCCTA	A CCTTCAGCC	T GGCCTGGTT	CIGAGIGAAC
700	1 CCACCCTCT	C TEGTCCTAG	T AGCTTTTTC	C AAACAGGAA	T CTGAGTGGT	3 ACAGGGAACA
904	1 ACTACCAGO	C CATTGCTTA	A GTGCCAGGG	T TAGTGAGGG	C AGGAAGCTG	CATAGCIGGG
910	1 ATTACTACT	T GTATTGGAT	G TAGGAAGTC	C TATCCTGGG	A CAGCTAATC	C TTAATGCTTC
816	1 ACTGGAGAT	T TTCAATGAG	A AATTTATCO	C ACGGCCCAT	A TGGCCCCAT	Criticicic
922	1 CAACAGCCA	A GTATTTTCC	A TTAGAGGAG	A CTTCCTGTA	C ACTIGATEGA	A TGCTCATTCC
922	1 ARCOMOCCA	T GGGGCAGTC	A GTACAGACT	T GGGATGACC	T CTGACAGCC	T AACCTCTCCC
Ø 2 8	I MAGGIGACI	I GOOGCACIC				

			•			
8341	CAACAAGGGC	CCTCTATGTT	TGCTATGTAA	TGTAATGTCA	GACATTGTCA	GGAGTGTCCG
8401	CAGCACAGCC	TGCCCAGTGT	GAGGGCTCTC	ATAGGTTTCC	CACTGTCTTA	TCTACACAGG
8461	GATAACGAGG	AGGTAAGCTG	CAGTTCCCAG	TCTCACTTCA	CAGAGGAAGA	GATAACCCCA
8521	TCCCAGGTCA	TGTAGCCAGC	AGTGGAAAGA	ATGAGGATTT	GAACTCAGGT	CTTCCAAGTC
8581	CCATTGATAG	CATCTCCTCA	CAAGTCCCTT	GCCACCCTCA	CGATGCCTTA	GACACTTGCC
8641	TGCCCTTTAT	ACTAAGGAGA	TGCAGGTACA	AGGGGTTTAC	CCATGTAGCA	GCTGAGGCAG
8701	CTGGGGATAG	ATACCAGCAG	CAGGCCTGAT	GTCACCACTC	TAACTCCAGC	ATCCCCAGTC
8761	TGTGTTCCTG	GAGTGTGAAA	ATCCCTACTT	AACAAGATTG	TGCAACAGTC	CTTGGCTCTG
8821	TGACCCATAG	CTGGAAACAG	GATTCTCATT	GATTTGTGGA	ACATGGTGGC	AGCCAGCCAA
8881	AAAGAGGGTC	TGCATACAGA	AGACACGTGT	GGCAAGGCCA	CAGCAGACTC	TGACTACCTT
8941	AGCTTACAGA	ATTACAAGGT	CATAATGTCC	TCTGCTTTGG	TCACCTCATG	TTAAGGACAG
9001	GCCCTAATGA	AGATGGGGCA	GAAGACTGAA	GGAATGGCCA	ACCAATAACT	GGCCCAACTT
9061	GAGACCCATC	CTACAGGCAA	GCATCAATTC	CTGACACTAC	TAATGATACT	CTGTTATGCT
9121	TGCAGACAGA	AGCCTAGCAT	AACTATCCTC	CGAGAGGTCC	ACCCAGCAAC	TGACTGAAAC
9181	AGAAAAAGAT	ATCCACAGGC	AAACAGTGGA	TGGAGGTCAG	GGACTATTAT	GGGAGAGCTG
9241	TGGGAAGGAT	TAAAAACCCT	GAAGGGGATA	GGAACCCCAC	AGGAAGACCA	ACAGAGTCAA
9301	CTAAGAGACC	TGTGGGAGCT	CTCAGAGACT	GAGCCACCAA	CCAAAGAGCA	TACACAGGCC
9361	GGTCCGAGGC	ACCTGGCACG	TGTGAAGCAG	ACATGCAGCT	CAGTCTCCAT	GTAGGTCCTC
9421	CAATAAGCGG	TAGCCTGACT	GCAGTATCCA	ATCCCCAACA	GGGCTGCATA	GTCTGGCCTC
9481	AGTGGGGGAG	GATGCCCCTA	ATCCTGCAGA	GACTTGATGA	GTGGAGAGCT	ATCCAGGGGG
9541	AACCCACCCT	CTCTGAGAAG	GGAATGGGGA	TGGGGGAGGG	ACTCTGTGAA	GAGGGGACAA
9601	GGACAAACAA	GAACCTCAAA	TAGGTCAGGC	CCTAAAGGCT	TGCTAAGTAG	CAGTGGCCCA
9661	GCTCTGTCCT	GTTCCTCAGC	CCAAGGCTCA	GCTCCCACCT	GTTTCTGTGT	TTTTCTGGCT
9721	TTTCATGGGC	CTAGGACTTG	GTGACCAGTT	CAAACAATGG	GGCCTGTGGA	AGACACAATA
9781	TACAAGACTA	GGGACATTCC	TGTTCTGCTG	ACTATCCATA	GCCTGATGTA	GGTGGAAGGA
9841	CCCAATCACT	GGATTTCTAC	CCTTGCACAA	CCTTGACAGC	TGAGGGCCTC	TCAGAAACCT
9901	ATTTCTTCCA	CTGAAAAATG	AGACTCTCAA	ATGAACGTCG	TGACAATCAT	CAGGCTTATT
9961	AAAGAGGTGT	ATCTAACCTG	AATGGCAAGC	AGACAGCAGG	CAAATGTCTG	TATCAACCTC
10021	TAGGAAGGAC	AAGAACTGCT	CACTGCTGCC	CCCCAGGAGG	CCATTTGCTG	AAACAGCTGC
10081	TCTCCTGCTG	GTGCACAGGC	CCTGCCTTCT	CATTGCAGCC	ACAGCCCCTT	CCTGTCTGAA
10141	CCTCCTGTCA	GGTCACTGGG	AAACAGATCA	AGATGGAACA	GGACAGCTCC	TGATGGTAAA
10201	TAAAAAACAG	TGGTCATGGC	TATTCATAGG	GGTTTATGCT	TCTTCAGTCC	ACACTGTGAA
10261	GAGCTGTGGG	CATGAACCAC	AGTGTTCGAG	GTAGAGTTGG	GGTTCTGAAA	TTCACAGTGG
10321	GGTGAGCTCA	GTAAATGTGA	GCTGGAGGTC	ACTCGTGAGA	CACACAGTCC	TGCTGCTTCT
10381	GTTCCCAATA	TCCTGAGGAG	ACGACACATO	TACTTTGTTC	: AGAGGCCACA	GTCTAGTTGA
10441	CCTGAGAGTT	ACCAGTTTCT	TATTTGTGTG	TGTGTGTGTG	TGTGTGTGTG	TGTGTGTGTG
10501	TGTTGTTCGT	GTGTGAGTGC	AGGTGCACAT	ATGATAGCGT	ACACGTTGAG	GTCAGAGGAT
10561	AACTATCAGG	CGTTGTCCCC	TCCTACTTT	CCTCGGACTC	TGGAGAACAA	ACATGGGTCC
10621	TTATTCCAGG	GGAGCAAGTC	GCTGTTGGCT	GACACATCTT	GCTCACATAC	ATTTTACCTA
10681	GACAATGGAG	CCTCCATCAG	AGTATTACTT	TAGCTCCTCA	CCGATGGCAA	TGCACCACCT
10741	CTCTACCCAC	ATAGGAGTTG	GGTCTCCACA	CACCCCCACA	CCCCCTTCAC	CAAAACGTTT
10801	TCAGTTACT	TATCTGGTAA	AGTTCATCAG	AGAATGAAGO	CAGTATTAAG	AACATGGAAT
10861	CATTTGGGA	CCTGGATCTA	GCAATACCCC	: ACCCTAGATO	GAGTTGCTGA	GTTTTCACCT
10921	CAGATTATA	TTCCCCCCTA	GCTTCTATGO	TTTATTCTG	A AACCAGGGGA	ACTCGATTCC
10981	TCCCTTTGG	CCACAGACAT	CCTGGCTTGT	GAATTCACA1	GTCATCTACT	GCTAATCCAT
11041	TGGTAGTAT	TGGCTCACAG	AGACACACTA	A CAGTCATGG	CAATGTCAAG	GTAGGACAGA
11101	TGTGAATCAT	TCCCCCAGTC	CTGCTGTTT	CATGACTAA	CCTCCTCAGO	ACAGTGACCA
11161	TGAACCTACT	TTTCCCCTCC	TTTTATTTT	R AGAATTGCT	G GAATTTTCTA	A TTTTGAGAAA
11221	TAATAGCCT	r GGGCAGCATI	AAACAAAAT(	ATCTAGAAA	G CTGGTTTAA	ATACAGATGG
11281	TTGAGTCAG	r gaaagagtga	GGAATGTCAT	TATTGGCCC	C TCACAGAGG	TGGCTCACTC
11341	CAGCAGAGG	r ggttgaagci	CTTGGACAC	GGTCAGGTG	C ATAGGAAAG	TNGTCTGGGA
11401	CACTGAGAA	CACAATTGAA	CAAACAGAA	TGTTGGCTT	r TTTTTTTTI	AATGAGTTCT
11461	L CAAAAAATG	A CTGGCTAGCT	TAGGCAAAT	A CTTCGAGCC	A ACCCAACAGA	A ACATTCTTCC
11521	ATTGATTCA	r TCTGGATCTT	CTTTCTAGA	C AATACTGAA	C TGACCCCTT(	TTGGCAGTCT
11581	CAAGTTTGAG	C AACATAGGGG	TTTGAACTT	G GCACAAGGT	CATCACTGT(	C ACCCAAGCAT
11641	CCTGGGTGA	CTTTGGGTTC	GAATATCTT	G GCTAACCTT	A GATATTTC	TTGGAGTATC
11703	TTTAGAACA	r ccaggaaata	GGGCTTGAT	I CTCATCCTG	G GACCACAAT	A TAAGTCACCC
1176	1 TAGAATCCC	A GGAGATCGTO	CAGAGAAAC	A AGGATCTCT	C TCGTGTGCA	CCTTCTTCAA
			56/58			

	11821	AGCAGTGAGT	AGTGACTCCA	CTAAACTGAG	TTCCCATCTG	AGAGTCCACA	GGAGGCTTTG
	11881	GGGCAAGAAG	CAGAGGGAAG	GCACTGTTTG	TGTTGGTAAA	GTTTTGACTC	TAACAAATTT
	11941	GAAGACATAG	ATGACATTGT	GTCAGACTAA	CAACAACCTA	GACTCATGTG	GGTTCTGTTT
	12001	AGGGATCAGA	TTTTATTCAT	CAATGACTTG	TCTTAGTGTA	TAGAGAAAGG	CTTCCTACTG
						CCTAGGGACT	
						CTCTGGGGAG	
_						AAACAGAATT	
•						ATGTACATGA	
						AGAAAATAGG	
	12361	TCTCTTAACT	GCTAAGCACA	ATGACTTCCA	GTTCCATCCA	TTTCCTGAAA	TGCCACAATT
	12421	TCATTTTTCA	TTGTGGCTGA	ATAAAATTCC	ATTGCAGACT	GGGCCCTACT	TCATCCACTC
	12481	CTGAGGGCAG	GCATATCCCC	TGGCTCCATT	TCTTACCTAT	TGTGAAGAGA	AGTGCAACTG
	12541	TCTTGTTGAA	AGGCAAGCGT	GAGAGAGGCA	GGCACTAATT	GTGGGTTTTT	GTTTCTTCTT
	12601	CCTGCTATGA	CTCTCCATTT	GTCAGAACCA	AAGATCGATA	AAAGCCGCCA	CCATGAAAGC
	12661	CATCTTAATC	CCATTTTTAT	CTCTTCTGAT	TCCGTTAACC	CCGCAATCTG	CATTCGCTCA
	12721	GAGTGAGCCG	GAGCTGAAGC	TGGAAAGTGT	GGTGATTGTC	AGTCGTCATG	GTGTGCGTGC
	12781	TCCAACCAAG	GCCACGCAAC	TGATGCAGGA	TGTCACCCCA	GACGCATGGC	CAACCTGGCC
	12841	GGTAAAACTG	GGTTGGCTGA	CACCGCGCGG	TGGTGAGCTA	ATCGCCTATC	TCGGACATTA
	12901	CCAACGCCAG	CGTCTGGTAG	CCGACGGATT	GCTGGCGAAA	AAGGGCTGCC	CGCAGTCTGG
	12961	TCAGGTCGCG	ATTATTGCTG	ATGTCGACGA	GCGTACCCGT	AAAACAGGCG	AAGCCTTCGC
	13021	CGCCGGGCTG	GCACCTGACT	GTGCAATAAC	CGTACATACC	CAGGCAGATA	CGTCCAGTCC
	13081	CGATCCGTTA	TTTAATCCTC	TAAAAACTGG	CGTTTGCCAA	CTGGATAACG	CGAACGTGAC
	13141	TGACGCGATC	CTCAGCAGGG	CAGGAGGGTC	AATTGCTGAC	TTTACCGGGC	ATCGGCAAAC
	13201	GGCGTTTCGC	GAACTGGAAC	GGGTGCTTAA	TTTTCCGCAA	TCAAACTTGT	GCCTTAAACG
	13261	TGAGAAACAG	GACGAAAGCT	GTTCATTAAC	GCAGGCATTA	CCATCGGAAC	TCAAGGTGAG
	13321	CGCCGACAAT	GTCTCATTAA	CCGGTGCGGT	AAGCCTCGCA	TCAATGCTGA	CGGAGATATT
	13381	TCTCCTGCAA	CAAGCACAGG	GAATGCCGGA	GCCGGGGTGG	GGAAGGATCA	CCGATTCACA
	13441	CCAGTGGAAC	ACCTTGCTAA	GTTTGCATAA	CGCGCAATTT	TATTTGCTAC	AACGCACGCC
	13501	AGAGGTTGCC	CGCAGCCGCG	CCACCCCGTT	ATTAGATTTG	ATCAAGACAG	CGTTGACGCC
	13561	CCATCCACCG	CAAAAACAGG	CGTATGGTGT	GACATTACCC	ACTTCAGTGC	TGTTTATCGC
	13621	CGGACACGAT	ACTAATCTGG	CAAATCTCGG	CGGCGCACTG	GAGCTCAACT	GGACGCTTCC
	13681	CGGTCAGCCG	GATAACACGC	CGCCAGGTGG	TGAACTGGTG	TTTGAACGCT	GGCGTCGGCT
	13741	AAGCGATAAC	AGCCAGTGGA	TTCAGGTTTC	GCTGGTCTTC	CAGACTTTAC	AGCAGATGCG
	13801	TGATAAAACG	CCGCTGTCAT	TAAATACGCC	GCCCGGAGAG	GTGAAACTGA	CCCTGGCAGG
	13861	ATGTGAAGAG	CGAAATGCGC	AGGGCATGTG	TTCGTTGGCA	GGTTTTACGC	AAATCGTGAA
	13921	TGAAGCACGC	ATACCCGCTT	GCAGTTTGTA	AGGTACCCGG	GGATCACAAC	TTGCCCTCTG
		AAGAGGAAGA	ACAGAAGGAT	GCCACAACTC	TCCTGCTGGC	TACTCTCCAG	TGGTTTCATC
	14041	TTACTTCTGA	TGGCATTTCC	CTCTAGAAAG	TGCTACTATC	ATCCACACAT	TTCTACCTGA
		GACCACCCAA	AGGACCCTCC	CAAATTCTCT	TCCTCTCTGA	GTAGTCTCCA	CACCTGTTAC
	14161	CACCATCCCA	GAATTAAAAT	CCTAACTGCA	CTCTGGCGTG	TGACTTGCCT	CAGTCCTTGC
	14221	AATAAGAGTT	GTTGGCAGTG	CCAGGCGTGG	TGGCGCACGC	CTTTAATTCC	AGCACTTGGG
	14281	AGGCAGAGGC	AGGCGGATTT	CTGAGTTCGA	GGCCAGCCTG	GTCTACAGAG	TGAGTTCCAG
	14341	GACAGCCAGG	GCTATACAGA	GAAACCCTGT	GTCGAAAAAC	САААААААА	AAAAAAAGTT
	14401	GTTGGCAGAG	TGTGGGTTAT	ATACCAGGTG	GAGATTTCAA	ATGAGTGGCT	GAAGCTGTAG
	14461	CCAGAAGGAA	CTTAGAGGAT	AGCTCATAAC	TTAAAAAGAA	ATGTAGAGAG	TAGCAGAAAC
	14521	ATTGAGAGAG	TGGGCACACA	GCCACTGTGT	GAATGTGGCA	GAACACAATC	CAGCCAGCTA
	14581	ТАСАТССАТА	AGTGTATATT	GGCGCCATCC	TGACTGATGA	GACACAGGAA	AACAGATAGA
	14641	CGGGGTTAGG	TGGCCATGGC	CTTTCCTGCC	TGCCTCTTCC	TAAGGGTCAT	CTCAAGACCT
	14701	TATGCTCTCT	TAACTCTTCC	ATTGCTACTT	AGCTTCTAGA	TATCACCTCC	AGATTAGTCT
	14761	CCTTGGGTAC	ATCAGTGATC	CTGGTGATAT	CCAGGGCTTC	CTGATTCCAT	CTTTGTCATA
	14821	GAGGCTGCAA	CTAAAGAGGT	CTTCTTAATA	CTTCACACCC	TGATGCCAAA	AGGAAGACAC
	14881	AGAAGTTCAC	AGAGGTGAAG	TGATTCATGT	AGGACATACA	GTGAGCAAGC	ATCAGGGTCC
	14941	CCATTATCTC	ACTCTACTCT	מאכידידים די	TAAATGTGCT	TTATGCCATT	AACACTGTCA
	15001	TTCCTCTCCT	TCAGCTCTCC	GAGACTCCC	AGCACTCTT	GGCACAAGCC	ACAATTAAGG
	15061	CACTCTCACA	CTCTGCATTG	בהיים בריכבר ביים ביים ביים ביים ביים ביים ביים בי	ATGGTGGTCT	CTATGTTTCC	AGATTCATGA
	15121	TTGTTTCACA	TTCCATATAG	CCTATGAAGG	GTGTGAGGA	ATTTTTTGGG	GACAGAATTG
	15101	GAGGCAATCC	י בכתותואנט	GGAAGCCTCT	TOTOTOGADA:	GCTTACAACT	CAGGGACAGT
	15741	A D CTCTD CCC	COLUMN CONTRA	CTCTCCALA	. ጥርርርጥጥጥልባ	GGTTTGAATO	TGCAAAGCCT
	12741	MACIGIAGG	. condictit	GIGICCAAAA	LIGGGIIIIA	COLLIGANIC	

```
15301 TCCATGTGCT CAAAGGTTTG AACATGGAGC CTCCTCCTGG TAACACTGTA TTGGAGGCTT
   15361 TTGAGACTGG ATGCTCTTTG GTCCCATGTT TTGCTACATC ATCTGTCAAG ATATGACCCA
   15421 GGCATGCTAC CAGCTACCAC AGACTATGCC TCTCCAGCTT TCATGTTCTC CCCACCATGA
   15481 TAGACTTGTA TCTCCTAAAA ATGGAATCAA AGCAAACTTT TCCTGCATTA AGTTTTTTTT
   15541 TTTCTGTTAA GTGTTTGGTC ACAGGGACAA GAAAACACTC AATACAGATA ATTAGTACCA
   15601 GAGTTGAGGT TCATTGCTCT AGCAAGTTGG ATCAAATTTT TAGGGCTTTG GAACTGATTT
   15661 ATAAGAGACA TGTAGAAGAG TCTGAAGCTG TGGGCTACAG AAGTGTCACC AGTTTTTAAG
   15721 AATAGTTTAA TACACCATGG GAATTGTGAA AATCAGAATG CTCACACAAA GGCAGACAGG
   15781 AAAACGTGAG CATGTGGCGT GTGAGAGGGC ATAAGAAGGA ACCTAGGGGG AAATGAGCTA
   15841 GAAGCCATTC GGCTACGTTA GGGAACGTGT GTGGCTGTGC TTGGCCCATG CCCTGGCAAT
   15901 CTGAATGAGG CCAAATTTTA AAGGAGTGGA CTAACTCGAT TGTCAGAGAA AATATCAAGA
   15961 CAGACCACCA CTCAGGCTAT GCCGTGTTTG TGACCGACCA GCTACTCTTA GCCAGCTCTA
   16021 TTGTGAAATT CCAGAGCAAT TATCAGAGCA TGAAGATACA TACAGTTTAG TGAAGTAAGG
   16081 GGTGTGGGTC CCTAAGTGGA TGGTGCATAA ATCTATGTAG GTGATGCCTA AGTGACACTT
   16141 GATAATCCAA AATATCAGCA ATGTGGAATG TCTTCCAAGG AGACCTGTAG ACACACATTT
   16201 TAGAACTTTG CTCATGGCTG TAATAAATAG CTAGCTAGAA ATCATTTCCT GAAGAGGTTA
   16261 GTCTGAGTTA CGGTTCCAGG GCAAACATTC AGTGATGGCA AGGAAGGCAT TGCAGTCAGG
   16321 AGCCAAAGGT CAGCTGGTCA CATTGCATCA AGAGTAGAGA GTCAGAGTGT GAGTAGAAAG
   16381 AGGATACAGG TTATAAAACC TCACTGTCCA CTCTCAGCAA TCCATTTTCT CCTAAAAGGC
   16441 TITACCTTCT AAAGATTITA GTCTTCAAAA CCAGTACCAG TAGCCTGGGA ACAAAAGTTG
   16501 AAACAATGA GCCTTTGTGG GGCATTTCAC ACTTAAAACA GGGCATCACC TAGGAGGAGC
   16561 CCTGTGTGCA GTAGGAAGTG TGGCCTCTGT GTCAGGAATG CTCAGGCTAA TAAGGGGTCC
   16621 TCTATCTGAG GGACCCTATG AAGATTCAAC AAGTAGTTGT GAGAATTCCC TGTAAATGGA
   16681 TGCTACCAAT TTGACATTTG TAGACCTGCT ATTGTGTGCT TCTTTATTGG GCTCTCCCAT
   16741 CTCCCAACTT TCCAACCCAT ATTCCACATT AATCCCTTCC ACCACCATGC AACACTAGGT
   16801 AGGAGAGAG GAAGGTTAGA AGAGAAAGTG GGTATAGATC TATTTAGACT ACTTCCTGCT
   16861 GATTAGGGGC AAGTCCAATC GTCATTGTCA GGATACCTCC AACCAGCAAC CAGCAAACCA
   16921 GCAAATCAGA AACAGCAAAA GCAGCCAACA AGGCAGCACT AACCAGCAGG ATTGGGGTCG
   16981 GTAGCGTGGG AGCAGTCACT ACTGGTCTTC TCATGGCTTT GGCATTAATA CTCTCTCAAG
   17041 AAATTCCGTA ATTTTTTCCC CACCACCTGA AATTCCGTAA TTTTAAATGC AAACTATCTA
   17101 CAGCTGGCAA AAATCACATC TCTCCTAGAG CACAAGACAA ATCATAGTTA CTGGCTATTT
   17161 GCAATCTGAA GCATCTCAAT ATCCCACACC TGGGATTAAA ACAAAAACAT ATTCACATCA
   17221 CATAACTGTT TTTTTTTCC AATTTTTTAT TAGGTATTTT CTTTATTTAC ATTTCAAATG
   17281 CTATCCCGAA AGTCCCCTAT ACCCTCCCAC CTCCCTGCTC CCCTACACAC CCACTCCCAC
   17341 TTTTTGACCC TGGAGTTCCC CGGTACTGGG GCATATAAAG TTTGCAAGAC CAAGGGGCCT
   17401 CTCTTCCCAG TGATGGCCGA CTAAGCCATC TTCTGCTACA TATGCAGATA GAGACACGAG
   17461 CTCTGGGGGT ACTAGTTAGT TCATATTGTT GTTCCACCTA TAGGGTCGCA GACCCCTTCA
   17521 GCTCCTTGGG TACTTTGTCT AGCTCCTCCA CTGGGGGCTC TGTGTTTTAT CTAATAGATG
   17581 ACTGTGAGCA TCCACTTCTG TATTTGACAG GCACTGGCCT AGCGTCACAT GAGCCAGCTA
   17641 TATCAGGGTC CTTTCAGCAA AACCTTGCTG GCATGTGCAA TAGTGTCTGC GTTTGGTGGT
   17701 TGATTATGGG ATGGATCCAC TAGTTCTAGA GC
//
```

#### SEQUENCE LISTING

<110> University of Guelph

```
Forsberg, Cecil W.
     Golovan, Sergeui
     Phillips, John P.
<120> Transgenic Animals Expressing Salivary Proteins
<130> U Guelph - 03
<140>
<141>
<150> 60/130,508
<151> 1999-04-23
<160> 7
<170> PatentIn Ver. 2.1
<210> 1
<211> 20623
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Lama2/APPA
     plasmid
<400> 1
tcgagagtat ctttgtcagc tgtgcctcca acaaaggggt actgttgccc acatagaaag 60
atctaaacta attaattaat ccctcacccg caaatctttc agtcactaag ttagcacgat 120
tgttgaacaa gttctccaaa ggagagatac agatgagtgc gtatagggtg gacctggctg 180
ctgaggagac acctgcatct gactaagaag agccacggtg ttagttgaat ggtgtggagt 240
agggtggttc tgtgggacag tagaaaatcg agaggcatgt gccqtttagt qaactqatgq 300
aagctacccc aaacgacaga gattgtcagt caggccaatc cgtttcgagt ttgatqgqca 360
gccggacagt gagacagaca cacctactca gttggaggaa ggatgagaac aatggccagc 420
agggattgag agaccttgac aggcgcaagg ccctaacaca cacacctacc acctcacttg 480
acaaagctgc caaagaccaa agacttgttc tccattagaa atgacagctg gcttgacccg 540
acagcataat aagcagagtg tactctgatt ggagaacttt aatgtgtttc attcagtatt 600
ataaaaggac agtattacag attttgttgt acactgctgt tacatgtggg gcagtgtgtc 660
tttaagtagg gtaaagtact ctttaaaaat gggtcctaga tattttttcc tttaactcaa 720
gtctcttact gtttaaatga tttttatttt gtttaatatg gaggaaaaag aagcgtaaat 780
ggacaatata tatttagaga aagatggtta gctgtcagaa aaatatgcaa atcaaaatca 840
caccaagact gcagcacacc cctgtcagat ggctgtgatc aagaaaataa atgacaatga 900
cacactggag caaccactgt ggaaatcagt atgaatggtc ctcaaaaacc tgaagataga 1020
```

gcggggcgtg gtggcataca cttttattcc cagcactggg gaggcagagg caggtggatc 1080 tetgagttee aggecageet ggtetatage acaggtteta ggacagecag ggetacacag 1140 accaaaccaa accaaaccag accaaaccaa aacactgaag atagaacttc agtattccat 1260 tcctagatat atacccaatg gagactaagt cagcaagaca cctgcacagc catgttcact 1320 actacactgt tcaccacagc caggetgtgg aaccageetg agtgtecatg ataaatgaat 1380 ggataggtaa ctttcaaggt aaatggactc tgctgtgtac atgcctcaca ttctgtttat 1440 tcatttttct ttatgaggtg tccattcagg agtcacatgg tagttctatt ttcagtcttc 1500 tgaagatact acactggtcc ccacagttta cacttttatc agcagtgaat aagggttcct 1560 ctatccttac catcatttgt tgtaattttt cttgatgacc ctctttctga cagggatagg 1620 atgtaatatc agtgtgagga agtacaactt gttttctaag tatttattgg ccccttgcat 1680 ttcttctttt gaaaactgtc ggttcctgac atctgctcag gtattcattg gatgttgttt 1740 ctttggtgtt tgagttctta tgaattctag atgttaaatc cctgcctgtg gttctctccc 1800 attetgtagg etgeeteete accetggeaa ttgttgteet tgttttgeag aaacttttga 1860 cttcatggaa tctcatttgt cagttttccc tcctctgcta tagcctgagc taatgcactg 1920 gtttttacag agecetggte tatgeettta teeteetetg geagettegg agttteattt 1980 cttacattta gatctttgat ccactttgaa caagttttgg agcagggtga gagatacgaa 2040 tctagttcca ttcttccata tgtgatccta gtttacatag catcgttggt tgaagaggtt 2100 ttattttatt tttaaataat gtgtcataaa aaacgaggtg gttgtagcag tgtggatttg 2160 tttctttgtc ctttgatcta caggtcttgt tttgtgtcag tctcatgatg ttttattgct 2220 atggctctgt catacagtct gaggtcaggt attgtgatat accttcagta ttgctccctc 2280 agactcaggt ttgctttggc caggagtcat cttactcagt gctcttagag ctcccccagc 2340 atgtagetge taetattett agttgataaa teaggaaaet ggggeteaga gagattaaet 2400 gtcttgaact acttctgggg aggtgaaacg tggagacact aaactgtgtt taccctgtac 2460 gaggtggaaa aactcagcct cccttggggt tcccaagctc ccaggtgtcc agtcactgct 2580 ggaaacctca tggagtctga aaggaagggt tgagggtaca tggggcagcg atgaggagcc 2640 tggggctggg atctcccaaa cacctggata tccagatgcc actgggtcag ggggagttgg 2700 gaacagagtt gggatgtcca tggacctgtg acaaggccag ggccaggggg aggataactc 2760 tggctttact aatttgcgaa agtccttagc ttagcagcag ttgtctggga gcacagaggg 2820 gccttctgta agaggctcag gcagtgccgc tctgtaggcg aaggtcttct ccatgttccc 2880 catggtggtt cttgatgaaa gagacagtcc ttggctccaa actggtttat tgattgttca 2940 ttgtggaaaa tgggtgcaca ccaccttctc agggtggacc agagatcaaa taccttttgc 3000 agggaggaat atctgggaag ggacgcttac tggctaaacc ctcagggcct ctagatacat 3060 cattagcatg gagaactctg ttctgggcta catgaccaca ggccacattt ccacaagcca 3120 catgtgggaa gtgtggcaca tgttctaggc caggaatctg gtagggagcg tggagccacc 3180 taccatccca ggtgggtgcc tgggtgccag ggaccctgaa cccgctcaac cttaccaagt 3240 ttcctggcag ggtccactgt cctacacaga agctggagga ggtgtgaggg ttgtgtcttt 3300 gtggaatgtc ccatgctgct tggggctcag tttctccacc tgtacctcat tggtttgggt 3360 ataaaaagtg gggatacttt attattctct gactcggtcc tgaggaaaaa gcatcgtggc 3420 agtccaggaa ccacaccctg aggttcctgc actgaaggga ctccctaagt ctctggagtc 3480 teteceette acagagetge caaagtetag gttettttga ggataacaga gecatgettg 3540 gtaagcagac aacagcattt gtttactcaa ccttcttttg tcagctccct cttcataaac 3600 aagttgagac accatgctgg cttgaggaag acttctaaag ccagacaact gtgcaaggaa 3660 gaagaagaag gggcaagtgg agttagcctg gatgtagccc tcaaagtctc cagagaccag 3720 ccatgaaggc tcaagtggag ggcaagacct gcagcagcca agcatctggc aggagaggat 3780 cctgggaacc cctctaccat gacacacatt cttcctgcag gtcacactta ataggccatt 3840 tettatttgg atetateatg gtgttetgtg egagattaat gaggtgttat getgegaaca 3900

gaaagttata	taaaaacaag	tecececee	ttgtcactgc	tgctaagaat	gtagcagaaa	3960
					aagccctcca	
					gctacagctc	
tgggcagaga	ctccaaggtg	gggagagact	gatggtacaa	aagcaaaata	cttgtttggg	4140
ggtacaccca	ctcctctgcc	tgtgtggttc	ctgcagtcag	tcctgcagac	aggccctcag	4200
tgggtcttcc	atgggcaaca	cgcagaggga	ggcaatggat	gggaataccc	acaccctggt	4260
tagtttaccc	cggccatgct	ctctgctctt	catccctcct	ctgccctctg	ccacggcttt	4320
ctctgcagga	atcatatctt	catattggcc	cacaggtgtt	ctcctcaccc	tagctatgat	4380
gtttacttta	gagtgacctt	agcagggctg	gtgggaatga	gttctagaag	gctcacggag	4440
atgctaggga	agaaacgtct	tctaactact	gaggttacta	agttcctggt	ggttgtctct	4500
gcctttccct	tgttaaagtc	accttgaagt	tagtgcagaa	gaaatcagag	cccagtcaca	4560
gagtaaatat	ggtcctgaag	atttcctttg	agtgcccaga	atccatgaca	tttcaagagc	4620
cctctttgta	ccttaagtca	tttggggttg	tatcttctgc	ttgatgtatg	tgtgtgtgtt	4680
tatcaaagag	tgagatggtt	acataagagg	tgctctaaag	gacagagagg	atttgcaatt	4740
gtggcatgtg	acatcctcag	gccttgctct	ggtgccagga	ggaactgatg	cagaaaagag	4800
taagaggtca	tttcctggag	gctgtcacta	tagaggagat	cttacagtgc	attccctcct	4860
ccaggccctg	cctgaggata	gacatgtgct	gactgcaact	gaaacagagg	cttgggatgg	4920
agagttaggt	tcacagaagg	gagggtggga	gatggatgct	tgctgggttc	tgggtctcat	4980
caccagctcc	tgaccacccg	gtcagcccat	gtgcttattc	catagctttc	ttttgctatg	5040
tttactcagt	gtggtgtttg	ttgggaccca	gcagaagcca	gtcccaggct	gacagctgtg	5100
gatacacagg	gcagcatgag	ggtcctcagc	ctgaagcagt	caggctggca	gaagagaaag	5160
accagcacac	attccttcaa	ccaactatgt	cttgaaaaac	aaacatatta	tatcacatat	5220
attgcattta	tgagacagct	aaaatgtact	cgggtagcat	gactccaggt	ggggatatct	5280
gcaagtgcca	tgagtggcag	agggacagcc	aatgtgaggc	aagaaggaat	tctggctcaa	5340
cacagcttag	ctccctggtg	ttggttcaaa	ctttgagagt	ttgaccacaa	gcactttatt	5400
tttgacatat	ttaaacagag	cacaactttg	ggaaaaagtt	ttcttatgaa	aattatcaca	5460
ataaagctta	aggcatgact	acattaaaat	gcctttgcaa	agtatatgtg	ccctcttcca	5520
caagaatggt	tctattgact	gagaaataat	gttcaggata	aagatccagg	aagaaaagat	5580
cagggataag	taaaatacta	aactcttttg	caaagtacat	agaccctctt	tcataacaat	5640
gggttctatt	gactgacaag	cactgctcag	gagttgggaa	agagtctagc	ataagcacga	5700
tagcctggag	actctagtga	ggtctagtct	tacagacagc	aaaaatcacc	aggttacaaa	5760
ctacattcat	ttccagtttt	ctgatcaggc	acaggtatga	atcccttctg	ttgaagagaa	5820
					acttgagccc	
					cctagacacg	
					acttccacct	
ttgccttgat	agtgtcattt	tcttcactgc	cttggtgaca	accatgttat	cctctgtgta	6060
					tttgtctttc	
					atcttcctcc	
					gagctagctg	
					gaacttagat	
					tatcaacagg	
					cagatggatg	
					caaaggacag	
					aactgaccac	
					agccaagggt	
					tccagccttt	
					gatactgggt	
ccagcctttg	gtaccttcac	tctcagggta	ccccatcact	gtgtcttgga	gagcctaggc	6780

					tctcttgccc	
cgtctcttct	tcctcttcct	ccctttcatt	gtctcttctc	tgtttctttc	ttgactctcc	6900
tttcccctca	caccctcact	ctagttctcc	ccttccctct	ctgcatcacc	ctattctctc	6960
tgtggtccct	ccactttcct	ttatctctca	tgcttctctc	ctccctcaaa	tacttgtcac	7020
ccactatact	tcaggggcca	gctctagtga	caaagctgtt	aatagcaaga	ctctcagatc	7080
tccaacggct	cagaggagcc	agacccacca	agaactctct	ccaggtccaa	tttcaggttc	7140
cttcgaaagc	tttcagcaaa	tgctcaggga	acatgccact	aacaagaaga	tgcaaattcc	7200
agttgagagt	gggaaaggcc	cttgcgtagg	tcccatcttc	caggccaagg	tcagaggggc	7260
tctgtgtaat	ccggattgac	agggctcaga	acaatgtttt	gtttttaagg	tttatttatt	7320
ttaggtgtta	gtgtctttgc	ttgcatgacc	ttatgtgcat	catgtgtgtg	caggttcctg	7380
atgacagtag	aggagggctt	tgaatccctg	gggataggaa	gttacaggaa	attataagct	7440
gctttgtggg	tcttctagct	ttcccaacag	aagtgaatgc	tcttcaccac	tgagccatct	7500
ctctaggccc	aagagacatt	gctttatgga	tataattgtg	tgtgtgtgtc	aacattgagg	7560
aaagggaaat	aaaaaaaaa	cttcagccgc	taaggttgta	cagtttcact	aattgctact	7620
tttagttgtg	ataaaatggc	aggtgcttca	acatttatat	atacaaaaac	ttccctgctg	7680
gtggttcaac	tgtgagaact	ggggtaagtg	ggtgagttct	ctttttctgt	ctctgtctct	7740
gtctctctcc	ttccattctt	tcttaaagga	aataaacatt	gcagctgggt	tatagctcat	7800
caatatggaa	gttacagaag	tgaaaaaagg	cattgccttg	gtgggtggtg	ttaccagctg	7860
atttttggtt	gtcctgcaag	gaggtctggg	gactggctgc	tctgtctctg	tctgtatgag	7920
tgagggaagt	ctggggagca	gattccctaa	ccttcagcct	ggcctggttc	ctgagtgaac	7980
ccagcctctc	tggtcctagt	agctttttcc	aaacaggaat	ctgagtggtg	acagggaaca	8040
					catagctggg	
					ttaatgcttc	
actggagatt	ttcaatgaga	aatttatccc	acggcccata	tggccccatc	cttttgtctc	8220
caacagccaa	gtattttcca	ttagaggaga	cttcctgtac	acttgatgga	tgctcattcc	8280
aaggtgactt	ggggcagtca	gtacagactt	gggatgacct	ctgacagcct	aacctctccc	8340
					ggagtgtccg	
cagcacagcc	tgcccagtgt	gagggctctc	ataggtttcc	cactgtctta	tctacacagg	8460
					gataacccca	
					cttccaagtc	
					gacacttgcc	
					gctgaggcag	
					atccccagtc	
					cttggctctg	
					agccagccaa	
					tgactacctt	
					ttaaggacag	
					ggcccaactt	
					ctgttatgct	
					tgactgaaac	
					gggagagctg	
					acagagtcaa	
					tacacaggcc	
					gtaggtcctc	
					gtctggcctc	
					atccaggggg	
					gaggggacaa	
					cagtggccca	
	_		JJ = -			

gctctgtcct	gttcctcagc	ccaaggctca	gctcccacct	gtttctgtgt	ttttctggct	9720
	ctaggacttg					
	gggacattcc					
	ggatttctac					
atttcttcca	ctgaaaaatg	agactctcaa	atgaacgtcg	tgacaatcat	caggcttatt	9960
	atctaacctg					
	aagaactgct					
	gtgcacaggc					
cctcctgtca	ggtcactggg	aaacagatca	agatggaaca	ggacagctcc	tgatggtaaa	10200
	tggtcatggc					
gagctgtggg	catgaaccac	agtgttcgag	gtagagttgg	ggttctgaaa	ttcacagtgg	10320
ggtgagctca	gtaaatgtga	gctggaggtc	actcgtgaga	cacacagtcc	tgctgcttct	10380
	tcctgaggag					
cctgagagtt	accagtttct	tatttgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	10500
	gtgtgagtgc					
aactatcagg	cgttgtcccc	tcctactttt	cctcggactc	tggagaacaa	acatgggtcc	10620
ttattccagg	ggagcaagtc	gctgttggct	gacacatctt	gctcacatac	attttaccta	10680
gacaatggag	cctccatcag	agtattactt	tagctcctca	ccgatggcaa	tgcaccacct	10740
ctctacccac	ataggagttg	ggtctccaca	cacccccaca	ccccttcac	caaaacgttt	10800
tcagttactt	tatctggtaa	agttcatcag	agaatgaagc	cagtattaag	aacatggaat	10860
catttgggaa	cctggatcta	gcaatacccc	accctagatg	gagttgctga	gttttcacct	10920
cagattataa	ttcccccta	gcttctatgg	tttattctga	aaccagggga	actcgattcc	10980
tccctttgga	ccacagacat	cctggcttgt.	gaattcacat	gtcatctact	gctaatccat	11040
tggtagtatg	tggctcacag	agacacacta	cagtcatggc	caatgtcaag	gtaggacaga	11100
tgtgaatcat	tcccccagtc	ctgctgtttt	catgactaac	cctcctcagc	acagtgacca	11160
tgaacctact	tttcccctcc	ttttatttt	agaattgctg	gaattttcta	ttttgagaaa	11220
taatagcctt	gggcagcatt	aaacaaaatc	atctagaaag	ctggtttaaa	atacagatgg	11280
ttgagtcagt	gaaagagtga	ggaatgtcat	tattggcccc	tcacagaggc	tggctcactc	11340
cagcagaggt	ggttgaagct	cttggacacg	ggtcaggtgc	ataggaaagg	tngtctggga	11400
cactgagaac	cacaattgaa	caaacagaac	tgttggcttt	tttttttta	aatgagttct	11460
caaaaaatga	ctggctagct	taggcaaata	cttcgagcca	acccaacaga	acattcttcc	11520
attgattcat	tctggatctt	ctttctagac	aatactgaac	tgaccccttg	ttggcagtct	11580
caagtttgac	aacatagggc	tttgaacttg	gcacaaggtc	catcactgtc	acccaagcat	11640
cctgggtgac	ctttgggttg	gaatatcttg	gctaacctta	gatattttct	ttggagtatc	11700
tttagaacat	ccaggaaata	gggcttgatt	ctcatcctgg	gaccacaata	taagtcaccc	11760
tagaatccca	ggagatcgtg	cagagaaaca	aggatetete	tcgtgtgcat	ccttcttcaa	11820
agcagtgagt	agtgactcca	ctaaactgag	ttcccatctg	agagtccaca	ggaggctttg	11880
gggcaagaag	cagagggaag	gcactgtttg	tgttggtaaa	gttttgactc	taacaaattt	11940
gaagacatag	atgacattgt	gtcagactaa	caacaaccta	gactcatgtg	ggttctgttt	12000
agggatcaga	ttttattcat	caatgacttg	tcttagtgta	tagagaaagg	cttcctactg	12060
gagtgtaggc	tcaataatga	cagaagagat	agctatttcc	cctagggact	gtgctgctcc	12120
aagtttggtg	gagaaaggca	gtggggaacc	tagatgtgct	ctctggggag	ggggtctgaa	12180
gctggcttca	tagaaggtgt	gaagttttgc	tgaaacatct	aaacagaatt	atagcttagg	12240
aaagtgagca	ggcaaggcag	ggaatgtgtt	gcatatgtat	atgtacatga	atatattatg	12300
ttatagatac	acacacattt	gaacctcatt	tgcagatgac	agaaaatagg	ttattttgcc	12360
tctcttaact	gctaagcaca	atgacttcca	gttccatcca	tttcctgaaa	tgccacaatt	12420
tcatttttca	ttgtggctga	ataaaattcc	attgcagact	gggccctact	tcatccactc	12480
ctgagggcag	gcatatcccc	tggctccatt	tcttacctat	tgtgaagaga	agtgcaactg	12540

tettgttgaa aggeaagegt gagagaggea ggeactaatt gtgggttttt gtttettett 12600 cctgctatga ctctccattt gtcagaacca aagatcgata aaagccgcca ccatgaaagc 12660 catcttaatc ccatttttat ctcttctgat tccgttaacc ccgcaatctg cattcgctca 12720 gagtgagccg gagctgaagc tggaaagtgt ggtgattgtc agtcgtcatg gtgtgcgtgc 12780 tccaaccaag gccacgcaac tgatgcagga tgtcacccca gacgcatggc caacctggcc 12840 ggtaaaactg ggttggctga caccgcgcgg tggtgagcta atcgcctatc tcggacatta 12900 ccaacgccag cgtctggtag ccgacggatt gctggcgaaa aagggctgcc cgcagtctgg 12960 traggtregeg attattgctg atgtregarga gregtarregt aaaaraggreg aagrettrege 13020 cgccgggctg gcacctgact gtgcaataac cgtacatacc caggcagata cgtccagtcc 13080 cgatccgtta tttaatcctc taaaaactgg cgtttgccaa ctggataacg cgaacgtgac 13140 tgacgcgatc ctcagcaggg caggagggtc aattgctgac tttaccgggc atcggcaaac 13200 ggcgtttcgc gaactggaac gggtgcttaa ttttccgcaa tcaaacttgt gccttaaacg 13260 tgagaaacag gacgaaagct gttcattaac gcaggcatta ccatcggaac tcaaggtgag 13320 cgccgacaat gtctcattaa ccggtgcggt aagcctcgca tcaatgctga cggagatatt 13380 tctcctgcaa caagcacagg gaatgccgga gccggggtgg ggaaggatca ccgattcaca 13440 ccagtggaac accttgctaa gtttgcataa cgcgcaattt tatttgctac aacgcacgcc 13500 agaggttgcc cgcagccgcg ccaccccgtt attagatttg atcaagacag cgttgacgcc 13560 ccatccaccg caaaaacagg cgtatggtgt gacattaccc acttcagtgc tgtttatcgc 13620 cggacacgat actaatctgg caaatctcgg cggcgcactg gagctcaact ggacgcttcc 13680 cggtcagecg gataacacgc cgccaggtgg tgaactggtg tttgaacgct ggcgtcggct 13740 aagcgataac agccagtgga ttcaggtttc gctggtcttc cagactttac agcagatgcg 13800 tgataaaacg ccgctgtcat taaatacgcc gcccggagag gtgaaactga ccctggcagg 13860 atgtgaagag cgaaatgcgc agggcatgtg ttcgttggca ggttttacgc aaatcgtgaa 13920 tgaagcacgc atacccgctt gcagtttgta aggtacccgg ggatcacaac ttgccctctg 13980 aagaggaaga acagaaggat gccacaactc tcctgctggc tactctccag tggtttcatc 14040 ttacttctga tggcatttcc ctctagaaag tgctactatc atccacacat ttctacctga 14100 gaccacccaa aggaccctcc caaattctct tcctctctga gtagtctcca cacctgttac 14160 caccatecca gaattaaaat eetaactgea etetggegtg tgaettgeet cagteettge 14220 aataagagtt gttggcagtg ccaggcgtgg tggcgcacgc ctttaattcc agcacttggg 14280 aggcagaggc aggcggattt ctgagttcga ggccagcctg gtctacagag tgagttccag 14340 gacagecagg getatacaga gaaaceetgt gtegaaaaac caaaaaaaaa aaaaaaagtt 14400 gttggcagag tgtgggttat ataccaggtg gagatttcaa atgagtggct gaagctgtag 14460 ccagaaggaa cttagaggat agctcataac ttaaaaagaa atgtagagag tagcagaaac 14520 attgagagag tgggcacaca gccactgtgt gaatgtggca gaacacaatc cagccagcta 14580 tacatgcata agtgtatatt ggcgccatcc tgactgatga gacacaggaa aacagataga 14640 cggggttagg tggccatggc ctttcctgcc tgcctcttcc taagggtcat ctcaagacct 14700 tatgctctct taactcttcc attgctactt agcttctaga tatcacctcc agattagtct 14760 ccttgggtac atcagtgatc ctggtgatat ccagggcttc ctgattccat ctttgtcata 14820 gaggetgeaa etaaagaggt ettettaata etteacacee tgatgeeaaa aggaagacae 14880 agaagttcac agaggtgaag tgattcatgt aggacataca gtgagcaagc atcagggtcc 14940 ggattatctg actctactct aacttttatg taaatgtgct ttatgccatt aacactgtca 15000 ttcctgtgct tcagetctgg gagactccca agcactctta ggcacaagcc acaattaagg 15060 gactotgaca ototgoattg attaattago atggtggtot otatgtttoc agattoatga 15120 ttgtttcact ttccatatag gctatgaagg gtgtgaggaa attttttggg gacagaattg 15180 gaggcaatcc acctetetea ggaageetet atetggaaaa gettacaact cagggacagt 15240 aactgtaggc ccagtccttg gtgtccaaaa tgggttttat ggtttgaatc tgcaaagcct 15300 tccatgtgct caaaggtttg aacatggagc ctcctcctgg taacactgta ttggaggctt 15360 ttgagactgg atgetetttg gtcccatgtt ttgctacatc atctgtcaag atatgaccca 15420

ggcatgctac	cagctaccac	agactatgcc	tctccagctt	tcatgttctc	cccaccatga	15480
	tctcctaaaa					
	gtgtttggtc					
gagttgaggt	tcattgctct	agcaagttgg	atcaaatttt	tagggctttg	gaactgattt	15660
ataagagaca	tgtagaagag	tctgaagctg	tgggctacag	aagtgtcacc	agtttttaag	15720
aatagtttaa	tacaccatgg	gaattgtgaa	aatcagaatg	ctcacacaaa	ggcagacagg	15780
aaaacgtgag	catgtggcgt	gtgagagggc	ataagaagga	acctaggggg	aaatgagcta	15840
gaagccattc	ggctacgtta	gggaacgtgt	gtggctgtgc	ttggcccatg	ccctggcaat	15900
ctgaatgagg	ccaaatttta	aaggagtgga	ctaactcgat	tgtcagagaa	aatatcaaga	15960
cagaccacca	ctcaggctat	gccgtgtttg	tgaccgacca	gctactctta	gccagctcta	16020
ttgtgaaatt	ccagagcaat	tatcagagca	tgaagataca	tacagtttag	tgaagtaagg	16080
ggtgtgggtc	cctaagtgga	tggtgcataa	atctatgtag	gtgatgccta	agtgacactt	16140
gataatccaa	aatatcagca	atgtggaatg	tcttccaagg	agacctgtag	acacacattt	16200
tagaactttg	ctcatggctg	taataaatag	ctagctagaa	atcatttcct	gaagaggtta	16260
gtctgagtta	cggttccagg	gcaaacattc	agtgatggca	aggaaggcat	tgcagtcagg	16320
agccaaaggt	cagctggtca	cattgcațca	agagtagaga	gtcagagtgt	gagtagaaag	16380
aggatacagg	ttataaaacc	tcactgtcca	ctctcagcaa	tccattttct	cctaaaaggc	16440
tttaccttct	aaagatttta	gtcttcaaaa	ccagtaccag	tagcctggga	acaaaagttg	16500
aaacaaatga	gcctttgtgg	ggcatttcac	acttaaaaca	gggcatcacc	taggaggagc	16560
cctgtgtgca	gtaggaagtg	tggcctctgt	gtcaggaatg	ctcaggctaa	taaggggtcc	16620
tctatctgag	ggaccctatg	aagattcaac	aagtagttgt	gagaattccc	tgtaaatgga	16680
tgctaccaat	ttgacatttg	tagacctgct	attgtgtgct	tctttattgg	gctctcccat	16740
ctcccaactt	tccaacccat	attccacatt	aatcccttcc	accaccatge	aacactaggt	16800
aggagagaag	gaaggttaga	agagaaagtg	ggtatagatc	tatttagact	acttcctgct	16860
gattaggggc	aagtccaatc	gtcattgtca	ggatacctcc	aaccagcaac	cagcaaacca	16920
gcaaatcaga	aacagcaaaa	gcagccaaca	aggcagcact	aaccagcagg	attggggtcg	16980
gtagcgtggg	agcagtcact	actggtcttc	tcatggcttt	ggcattaata	ctctctcaag	17040
aaattccgta	atttttccc	caccacctga	aattccgtaa	ttttaaatgc	aaactatcta	17100
cagctggcaa	aaatcacatc	tctcctagag	cacaagacaa	atcatagtta	ctggctattt	17160
gcaatctgaa	gcatctcaat	atcccacacc	tgggattaaa	acaaaaacat	attcacatca	17220
cataactgtt	tttttttcc	aatttttat	taggtatttt	ctttatttac	atttcaaatg	17280
ctatcccgaa	agtcccctat	accctcccac	ctccctgctc	ccctacacac	ccactcccac	17340
tttttgaccc	tggagttccc	cggtactggg	gcatataaag	tttgcaagac	caaggggcct	17400
ctcttcccag	tgatggccga	ctaagccatc	ttctgctaca	tatgcagata	gagacacgag	17460
ctctgggggt	actagttagt	tcatattgtt	gttccaccta	tagggtcgca	gaccccttca	17520
gctccttggg	tactttgtct	agctcctcca	ctgggggctc	tgtgttttat	ctaatagatg	17580
actgtgagca	tccacttctg	tatttgacag	gcactggcct	agcgtcacat	gagccagcta	17640
tatcagggtc	ctttcagcaa	aaccttgctg	gcatgtgcaa	tagtgtctgc	gtttggtggt	17700
tgattatggg	atggatccac	tagttctaga	gcggccgcca	ccgcggtgga	gctccagctt	17760
ttgttccctt	tagtgagggt	taattgcgcg	cttggcgtaa	tcatggtcat	agctgtttcc	17820
tgtgtgaaat	tgttatccgc	tcacaattcc	acacaacata	cgagccggaa	gcataaagtg	17880
taaagcctgg	ggtgcctaat	gagtgagcta	actcacatta	attgcgttgc	gctcactgcc	17940
cgctttccag	tcgggaaacc	tgtcgtgcca	gctgcattaa	tgaatcggcc	aacgcgcggg	18000
gagaggcggt	ttgcgtattg	ggcgctcttc	cgcttcctcg	ctcactgact	cgctgcgctc	18060
ggtcgttcgg	ctgcggcgag	cggtatcagc	tcactcaaag	gcggtaatac	ggttatccac	18120
agaatcaggg	gataacgcag	gaaagaacat	gtgagcaaaa	ggccagcaaa	aggccaggaa	18180
ccgtaaaaag	gccgcgttgc	tggcgttttt	ccataggctc	cgcccccctg	acgagcatca	18240
caaaaatcga	cgctcaagtc	agaggtggcg	aaacccgaca	ggactataaa	gataccaggc	18300

```
qtttccccct ggaagctccc tcgtgcgctc tcctgttccg accctgccgc ttaccggata 18360
cctgtccgcc tttctccctt cgggaagcgt ggcgctttct catagctcac gctgtaggta 18420
teteagtteg gtgtaggteg ttegeteeaa getgggetgt gtgcacgaac ceceegttea 18480
gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag tccaacccgg taagacacga 18540
cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt atgtaggcgg 18600
tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga cagtatttgg 18660
tatctgcgct ctgctgaagc cagttacctt cggaaaaaga gttggtagct cttgatccgg 18720
caaacaaacc accgctggta gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag 18780
aaaaaaagga totcaagaag atcotttgat ottttotacg gggtotgacg otcagtggaa 18840
cgaaaactca cgttaaggga ttttggtcat gagattatca aaaaggatct tcacctagat 18900
ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc 18960
tgacagttac caatgettaa teagtgagge acetatetea gegatetgte tatttegtte 19020
atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg gcttaccatc 19080
tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc 19140
aataaaccag ccagccggaa gggccgagcg cagaagtggt cctgcaactt tatccgcctc 19200
catccagtct attaattgtt gccgggaagc tagagtaagt agttcgccag ttaatagttt 19260
gegeaaegtt gttgeeattg etaeaggeat egtggtgtea egetegtegt ttggtatgge 19320
ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca tgttgtgcaa 19380
aaaagcggtt agcteetteg gteeteegat egttgteaga agtaagttgg cegeagtgtt 19440
atcactcatg gttatggcag cactgcataa ttctcttact gtcatgccat ccgtaagatg 19500
cttttctgtg actggtgagt actcaaccaa gtcattctga gaatagtgta tgcggcgacc 19560
gagttgctct tgcccggcgt caatacggga taataccgcg ccacatagca gaactttaaa 19620
agtgctcatc attggaaaac gttcttcggg gcgaaaactc tcaaggatct taccgctgtt 19680
gagatccagt tegatgtaac ceactegtge acceaactga tetteageat ettttaettt 19740
caccagcgtt tctgggtgag caaaaacagg aaggcaaaat gccgcaaaaa agggaataag 19800
ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt gaagcattta 19860
tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat 19920
aggggttccg cgcacatttc cccgaaaagt gccacctaaa ttgtaagcgt taatattttg 19980
ttaaaaattcg cgttaaattt ttgttaaatc agctcatttt ttaaccaata ggccgaaatc 20040
ggcaaaatcc cttataaatc aaaagaatag accgagatag ggttgagtgt tgttccagtt 20100
tggaacaaga gtccactatt aaagaacgtg gactccaacg tcaaagggcg aaaaaccgtc 20160
tatcagggcg atggcccact acgtgaacca tcaccctaat caagtttttt ggggtcgagg 20220
tgccgtaaag cactaaatcg gaaccctaaa gggagccccc gatttagagc ttgacgggga 20280
aagccggcga acgtggcgag aaaggaaggg aagaaagcga aaggagcggg cgctagggcg 20340
ctggcaagtg tagcggtcac gctgcgcgta accaccacac ccgccgcgct taatgcgccg 20400
ctacagggeg cgtcccattc gccattcagg ctgcgcaact gttgggaagg gcgatcggtg 20460
cgggcctctt cgctattacg ccagctggcg aaagggggat gtgctgcaag gcgattaagt 20520
tgggtaacgc cagggttttc ccagtcacga cgttgtaaaa cgacggccag tgagcgcgcg 20580
                                                                  20623
taatacgact cactataggg cgaattgggt accgggcccc ccc
```

```
<210> 2
<211> 6708
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: R15/APPA +
```

#### intron plasmid with pBLCAT3 vector

<400> 2 ggatcccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60 qagaqtcctg tttggtttaa gcaacctctg tttctcataa actccataaa aacaqqaata 120 ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180 ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240 catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300 tggaaaagac atgacaacat tcacaggcac tgcacagaac atagtggtcc accttgcaca 360 tatttcacta aactaggttt atctattttg ttgctttctc taacatctct gcaatgaagc 420 aggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480 tatcctggtt agagagtgct taaaataagt tttccaagaa tggaaaagaa atgttctgac 540 ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatattt 600 tgggaagaaa ccatttggtg aacaatattt caaataaaaa tagacaaaca tagttaattg 660 taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720 gattctcttt gggtggctgc aaattgtcca cgaataagac aaaatataaa aataaggact 780 gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840 cacaaattaa agaaaacctg tggtgaatga catcctgagg cctgagctat tactgacatt 900 taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960 ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020 tecatggace titigaaatat aaaatagtea ageaacttat caaggaatta cagatteett 1080 gatactaaca caggtaaatc ccacacgtgt tttgagacta catttgctgg gattttattg 1140 atgtaatagg tcacatgttt ttcgggccaa tgttgctgtt attcggttac ttcaagagaa 1200 tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260 gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtcacac agaaqtgaca 1320 gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380 tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtgataca 1440 cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500 gtatgtatca atatatgggc tattttctta cacatgattt tattcaaatt tactctaatc 1560 attgttgaac catttagaaa aggcatactg gcaacttttc cttacctcat ccagctgggc 1620 aaaagtccca gtgtggagta aaggatgcaa gatttcctgc tctgttaagt ataaaataat 1680 agtatgaatt caaaggtgcc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740 ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800 agccgccacc atgaaagcca tcttaatccc atttttatct cttctgattc cgttaacccc 1860 gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920 tegteatggt gtgcgtgcte caaccaagge caegeaactg atgeaggatg teaecceaga 1980 cgcatggcca acctggccgg taaaactggg ttggctgaca ccgcgcggtg gtgagctaat 2040 cgcctatctc ggacattacc aacgccagcg tctggtagcc gacggattgc tggcgaaaaa 2100 gggctgcccg cagtctggtc aggtcgcgat tattgctgat gtcgacgagc gtacccgtaa 2160 aacaggogaa gccttegccg ccgggctggc acctgactgt gcaataaccg tacataccca 2220 ggcagatacg tecagteceg atecgttatt taateeteta aaaaetggeg tttgccaact 2280 ggataacgcg aacgtgactg acgcgatcct cagcagggca ggagggtcaa ttgctgactt 2340 taccgggcat cggcaaacgg cgtttcgcga actggaacgg gtgcttaatt ttccgcaatc 2400 aaacttgtgc cttaaacgtg agaaacagga cgaaagctgt tcattaacgc aggcattacc 2460 atoggaacto aaggtgagog cogacaatgt otcattaaco ggtgoggtaa gootogcato 2520 aatgctgacg gagatatttc tcctgcaaca agcacaggga atgccggagc cggggtgggg 2580 aaggatcacc gattcacacc agtggaacac cttgctaagt ttgcataacg cgcaatttta 2640 tttgctacaa cgcacgccag aggttgcccg cagccgcgcc accccgttat tagatttgat 2700

caagacagcg ttgacgcccc atccaccgca aaaacaggcg tatggtgta cattacccac 2760 ttcagtgctg tttatcgccg gacacgatac taatctggca aatctcggcg gcgcactgga 2820 gctcaactgg acgcttcccg gtcagccgga taacacgccg ccaggtggtg aactggtgtt 2880 tgaacgetgg cgtcggctaa gcgataacag ccagtggatt caggtttcgc tggtcttcca 2940 gactttacag cagatgcgtg ataaaacgcc gctgtcatta aatacgccgc ccggagaggt 3000 gaaactgacc ctggcaggat gtgaagagcg aaatgcgcag ggcatgtgtt cgttggcagg 3060 ttttacgcaa atcgtgaatg aagcacgcat acccgcttgc agtttgtaag gtataaggca 3120 gttattggtg cccttaaacg cctggtgcta cgcctgaata agtgataata agcggatgaa 3180 tggcagaaat tcgccggatc tttgtgaagg aaccttactt ctgtggtgtg acataattgg 3240 acaaactacc tacagagatt taaagctcta aggtaaatat aaaattttta agtgtataat 3300 gtgttaaact actgattcta attgtttgtg tattttagat tccaacctat ggaactgatg 3360 aatgggagca gtggtggaat gcctttaatg aggaaaacct gttttgctca gaagaaatgc 3420 catctagtga tgatgaggct actgctgact ctcaacattc tactcctcca aaaaagaaga 3480 gaaaggtaga agaccccaag gactttcctt cagaattgct aagttttttg agtcatgctg 3540 tgtttagtaa tagaactctt gcttgctttg ctatttacac cacaaaggaa aaagctgcac 3600 tgctatacaa gaaaattatg gaaaaatatt ctgtaacctt tataagtagg cataacagtt 3660 ataatcataa catactgttt tttcttactc cacacaggca tagagtgtct gctattaata 3720 actatgctca aaaattgtgt acctttagct ttttaatttg taaaggggtt aataaggaat 3780 atttgatgta tagtgccttg actagagatc ataatcagcc ataccacatt tgtagaggtt 3840 ttacttgctt taaaaaacct cccacacctc cccctgaacc tgaaacataa aatgaatgca 3900 attgttgttg ttaacttgtt tattgcagct tataatggtt acaaataaag caatagcatc 3960 acaaatttca caaataaagc atttttttca ctgcattcta gttgtggttt gtccaaactc 4020 atcaatgtat cttatcatgt ctggatcgat ccccgggtac cgagctcgaa ttcgtaatca 4080 tggtcatagc tgtttcctgt gtgaaattgt tatccgctca caattccaca caacatacga 4140 gccggaagca taaagtgtaa agcctggggt gcctaatgag tgagctaact cacattaatt 4200 gegttgeget cactgeeege tttecagteg ggaaacetgt egtgeeaget geattaatga 4260 ateggecaac gegegggag aggeggtttg egtattggge getetteege tteetegete 4320 actgactege tgegeteggt egtteggetg eggegagegg tateagetea etcaaaggeg 4380 gtaatacggt tatccacaga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 4440 cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 4500 ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 4560 ctataaagat accaggegtt teeceetgga ageteeeteg tgegetetee tgtteegaee 4620 ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcaa 4680 tgctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct gggctgtgtg 4740 cacgaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc 4800 aacceggtaa gacacgactt ategecactg geageageca etggtaacag gattageaga 4860 gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact 4920 agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 4980 ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 5040 cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 5100 tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag attatcaaaa 5160 aggatettea cetagateet tttaaattaa aaatgaagtt ttaaateaat etaaagtata 5220 tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 5280 atotgtotat ttogttoato catagttgco tgactocoog togtgtagat aactaogata 5340 egggaggget taccatetgg ecceagtget geaatgatac egegagacee aegeteaeeg 5400 gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag aagtggtcct 5460 gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag agtaagtagt 5520 tegecagtta atagtttgeg caaegttgtt gecattgeta caggeategt ggtgteaege 5580

tegtegtitg gtatggette atteagetee ggtteecaac gateaaggeg agttacatga 5640 tececcatgt tgtgcaaaaa ageggttage teetteggte eteegategt tgtcagaagt 5700 aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc 5760 atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 5820 tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca 5880 catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg aaaactctca 5940 aggatettae egetgttgag atecagtteg atgtaaceca etegtgeace caactgatet 6000 tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 6060 gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cctttttcaa 6120 tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 6180 tagaaaaata aacaaatagg ggttccgcgc acatttcccc gaaaagtgcc acctgacgtc 6240 taagaaacca ttattatcat gacattaacc tataaaaata ggcgtatcac gaggcccttt 6300 cgtctcgcgc gtttcggtga tgacggtgaa aacctctgac acatgcagct cccggagacg 6360 gtcacagett gtctgtaage ggatgeeggg ageagacaag eeegtcaggg egegtcageg 6420 ggtgttggcg ggtgtcgggg ctggcttaac tatgcggcat cagagcagat tgtactgaga 6480 gtgcaccata tgcggtgtga aataccgcac agatgcgtaa ggagaaaata ccgcatcagg 6540 cgccattcgc cattcaggct gcgcaactgt tgggaagggc gatcggtgcg ggcctcttcg 6600 ctattacgcc agctggcgaa agggggatgt gctgcaaggc gattaagttg ggtaacgcca 6660 gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagctt 6708

<210> 3
<211> 4060
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: R15/APPA + intron transgene

#### <400> 3

ggatcccctt tqctatqtaq tttttaatgg aaattacaac ccatagtgtg ttgataaata 60 gagagtectg tttqqtttaa qeaacetetg ttteteataa aetecataaa aacaggaata 120 ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180 ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240 catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300 tggaaaagac atgacaacat tcacaggcac tgcacagaac atagtggtcc accttgcaca 360 tatttcacta aactaggttt atctattttg ttgctttctc taacatctct gcaatgaagc 420 aggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480 tatcctggtt agagagtgct taaaataagt tttccaagaa tggaaaagaa atgttctgac 540 ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatattt 600 tgggaagaaa ccatttggtg aacaatattt caaataaaaa tagacaaaca tagttaattg 660 taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720 gattctcttt gggtggctgc aaattgtcca cgaataagac aaaatataaa aataaggact 780 gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840 cacaaattaa agaaaacctg tggtgaatga catcctgagg cctgagctat tactgacatt 900 taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960 ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020

						1000
					cagattcctt	
					gattttattg	
					ttcaagagaa	
					attgaaattt	
					agaagtgaca	
					tggaaataat	
					cagtgataca	
					tcaatcaatt	
					tactctaatc	
					ccagctgggc	
					ataaaataat	
					cttgcttctt	
					ggaagctaaa	
					cgttaacccc	
					tgattgtcag	
					tcaccccaga	
					gtgagctaat	
					tggcgaaaaa	
					gtacccgtaa	
					tacataccca	
					tttgccaact	
					ttgctgactt	
					ttccgcaatc	
					aggcattacc	
					gcctcgcatc	
					cggggtgggg	
					cgcaatttta	
					tagatttgat	•
					cattacccac	
					gcgcactgga	
					aactggtgtt	
					tggtcttcca	
					ccggagaggt	
					cgttggcagg	
					gtataaggca	
					agcggatgaa	
					acataattgg	
					agtgtataat	
					ggaactgatg	
					gaagaaatgc	
					aaaaagaaga	
					agtcatgctg	
					aaagctgcac	
					cataacagtt	
					gctattaata	
					aataaggaat	
					tgtagaggtt	
ttacttgctt	taaaaaacct	cccacacctc	cccctgaacc	tgaaacataa	aatgaatgca	3900

:

attgttgttg ttaacttgtt tattgcagct tataatggtt acaaataaag caatagcatc 3960 acaaatttca caaataaagc attttttca ctgcattcta gttgtggttt gtccaaactc 4020 atcaatgtat cttatcatgt ctggatcgat ccccgggtac 4060

<210> 4
<211> 6116
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: R15/APPA
plasmid with pBLCAT3 vector

<400> 4 ggatcccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60 gagagtectg tttggtttaa geaacetetg ttteteataa aeteeataaa aacaggaata 120 ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180 ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240 catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300 tggaaaagac atgacaacat tcacaggcac tgcacagaac atagtggtcc accttgcaca 360 tatttcacta aactaggttt atctattttg ttgctttctc taacatctct gcaatgaagc 420 aggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480 tatcctggtt agagagtgct taaaataagt tttccaagaa tggaaaagaa atgttctgac 540 ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatattt 600 tgggaagaaa ccatttggtg aacaatattt caaataaaaa tagacaaaca tagttaattg 660 taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720 gattetettt gggtggetge aaattgteea egaataagae aaaatataaa aataaggaet 780 gagtotcaca aaatgaaaag gaaatatatt cagaaagaga atottgagag aatgtgttgt 840 cacaaattaa agaaaacctg tggtgaatga catcctgagg cctgagctat tactgacatt 900 taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960 ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020 tccatggacc tttgaaatat aaaatagtca agcaacttat caaggaatta cagattcctt 1080 gatactaaca caggtaaatc ccacacgtgt tttgagacta catttgctgg gattttattg 1140 atgtaatagg teacatgttt ttegggeeaa tgttgetgtt atteggttae tteaagagaa 1200 tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260 gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtcacac agaagtgaca 1320 gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380 tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtgataca 1440 cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500 gtatgtatca atatatgggc tattttctta cacatgattt tattcaaatt tactctaatc 1560 attgttgaac catttagaaa aggcatactg gcaacttttc cttacctcat ccagctgggc 1620 aaaagtccca gtgtggagta aaggatgcaa gatttcctgc tctgttaagt ataaaataat 1680 agtatgaatt caaaggtgcc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740 ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800 agcogocaco atgaaagcoa tottaatoco atttttatot ottotgatto ogttaacoco 1860 gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920 tegteatggt gtgcgtgete caaccaagge caegeaactg atgeaggatg teaececaga 1980

cgcatggcca	acctggccgg	taaaactggg	ttggctgaca	ccgcgcggtg	gtgagctaat	2040
cgcctatctc	ggacattacc	aacgccagcg	tctggtagcc	gacggattgc	tggcgaaaaa	2100
gggctgcccg	cagtctggtc	aggtcgcgat	tattgctgat	gtcgacgagc	gtacccgtaa	2160
aacaggcgaa	gccttcgccg	ccgggctggc	acctgactgt	gcaataaccg	tacataccca	2220
ggcagatacg	tccagtcccg	atccgttatt	taatcctcta	aaaactggcg	tttgccaact	2280
ggataacgcg	aacgtgactg	acgcgatcct	cagcagggca	ggagggtcaa	ttgctgactt	2340
taccgggcat	cggcaaacgg	cgtttcgcga	actggaacgg	gtgcttaatt	ttccgcaatc	2400
aaacttgtgc	cttaaacgtg	agaaacagga	cgaaagctgt	tcattaacgc	aggcattacc	2460
atcggaactc	aaggtgagcg	ccgacaatgt	ctcattaacc	ggtgcggtaa	gcctcgcatc	2520
aatgctgacg	gagatatttc	tcctgcaaca	agcacaggga	atgccggagc	cggggtgggg	2580
aaggatcacc	gattcacacc	agtggaacac	cttgctaagt	ttgcataacg	cgcaatttta	2640
tttgctacaa	cgcacgccag	aggttgcccg	cagccgcgcc	accccgttat	tagatttgat	2700
caagacagcg	ttgacgcccc	atccaccgca	aaaacaggcg	tatggtgtga	cattacccac	2760
ttcagtgctg	tttatcgccg	gacacgatac	taatctggca	aatctcggcg	gcgcactgga	2820
gctcaactgg	acgcttcccg	gtcagccgga	taacacgccg	ccaggtggtg	aactggtgtt	2880
tgaacgctgg	cgtcggctaa	gcgataacag	ccagtggatt	caggtttcgc	tggtcttcca	2940
gactttacag	cagatgcgtg	ataaaacgcc	gctgtcatta	aatacgccgc	ccggagaggt	3000
gaaactgacc	ctggcaggat	gtgaagagcg	aaatgcgcag	ggcatgtgtt	cgttggcagg	3060
ttttacgcaa	atcgtgaatg	aagcacgcat	acccgcttgc	agtttgtaag	gtataaggca	3120
gttattggtg	cccttaaacg	cctggtgcta	cgcctgaata	agtgataata	agcggatgaa	3180
tggcagaaat	tegeeggate	tttgtgaagg	aaccttactt	ctgtggtgtg	acataattgg	3240
acaaactacc	tacagagatt	taaaaaacct	cccacacctc	cccctgaacc	tgaaacataa	3300
aatgaatgca	attgttgttg	ttaacttgtt	tattgcagct	tataatggtt	acaaataaag	3360
caatagcatc	acaaatttca	caaataaagc	attttttca	ctgcattcta	gttgtggttt	3420
gtccaaactc	atcaatgtat	cttatcatgt	ctggatcgat	ccccgggtac	cgagctcgaa	3480
ttcgtaatca	tggtcatagc	tgtttcctgt	gtgaaattgt	tatccgctca	caattccaca	3540
caacatacga	gccggaagca	taaagtgtaa	agcctggggt	gcctaatgag	tgagctaact	3600
cacattaatt	gcgttgcgct	cactgcccgc	tttccagtcg	ggaaacctgt	cgtgccagct	3660
gcattaatga	atcggccaac	gcgcggggag	aggcggtttg	cgtattgggc	gctcttccgc	3720
ttcctcgctc	actgactcgc	tgcgctcggt	cgttcggctg	cggcgagcgg	tatcagctca	3780
ctcaaaggcg	gtaatacggt	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	3840
agcaaaaggc	cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	3900
taggctccgc	cccctgacg	agcatcacaa	aaatcgacgc	tcaagtcaga	ggtggcgaaa	3960
cccgacagga	ctataaagat	accaggcgtt	tccccctgga	agctccctcg	tgcgctctcc	4020
tgttccgacc	ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcgtggc	4080
gctttctcaa	tgctcacgct	gtaggtatct	cagttcggtg	taggtcgttc	gctccaagct	4140
gggctgtgtg	cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	4200
tcttgagtcc	aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	4260
gattagcaga	gcgaggtatg	taggcggtgc	tacagagttc	ttgaagtggt	ggcctaacta	4320
cggctacact	agaaggacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	4380
aaaaagagtt	ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggttttt	4440
tgtttgcaag	cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	4500
ttctacgggg	tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	4560
attatcaaaa	aggatcttca	cctagatcct	tttaaattaa	aaatgaagtt	ttaaatcaat	4620
ctaaagtata	tatgagtaaa	cttggtctga	cagttaccaa	tgcttaatca	gtgaggcacc	4680
tatctcagcg	atctgtctat	ttcgttcatc	catagttgcc	tgactccccg	tcgtgtagat	4740
	cgggagggct					
acgctcaccg	gctccagatt	tatcagcaat	aaaccagcca	gccggaaggg	ccgagcgcag	4860

```
aagtggtcct gcaactttat ccgcctccat ccagtctatt aattgttgcc gggaagctag 4920
agtaagtagt tcgccagtta atagtttgcg caacgttgtt gccattgcta caggcatcgt 4980
ggtgtcacgc tcgtcgtttg gtatggcttc attcagctcc ggttcccaac gatcaaggcg 5040
agttacatga teccecatgt tgtgcaaaaa ageggttage teetteggte eteegategt 5100
tgtcagaagt aagttggccg cagtgttatc actcatggtt atggcagcac tgcataattc 5160
tettactgte atgecateeg taagatgett ttetgtgaet ggtgagtaet caaccaagte 5220
attetgagaa tagtgtatge ggegacegag ttgetettge eeggegteaa taegggataa 5280
taccgcgcca catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg 5340
aaaactctca aggatcttac cgctgttgag atccagttcg atgtaaccca ctcgtgcacc 5400
caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag 5460
gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt 5520
cctttttcaa tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt 5580
tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc acatttcccc gaaaagtgcc 5640
acctgacgtc taagaaacca ttattatcat gacattaacc tataaaaata ggcgtatcac 5700
gaggcccttt cgtctcgcgc gtttcggtga tgacggtgaa aacctctgac acatgcagct 5760
cccggagacg gtcacagctt gtctgtaagc ggatgccggg agcagacaag cccgtcaggg 5820
cgcgtcageg ggtgttggcg ggtgtcgggg ctggcttaac tatgcggcat cagagcagat 5880
tgtactgaga gtgcaccata tgcggtgtga aataccgcac agatgcgtaa ggagaaaata 5940
ccgcatcagg cgccattcgc cattcaggct gcgcaactgt tgggaagggc gatcggtgcg 6000
ggcctcttcg ctattacgcc agctggcgaa agggggatgt gctgcaaggc gattaagttg 6060
ggtaacgcca gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagc
                                                                  6116
```

<211> 3470
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: R15/APPA

<210> 5

transgene

<400> 5 ggatcccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60 gagagteetg tttggtttaa geaacetetg ttteteataa aetecataaa aacaggaata 120 ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180 ataggtetaa taacceegaa aatattaeca tgataetgag catttgtaag tateteatag 240 catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300 tggaaaagac atgacaacat tcacaggcac tgcacagaac atagtggtcc accttgcaca 360 tatttcacta aactaggttt atctattttg ttgctttctc taacatctct gcaatgaagc 420 aggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480 tatcctggtt agagagtgct taaaataagt tttccaagaa tggaaaagaa atgttctgac 540 ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatattt 600 tgggaagaaa ccatttggtg aacaatattt caaataaaaa tagacaaaca tagttaattg 660 taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720 gattetettt gggtggetge aaattgteea egaataagae aaaatataaa aataaggaet 780 gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840 cacaaattaa agaaaacctg tggtgaatga catcctgagg cctgagctat tactgacatt 900

•	taagataaag	gtaactgtat	acatttgtcc	cattgagggg	acaagaaagc	tgctctcatg	960
	ttcagctcta	taattcttgc	cttaaacaac	ttaaatagaa	tgatttaaaa	tatggagctg	1020
	tccatggacc	tttgaaatat	aaaatagtca	agcaacttat	caaggaatta	cagattcctt	1080
	gatactaaca	caggtaaatc	ccacacgtgt	tttgagacta	catttgctgg	gattttattg	1140
	atgtaatagg	tcacatgttt	ttcgggccaa	tgttgctgtt	attcggttac	ttcaagagaa	1200
	tagtggcaac	tgatgctatg	tattctaggg	gtttgaagtg	atgtttcatg	attgaaattt	1260
	gtaaaagaat	aacatcatca	ttcttaacaa	tagaacatat	aaagtcacac	agaagtgaca	1320
	gtgtttaagc	tgtactattg	atcaaagaaa	tttattacct	tcagtttcaa	tggaaataat	1380
	tactgataat	acaaacatgt	gtgaacacac	actaatccta	tccaaatgca	cagtgataca	1440
	cagaaaatat	tagcaagtag	aatgcaatat	ttatataacg	attgtattta	tcaatcaatt	1500
	gtatgtatca	atatatgggc	tattttctta	cacatgattt	tattcaaatt	tactctaatc	1560
	attgttgaac	catttagaaa	aggcatactg	gcaacttttc	cttacctcat	ccagctgggc	1620
	aaaagtccca	gtgtggagta	aaggatgcaa	gatttcctgc	tctgttaagt	ataaaataat	1680
	agtatgaatt	caaaggtgcc	attcttctgc	ttctagttat	aaaggcagtg	cttgcttctt	1740
	ccagcacaga	tctggatctc	gaggagcttg	gcgagatttt	caggagctaa	ggaagctaaa	1800
	agccgccacc	atgaaagcca	tcttaatccc	atttttatct	cttctgattc	cgttaacccc	1860
	gcaatctgca	ttcgctcaga	gtgagccgga	gctgaagctg	gaaagtgtgg	tgattgtcag	1920
	tcgtcatggt	gtgcgtgctc	caaccaaggc	cacgcaactg	atgcaggatg	tcaccccaga	1980
	cgcatggcca	acctggccgg	taaaactggg	ttggctgaca	ccgcgcggtg	gtgagctaat	2040
	cgcctatctc	ggacattacc	aacgccagcg	tctggtagcc	gacggattgc	tggcgaaaaa	2100
	gggctgcccg	cagtctggtc	aggtcgcgat	tattgctgat	gtcgacgagc	gtacccgtaa	2160
	aacaggcgaa	gccttcgccg	ccgggctggc	acctgactgt	gcaataaccg	tacataccca	2220
	ggcagatacg	tccagtcccg	atccgttatt	taatcctcta	aaaactggcg	tttgccaact	2280
	ggataacgcg	aacgtgactg	acgcgatcct	cagcagggca	ggagggtcaa	ttgctgactt	2340
	taccgggcat	cggcaaacgg	cgtttcgcga	actggaacgg	gtgcttaatt	ttccgcaatc	2400
	aaacttgtgc	cttaaacgtg	agaaacagga	cgaaagctgt	tcattaacgc	aggcattacc	2460
	atcggaactc	aaggtgagcg	ccgacaatgt	ctcattaacc	ggtgcggtaa	gcctcgcatc	2520
	aatgctgacg	gagatatttc	tcctgcaaca	agcacaggga	atgccggagc	cggggtgggg	2580
	aaggatcacc	gattcacacc	agtggaacac	cttgctaagt	ttgcataacg	cgcaatttta	2640
	tttgctacaa	cgcacgccag	aggttgcccg	cagccgcgcc	accccgttat	tagatttgat	2700
	caagacagcg	ttgacgcccc	atccaccgca	aaaacaggcg	tatggtgtga	cattacccac	2760
	ttcagtgctg	tttatcgccg	gacacgatac	taatctggca	aatctcggcg	gcgcactgga	2820
	gctcaactgg	acgcttcccg	gtcagccgga	taacacgccg	ccaggtggtg	aactggtgtt	2880
	tgaacgctgg	cgtcggctaa	gcgataacag	ccagtggatt	caggtttcgc	tggtcttcca	2940
	gactttacag	cagatgcgtg	ataaaacgcc	gctgtcatta	aatacgccgc	ccggagaggt	3000
	gaaactgacc	ctggcaggat	gtgaagagcg	aaatgcgcag	ggcatgtgtt	cgttggcagg	3060
	ttttacgcaa	atcgtgaatg	aagcacgcat	acccgcttgc	agtttgtaag	gtataaggca	3120
	gttattggtg	cccttaaacg	cctggtgcta	cgcctgaata	agtgataata	agcggatgaa	3180
	tggcagaaat	tcgccggatc	tttgtgaagg	aaccttactt	ctgtggtgtg	acataattgg	3240
	acaaactacc	tacagagatt	taaaaaacct	cccacacctc	cccctgaacc	tgaaacataa	3300
	aatgaatgca	attgttgttg	ttaacttgtt	tattgcagct	tataatggtt	acaaataaag	3360
	caatagcatc	acaaatttca	caaataaagc	attttttca	ctgcattcta	gttgtggttt	3420
	gtccaaactc	atcaatgtat	cttatcatgt	ctggatcgat	ccccgggtac		3470

<210> 6

<211> 5421

<212> DNA

#### <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: SV40/APPA +
 intron plasmid

<400> 6 cgagattttc aggagctaag gaagctaaaa gccgccacca tgaaagccat cttaatccca 60 tttttatctc ttctgattcc gttaaccccg caatctgcat tcgctcagag tgagccggag 120 ctgaagctgg aaagtgtggt gattgtcagt cgtcatggtg tgcgtgctcc aaccaaggcc 180 acgcaactga tgcaggatgt caccccagac gcatggccaa cctggccggt aaaactgggt 240 tggctgacac cgcgnggtgg tgagctaatc gcctatctcg gacattacca acgccagcgt 300 ctggtagccg acggattgct ggcgaaaaag ggctgcccgc agtctggtca ggtcgcgatt 360 attgctgatg tcgacgagcg tacccgtaaa acaggcgaag ccttcgccgc cgggctggca 420 cctgactgtg caataaccgt acatacccag gcagatacgt ccagtcccga tccgttattt 480 aatcctctaa aaactggcgt ttgccaactg gataacgcga acgtgactga cgcgatcctc 540 agcagggcag gagggtcaat tgctgacttt accgggcatc ggcaaacggc gtttcgcgaa 600 ctggaacggg tgcttaattt tccgcaatca aacttgtgcc ttaaacgtga gaaacaggac 660 gaaagctgtt cattaacgca ggcattacca tcggaactca aggtgagcgc cgacaatgtc 720 tcattaaccg gtgcggtaag cctcgcatca atgctgacgg agatatttct cctgcaacaa 780 gcacagggaa tgccggagcc ggggtgggga aggatcaccg attcacacca gtggaacacc 840 ttgctaagtt tgcataacgc gcaattttat ttgctacaac gcacgccaga ggttgcccgc 900 agccgcgcca ccccgttatt agatttgatc aagacagcgt tgacgcccca ccaccgcaaa 960 aacaggcgta tggtgtgaca ttacccactt cagtgctgtt tatcgccgga cacgatacta 1020 atctggcaaa tctcggcggc gcactggagc tcaactggac gcttcccggt cagccggata 1080 acacgccgcc aggtggtgaa ctggtgtttg aacgctggcg tcggctaagc gataacagcc 1140 agtggattca ggtttcgctg gtcttccaga ctttacagca gatgcgtgat aaaacgccgc 1200 tgtcattaaa tacgccgccc ggagaggtga aactgaccct ggcaggatgt gaagagcgaa 1260 atgegeaggg catgtgtteg ttggeaggtt ttacgeaaat egtgaatgaa geaegeatae 1320 ccgcttgcag tttgtaaggc agttattggt gcccttaaac gcctggtgct acgcctgaat 1380 aagtgataat aagcggatga atggcagaaa ttcgccggat ctttgtgaag gaaccttact 1440 tctgtggtgt gacataattg gacaaactac ctacagagat ttaaagctct aaggtaaata 1500 taaaattttt aagtgtataa tgtgttaaac tactgattct aattgtttgt gtattttaga 1560 ttccaaccta tggaactgat gaatgggagc agtggtggaa tgcctttaat gaggaaaacc 1620 tgttttgctc agaagaaatg ccatctagtg atgatgaggc tactgctgac tctcaacatt 1680 ctactcctcc aaaaaagaag agaaaggtag aagaccccaa ggactttcct tcagaattgc 1740 taagtttttt gagtcatgct gtgtttagta atagaactct tgcttgcttt gctatttaca 1800 ccacaaagga aaaagctgca ctgctataca agaaaattat ggaaaaatat tctgtaacct 1860 ttataagtag gcataacagt tataatcata acatactgtt ttttcttact ccacacaggc 1920 atagagtgtc tgctattaat aactatgctc aaaaattgtg tacctttagc tttttaattt 1980 gtaaaggggt taataaggaa tatttgatgt atagtgcctt gactagagat cataatcagc 2040 cataccacat ttgtagaggt tttacttgct ttaaaaaaacc tcccacacct cccctgaac 2100 ctgaaacata aaatgaatgc aattgttgtt gttaacttgt ttattgcagc ttataatggt 2160 tacaaataaa gcaatagcat cacaaatttc acaaataaag cattttttc actgcattct 2220 agttgtggtt tgtccaaact catcaatgta tcttatcatg tctggatcga tccccgggta 2280 ccgagctcga attcgtaatc atggtcatag ctgtttcctg tgtgaaattg ttatccgctc 2340 acaattccac acaacatacg agccggaagc ataaagtgta aagcctgggg tgcctaatga 2400 gtgagetaac teacattaat tgegttgege teactgeeeg ettteeagte gggaaacetg 2460

tcgtgccagc	tgcattaatg	aatcggccaa	cgcgcgggga	gaggcggttt	gcgtattggg	2520
cgctcttccg	cttcctcgct	cactgactcg	ctgcgctcgg	tcgttcggct	gcggcgagcg	2580
gtatcagctc	actcaaaggc	ggtaatacgg	ttatccacag	aatcagggga	taacgcagga	2640
aagaacatgt	gagcaaaagg	ccagcaaaag	gccaggaacc	gtaaaaaggc	cgcgttgctg	2700
gcgtttttcc	ataggctccg	ccccctgac	gagcatcaca	aaaatcgacg	ctcaagtcag	2760
					aagctccctc	
					tctcccttcg	
					gtaggtcgtt	
_					cgccttatcc	
					ggcagcagcc	
					cttgaagtgg	
					gctgaagcca	
					cgctggtagc	
					tcaagaagat	
					ttaagggatt	
				_	aaaatgaagt	
	-		_		atgcttaatc	
	_			_		
					ctgactcccc tgcaatgata	
			_			
					agccggaagg	
					taattgttgc	
					tgccattgct	
					cggttcccaa	
					ctccttcggt	
					tatggcagca	
					tggtgagtac	
tcaaccaagt	cattctgaga	atagtgtatg	cggcgaccga	gttgctcttg	cccggcgtca	4080
atacgggata	ataccgcgcc	acatagcaga	actttaaaag	tgctcatcat	tggaaaacgt	4140
tcttcggggc	gaaaactctc	aaggatctta	ccgctgttga	gatccagttc	gatgtaaccc	4200
actcgtgcac	ccaactgatc	ttcagcatct	tttactttca	ccagcgtttc	tgggtgagca	4260
aaaacaggaa	ggcaaaatgc	cgcaaaaaag	ggaataaggg	cgacacggaa	atgttgaata	4320
ctcatactct	tcctttttca	atattattga	agcatttatc	agggttattg	tctcatgagc	4380
ggatacatat	ttgaatgtat	ttagaaaaat	aaacaaatag	gggttccgcg	cacatttccc	4440
cgaaaagtgc	cacctgacgt	ctaagaaacc	attattatca	tgacattaac	ctataaaaat	4500
aggcgtatca	cgaggccctt	tcgtctcgcg	cgtttcggtg	atgacggtga	aaacctctga	4560
cacatgcagc	tcccggagac	ggtcacagct	tgtctgtaag	cggatgccgg	gagcagacaa	4620
gcccgtcagg	gcgcgtcagc	gggtgttggc	gggtgtcggg	gctggcttaa	ctatgcggca	4680
tcagagcaga	ttgtactgag	agtgcaccat	atgcggtgtg	aaataccgca	cagatgcgta	4740
aggagaaaat	accgcatcag	gcgccattcg	ccattcaggc	tgcgcaactg	ttgggaaggg	4800
cgatcggtgc	gggcctcttc	gctattacgc	cagctggcga	aagggggatg	tgctgcaagg	4860
cgattaagtt	gggtaacgcc	agggttttcc	cagtcacgac	gttgtaaaac	gacggccagt	4920
					agcggataac	
					ccatggcctg	
					aaccagctgt	
					agaagtatgc	
					tccccagcag	
					cccctaactc	
					ggctgactaa	
2522000000	322200000		Juguedance		J500ua	

ttttttttat ttatgcagag gccgaggccg cctcggcctc tgagctattc cagaagtagt 5400 gaggaggctc gaggagcttg g 5421

<210> 7
<211> 17732
<212> DNA
<213> Artificial Sequence
:
<220>
<223> Description of Artificial Sequence: Lama2/APPA
transgene

<400> 7

tegagagtat etttgteage tgtgeeteea acaaaggggt aetgttgeee acatagaaag 60 atctaaacta attaattaat ccctcacceg caaatctttc agtcactaag ttagcacgat 120 tqttqaacaa qttctccaaa ggagagatac agatgagtgc gtatagggtg gacctggctg 180 ctgaggagac acctgcatct gactaagaag agccacggtg ttagttgaat ggtgtggagt 240 agggtggttc tgtgggacag tagaaaatcg agaggcatgt gccgtttagt gaactgatgg 300 aagctacccc aaacgacaga gattgtcagt caggccaatc cgtttcgagt ttgatgggca 360 gccggacagt gagacagaca cacctactca gttggaggaa ggatgagaac aatggccagc 420 agggattgag agaccetgae aggegeaagg cectaacaca cacacetace aceteacttg 480 acaaagetge caaagaccaa agacttgtte tecattagaa atgacagetg gettgacceg 540 acagcataat aagcagagtg tactctgatt ggagaacttt aatgtgtttc attcagtatt 600 ataaaaqqac aqtattacag attttgttgt acactgctgt tacatgtggg gcagtgtgtc 660 tttaagtagg gtaaagtact ctttaaaaaat gggtcctaga tattttttcc tttaactcaa 720 · gtctcttact gtttaaatga tttttatttt gtttaatatg gaggaaaaag aagcgtaaat 780 ggacaatata tatttagaga aagatggtta gctgtcagaa aaatatgcaa atcaaaatca 840 caccaagact gcagcacacc cctgtcagat ggctgtgatc aagaaaataa atgacaatga 900 cacactggag caaccactgt ggaaatcagt atgaatggtc ctcaaaaacc tgaagataga 1020 geggggegtg gtggcataca ettttattee cageactggg gaggcagagg caggtggate 1080 tctgagttcc aggccagcct ggtctatagc acaggttcta ggacagccag ggctacacag 1140 accaaaccaa accaaaccag accaaaccaa aacactgaag atagaacttc agtattccat 1260 tectagatat atacceaatg gagactaagt cagcaagaca cetgeacage catgtteact 1320 actacactgt tcaccacage caggetgtgg aaccageetg agtgtecatg ataaatgaat 1380 ggataggtaa ctttcaaggt aaatggactc tgctgtgtac atgcctcaca ttctgtttat 1440 tcatttttct ttatqaqqtq tccattcagg agtcacatgg tagttctatt ttcagtcttc 1500 tgaagatact acactggtcc ccacagttta cacttttatc agcagtgaat aagggttcct 1560 ctatecttac cateatttgt tgtaattttt ettgatgace etetttetga cagggatagg 1620 atgtaatatc agtgtgagga agtacaactt gttttctaag tatttattgg ccccttgcat 1680 ttcttctttt gaaaactgtc ggttcctgac atctgctcag gtattcattg gatgttgttt 1740 ctttggtgtt tgagttctta tgaattctag atgttaaatc cctgcctgtg gttctctccc 1800 attetgtagg etgeeteete accetggeaa ttgttgteet tgttttgcag aaacttttga 1860 cttcatggaa tctcatttgt cagttttccc tcctctgcta tagcctgagc taatgcactg 1920 gtttttacag agccctggtc tatgccttta tectectetg geagettegg agtttcattt 1980 cttacattta gatctttgat ccactttgaa caagttttgg agcagggtga gagatacgaa 2040

		tgtgatccta				
		gtgtcataaa				
		caggtcttgt				
atggctctgt	catacagtct	gaggtcaggt	attgtgatat	accttcagta	ttgctccctc	2280
		caggagtcat				
atgtagctgc	tactattctt	agttgataaa	tcaggaaact	ggggctcaga	gagattaact	2400
gtcttgaact	acttctgggg	aggtgaaacg	tggagacact	aaactgtgtt	taccctgtac	2460
tgctccagta	gctgtcgggt	gctgggctac	agcaaagcac	ctatactata	tattactcag	2520
gaggtggaaa	aactcagcct	cccttggggt	tcccaagctc	ccaggtgtcc	agtcactgct	2580
ggaaacctca	tggagtctga	aaggaagggt	tgagggtaca	tggggcagcg	atgaggagcc	2640
tggggctggg	atctcccaaa	cacctggata	tccagatgcc	actgggtcag	ggggagttgg	2700
gaacagagtt	gggatgtcca	tggacctgtg	acaaggccag	ggccaggggg	aggataactc	2760
tggctttact	aatttgcgaa	agtccttagc	ttagcagcag	ttgtctggga	gcacagaggg	2820
gccttctgta	agaggctcag	gcagtgccgc	tctgtaggcg	aaggtcttct	ccatgttccc	2880
catggtggtt	cttgatgaaa	gagacagtcc	ttggctccaa	actggtttat	tgattgttca	2940
ttgtggaaaa	tgggtgcaca	ccaccttctc	agggtggacc	agagatcaaa	taccttttgc	3000
agggaggaat	atctgggaag	ggacgcttac	tggctaaacc	ctcagggcct	ctagatacat	3060
cattagcatg	gagaactctg	ttctgggcta	catgaccaca	ggccacattt	ccacaagcca	3120
catgtgggaa	gtgtggcaca	tgttctaggc	caggaatctg	gtagggagcg	tggagccacc	3180
taccatccca	ggtgggtgcc	tgggtgccag	ggaccctgaa	cccgctcaac	cttaccaagt	3240
ttcctggcag	ggtccactgt	cctacacaga	agctggagga	ggtgtgaggg	ttgtgtcttt	3300
gtggaatgtc	ccatgctgct	tggggctcag	tttctccacc	tgtacctcat	tggtttgggt	3360
		attattctct				
agtccaggaa	ccacaccctg	aggttcctgc	actgaaggga	ctccctaagt	ctctggagtc	3480
		caaagtctag				
gtaagcagac	aacagcattt	gtttactcaa	ccttcttttg	tcagctccct	cttcataaac	3600
aagttgagac	accatgctgg	cttgaggaag	acttctaaag	ccagacaact	gtgcaaggaa	3660
gaagaagaag	gggcaagtgg	agttagcctg	gatgtagccc	tcaaagtctc	cagagaccag	3720
ccatgaaggc	tcaagtggag	ggcaagacct	gcagcagcca	agcatctggc	aggagaggat	3780
cctgggaacc	cctctaccat	gacacacatt	cttcctgcag	gtcacactta	ataggccatt	3840
tcttatttgg	atctatcatg	gtgttctgtg	cgagattaat	gaggtgttat	gctgcgaaca	3900
		tccccccc				
		atcagaaaca				
		gccttggaca				
tgggcagaga	ctccaaggtg	gggagagact	gatggtacaa	aagcaaaata	cttgtttggg	4140
ggtacaccca	ctcctctgcc	tgtgtggttc	ctgcagtcag	tcctgcagac	aggccctcag	4200
tgggtcttcc	atgggcaaca	cgcagaggga	ggcaatggat	gggaataccc	acaccctggt	4260
		ctctgctctt				
ctctgcagga	atcatatctt	catattggcc	cacaggtgtt	ctcctcaccc	tagctatgat	4380
		agcagggctg				
		tctaactact				
		accttgaagt				
		atttcctttg				
		tttggggttg				
		acataagagg				
		gccttgctct				
		gctgtcacta				
		gacatgtgct				
		- <del>-</del>	-			

agagttaggt tcacagaagg gagggtggga gatggatgct tgctgggttc tgggtctcat 4980 caccagetee tgaccacceg gteageceat gtgettatte catagettte ttttgetatg 5040 tttactcagt gtggtgtttg ttgggaccca gcagaagcca gtcccaggct gacagctgtg 5100 gatacacagg gcagcatgag ggtcctcagc ctgaagcagt caggctggca gaagagaaag 5160 accagcacac attectteaa ccaactatgt ettgaaaaac aaacatatta tateacatat 5220 attgcattta tgagacagct aaaatgtact cgggtagcat gactccaggt ggggatatct 5280 gcaagtgcca tgagtggcag agggacagcc aatgtgaggc aagaaggaat tctggctcaa 5340 cacagettag etecetggtg ttggtteaaa etttgagagt ttgaccacaa geaetttatt 5400 tttgacatat ttaaacagag cacaactttg ggaaaaagtt ttcttatgaa aattatcaca 5460 ataaagetta aggeatgaet acattaaaat geetttgeaa agtatatgtg eeetetteea 5520 caagaatggt totattgact gagaaataat gttcaggata aagatccagg aagaaaagat 5580 cagggataag taaaatacta aactcttttg caaagtacat agaccctctt tcataacaat 5640 gggttctatt gactgacaag cactgctcag gagttgggaa agagtctagc ataagcacga 5700 tagectggag actetagtga ggtetagtet tacagacage aaaaateace aggttacaaa 5760 ctacattcat ttccagtttt ctgatcaggc acaggtatga atcccttctg ttgaagagaa 5820 aagtccatgt gtttaaaata tctggtttct ccagtgctat tagcgagaag acttgagccc 5880 tatacaactc ccacctggag tgacatcctg tcttcatggt atattacata cctagacacg 5940 ctcatctcac agacttagga ctttgtcttc tgatctccat ttctgatccc acttccacct 6000 ttgccttgat agtgtcattt tettcactgc ettggtgaca accatgttat cetetgtgta 6060 tttgagtgtt accattttca gattttacct gtatgcaaga tcacacagtc tttgtctttc 6120 tgtctggatg catgctaatc tctacacaac aaccetteec egteacteag atetteetee 6180 attaacacat acatggtgct gaagaggcta gggagcttcc cttcagtggg gagctagctg 6240 gctattgggc ctttttgact gtccaggaag gcccccaatt gctgagacaa gaacttagat 6300 tetteattat tgaetetaae teatgtatea ageagaaget aatgaatagt tateaacagg 6360 atcagaggtt ccagtgtaag acactttgac atgaaagaac ggaggaagga cagatggatg 6420 cataaaagca ggaccactgc cccaggaagg tcctggaaac tgatgcaggg caaaggacag 6480 gttataaacc aaatcttagg gagtcaggaa gagcacagag gagctcaacc aactgaccac 6540 tgcttagggg ctaccaaccc aatcctccct gtgggaacag ctaagctatc agccaagggt 6600 aataaacagg caggacctgt ggatgacatg gagagcatag ggaccctggg tccagccttt 6660 agcacctgca ctctcaggat actccaccat tgtgtcttag agagcctagg gatactgggt 6720 ccagcctttg gtaccttcac tctcagggta ccccatcact gtgtcttgga gagcctaggc 6780 accetgggte cageetteag tacetgeget etcaggacae eccaecattg tetettgeee 6840 egtetettet teetetteet ecettteatt gtetettete tgtttettte ttgaetetee 6900 tttcccctca caccctcact ctagttctcc ccttccctct ctgcatcacc ctattctctc 6960 tgtggtccct ccactttcct ttatctctca tgcttctctc ctccctcaaa tacttgtcac 7020 ccactatact tcaggggcca gctctagtga caaagctgtt aatagcaaga ctctcagatc 7080 tccaacggct cagaggagcc agacccacca agaactctct ccaggtccaa tttcaggttc 7140 cttcgaaagc tttcagcaaa tgctcaggga acatgccact aacaagaaga tgcaaattcc 7200 agttgagagt gggaaaggcc cttgcgtagg tcccatcttc caggccaagg tcagaggggc 7260 tctgtgtaat ccggattgac agggctcaga acaatgtttt gtttttaagg tttatttatt 7320 ttaggtgtta gtgtctttgc ttgcatgacc ttatgtgcat catgtgtgtg caggttcctg 7380 atgacagtag aggagggctt tgaatccctg gggataggaa gttacaggaa attataagct 7440 gctttgtggg tcttctagct ttcccaacag aagtgaatgc tcttcaccac tgagccatct 7500 ctctaggccc aagagacatt gctttatgga tataattgtg tgtgtgtgtc aacattgagg 7560 aaagggaaat aaaaaaaaaa cttcagccgc taaggttgta cagtttcact aattgctact 7620 tttagttgtg ataaaatggc aggtgcttca acatttatat atacaaaaac ttccctgctg 7680 gtggttcaac tgtgagaact ggggtaagtg ggtgagttct ctttttctgt ctctgtctct 7740 gtetetetee ttecattett tettaaagga aataaacatt gcagetgggt tatageteat 7800

	caatatggaa	gttacagaag	tgaaaaaagg	cattgccttg	gtgggtggtg	ttaccagctg	7860
	atttttggtt	gtcctgcaag	gaggtctggg	gactggctgc	tctgtctctg	tctgtatgag	7920
	tgagggaagt	ctggggagca	gattccctaa	ccttcagcct	ggcctggttc	ctgagtgaac	7980
	ccagcctctc	tggtcctagt	agctttttcc	aaacaggaat	ctgagtggtg	acagggaaca	8040
	agtaccagcc	cattgcttaa	gtgccagggt	tagtgagggc	aggaagctgc	catagctggg	8100
						ttaatgcttc	
						cttttgtctc	
						tgctcattcc	
-						aacctctccc	
						ggagtgtccg	
						tctacacagg	
						gataacccca	
						cttccaagtc	
	_ =					gacacttgcc	
	=					gctgaggcag	
						atccccagtc	
						cttggctctg	
						agccagccaa	
						tgactacctt	
						ttaaggacag	
						ggcccaactt	
						ctgttatgct	
						tgactgaaac	
						gggagagctg	
						acagagtcaa	
						tacacaggcc	
						gtaggtcctc	
						gtctggcctc	
						atccaggggg	
						gagggacaa	
						cagtggccca	
						ttttctggct	
						agacacaata	
						ggtggaagga	
						tcagaaacct	
						caggcttatt	
	aaagaggtgt	atctaacctg	aatggcaagc	agacagcagg	caaatgtctg	tatcaacctc	10020
	taggaaggac	aagaactgct	cactgctgcc	ccccaggagg	ccatttgctg	aaacagctgc	10080
	tctcctgctg	gtgcacaggc	cctgccttct	cattgcagcc	acagcccctt	cctgtctgaa	10140
	cctcctgtca	ggtcactggg	aaacagatca	agatggaaca	ggacagctcc	tgatggtaaa	10200
	taaaaaacag	tggtcatggc	tattcatagg	ggtttatgct	tcttcagtcc	acactgtgaa	10260
	gagctgtggg	catgaaccac	agtgttcgag	gtagagttgg	ggttctgaaa	ttcacagtgg	10320
						tgctgcttct	
						gtctagttga	
	cctgagagtt	accagtttct	tatttgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	10500
						gtcagaggat	
						acatgggtcc	
						attttaccta	
	J- <b>J</b>	_					

gacaatggag	cctccatcag	agtattactt	tagctcctca	ccgatggcaa	tgcaccacct	10740
	ataggagttg					
tcagttactt	tatctggtaa	agttcatcag	agaatgaagc	cagtattaag	aacatggaat	10860
catttgggaa	cctggatcta	gcaatacccc	accctagatg	gagttgctga	gttttcacct	10920
cagattataa	ttccccccta	gcttctatgg	tttattctga	aaccagggga	actcgattcc	10980
tccctttgga	ccacagacat	cctggcttgt	gaattcacat	gtcatctact	gctaatccat	11040
tggtagtatg	tggctcacag	agacacacta	cagtcatggc	caatgtcaag	gtaggacaga	11100
tgtgaatcat	tcccccagtc	ctgctgtttt	catgactaac	cctcctcagc	acagtgacca	11160
tgaacctact	tttcccctcc	ttttatttt	agaattgctg	gaattttcta	ttttgagaaa	11220
taatagcctt	gggcagcatt	aaacaaaatc	atctagaaag	ctggtttaaa	atacagatgg	11280
ttgagtcagt	gaaagagtga	ggaatgtcat	tattggcccc	tcacagaggc	tggctcactc	11340
cagcagaggt	ggttgaagct	cttggacacg	ggtcaggtgc	ataggaaagg	tngtctggga	11400
cactgagaac	cacaattgaa	caaacagaac	tgttggcttt	tttttttta	aatgagttct	11460
caaaaaatga	ctggctagct	taggcaaata	cttcgagcca	acccaacaga	acattcttcc	11520
attgattcat	tctggatctt	ctttctagac	aatactgaac	tgaccccttg	ttggcagtct	11580
	aacatagggc					
	ctttgggttg					
	ccaggaaata					
	ggagatcgtg					
	agtgactcca					
	cagagggaag					
	atgacattgt					
	ttttattcat					
	tcaataatga					
	gagaaaggca					
	tagaaggtgt					
	ggcaaggcag					
	acacacattt					
	gctaagcaca					
	ttgtggctga					
	gcatatcccc					
	aggcaagcgt					
	ctctccattt					
	ccatttttat					
	gagctgaagc					
	gccacgcaac					
	ggttggctga					
	cgtctggtag					
	attattgctg					
	gcacctgact					
	tttaatcctc					
	ctcagcaggg					
	gaactggaac					
	gacgaaagct					
	gtctcattaa					
	caagcacagg					
	accttgctaa					
	cgcagccgcg					
-5-55-55	- 5 5 5 - 5	5 - 5				

ccatccaccg	caaaaacagg	cgtatggtgt	gacattaccc	acttcagtgc	tgtttatcgc	13620
cggacacgat	actaatctgg	caaatctcgg	cggcgcactg	gagctcaact	ggacgcttcc	13680
cggtcagccg	gataacacgc	cgccaggtgg	tgaactggtg	tttgaacgct	ggcgtcggct	13740
aagcgataac	agccagtgga	ttcaggtttc	gctggtcttc	cagactttac	agcagatgcg	13800
tgataaaacg	ccgctgtcat	taaatacgcc	gcccggagag	gtgaaactga	ccctggcagg	13860
atgtgaagag	cgaaatgcgc	agggcatgtg	ttcgttggca	ggttttacgc	aaatcgtgaa	13920
tgaagcacgc	atacccgctt	gcagtttgta	aggtacccgg	ggatcacaac	ttgccctctg	13980
aagaggaaga	acagaaggat	gccacaactc	tcctgctggc	tactctccag	tggtttcatc	14040
					ttctacctga	
gaccacccaa	aggaccctcc	caaattctct	tcctctctga	gtagtctcca	cacctgttac	14160
caccatccca	gaattaaaat	cctaactgca	ctctggcgtg	tgacttgcct	cagtccttgc	14220
aataagagtt	gttggcagtg	ccaggcgtgg	tggcgcacgc	ctttaattcc	agcacttggg	14280
					tgagttccag	
					aaaaaagtt	
					gaagctgtag	
					tagcagaaac	
					cagccagcta	
					aacagataga	
					ctcaagacct	
					agattagtct	
					ctttgtcata	
gaggctgcaa	ctaaagaggt	cttcttaata	cttcacaccc	tgatgccaaa	aggaagacac	14880
agaagttcac	agaggtgaag	tgattcatgt	aggacataca	gtgagcaagc	atcagggtcc	14940
ggattatctg	actctactct	aacttttatg	taaatgtgct	ttatgccatt	aacactgtca	15000
ttcctgtgct	tcagctctgg	gagactccca	agcactctta	ggcacaagcc	acaattaagg	15060
gactctgaca	ctctgcattg	attaattagc	atggtggtct	ctatgtttcc	agattcatga	15120
ttgtttcact	ttccatatag	gctatgaagg	gtgtgaggaa	attttttggg	gacagaattg	15180
gaggcaatcc	acctctctca	ggaagcctct	atctggaaaa	gcttacaact	cagggacagt	15240
aactgtaggc	ccagtccttg	gtgtccaaaa	tgggttttat	ggtttgaatc	tgcaaagcct	15300
tccatgtgct	caaaggtttg	aacatggagc	ctcctcctgg	taacactgta	ttggaggctt	15360
ttgagactgg	atgctctttg	gtcccatgtt	ttgctacatc	atctgtcaag	atatgaccca	15420
ggcatgctac	cagctaccac	agactatgcc	tctccagctt	tcatgttctc	cccaccatga	15480
tagacttgta	tctcctaaaa	atggaatcaa	agcaaacttt	tcctgcatta	agttttttt	15540
tttctgttaa	gtgtttggtc	acagggacaa	gaaaacactc	aatacagata	attagtacca	15600
gagttgaggt	tcattgctct	agcaagttgg	atcaaatttt	tagggctttg	gaactgattt	15660
ataagagaca	tgtagaagag	tctgaagctg	tgggctacag	aagtgtcacc	agtttttaag	15720
aatagtttaa	tacaccatgg	gaattgtgaa	aatcagaatg	ctcacacaaa	ggcagacagg	15780
aaaacgtgag	catgtggcgt	gtgagagggc	ataagaagga	acctaggggg	aaatgagcta	15840
gaagccattc	ggctacgtta	gggaacgtgt	gtggctgtgc	ttggcccatg	ccctggcaat	15900
ctgaatgagg	ccaaatttta	aaggagtgga	ctaactcgat	tgtcagagaa	aatatcaaga	15960
cagaccacca	ctcaggctat	gccgtgtttg	tgaccgacca	gctactctta	gccagctcta	16020
					tgaagtaagg	
					agtgacactt	
					acacacattt	
tagaactttg	ctcatggctg	taataaatag	ctagctagaa	atcatttcct	gaagaggtta	16260
gtctgagtta	cggttccagg	gcaaacattc	agtgatggca	aggaaggcat	tgcagtcagg	16320
agccaaaggt	cagctggtca	cattgcatca	agagtagaga	gtcagagtgt	gagtagaaag	16380
aggatacagg	ttataaaacc	tcactgtcca	ctctcagcaa	tccattttct	cctaaaaggc	16440

tttaccttct aaagatttta	gtcttcaaaa	ccagtaccag	tagcctggga	acaaaagttg	16500
aaacaaatga gcctttgtgg	ggcatttcac	acttaaaaca	gggcatcacc	taggaggagc	16560
cctgtgtgca gtaggaagtg	tggcctctgt	gtcaggaatg	ctcaggctaa	taaggggtcc	16620
tctatctgag ggaccctatg	aagattcaac	aagtagttgt	gagaattccc	tgtaaatgga	16680
tgctaccaat ttgacatttg	tagacctgct	attgtgtgct	tctttattgg	gctctcccat	16740
ctcccaactt tccaacccat	attccacatt	aatcccttcc	accaccatgc	aacactaggt	16800
aggagagaag gaaggttaga	agagaaagtg	ggtatagatc	tatttagact	acttcctgct	16860
gattaggggc aagtccaato	gtcattgtca	ggatacctcc	aaccagcaac	cagcaaacca	16920
gcaaatcaga aacagcaaaa	gcagccaaca	aggcagcact	aaccagcagg	attggggtcg	16980
gtagcgtggg agcagtcact	actggtcttc	tcatggcttt	ggcattaata	ctctctcaag	17040
aaattccgta atttttccc	caccacctga	aattccgtaa	ttttaaatgc	aaactatcta	17100
cagctggcaa aaatcacato	tctcctagag	cacaagacaa	atcatagtta	ctggctattt	17160
gcaatctgaa gcatctcaat	atcccacacc	tgggattaaa	acaaaaacat	attcacatca	17220
cataactgtt tttttttcc	aatttttat	taggtatttt	ctttatttac	atttcaaatg	17280
ctatcccgaa agtcccctat	accctcccac	ctccctgctc	ccctacacac	ccactcccac	17340
tttttgaccc tggagttccc	cggtactggg	gcatataaag	tttgcaagac	caaggggcct	17400
ctcttcccag tgatggccga	ctaagccatc	ttctgctaca	tatgcagata	gagacacgag	17460
ctctgggggt actagttagt	tcatattgtt	gttccaccta	tagggtcgca	gaccccttca	17520
gctccttggg tactttgtct	agctcctcca	ctgggggctc	tgtgttttat	ctaatagatg	17580
actgtgagca tccacttctg	tatttgacag	gcactggcct	agcgtcacat	gagccagcta	17640
tatcagggtc ctttcagcaa	aaccttgctg	gcatgtgcaa	tagtgtctgc	gtttggtggt	17700
tgattatggg atggatccac	tagttctaga	gc			17732

tonal Application No

PCT/CA 00/00430 A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A01K67/027 C12N9/16 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) AO1K C12N IPC 7 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) STRAND, EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, EMBASE C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. WO 97 48812 A (UNITED KINGDOM GOVERNMENT 1-69 Υ ; YANKE LINDSEY JAY (CA); CHENG KUO JOAN) 24 December 1997 (1997-12-24) page 18, line 27 - line 31 WO 99 17610 A (UNIV CALIFORNIA) 1-5,10, X 15 April 1999 (1999-04-15) 50-52,62 6-9 Υ page 7, line 12 - line 26 page 10, line 21 -page 11, line 22 Further documents are listed in the continuation of box C. Patent family members are listed in annex. X Special categories of cited documents: "T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the International search report 29 September 2000 13/10/2000 Authorized officer Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Sprinks, M

Fax: (+31-70) 340-3016

Inte Ional Application No PCT/CA 00/00430

		PC1/CA 00/00430
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SELINGER, L. B. (1) ET AL: "The rumen: A unique source of enzymes for enhancing livestock production."  ANAEROBE, (1996) VOL. 2, NO. 5, PP. 263-284.	21,22, 26,28, 29,50
Y	XP000940728 abstract	15,30, 39,40, 45,46, 48,49
	page 267, column 2 page 276, column 1 -page 277, column 1	
X	ZHANG J X ET AL: "Expression of a bacterial endo (1-4)-beta-glucanase gene in mammalian cells and post translational modification of the gene product" BIOCHIMICA ET BIOPHYSICA ACTA-MOLECULAR CELL RESEARCH, (27 JUN 1997) VOL. 1357, NO. 2, PP. 215-224. PUBLISHER: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS. ISSN: 0167-4889., XP000940605 abstract	50,62
Y	WO 99 08539 A (DIVERSA CORP) 25 February 1999 (1999-02-25)	11-20, 30,31, 36,37, 39-49, 53-61, 63-69
	Discloses a phytase - relevant for present SEQ ID NO:7 figure 1	
Y	DATABASE EMBL 'Online! ID: AF062078, 18 May 1998 (1998-05-18) DENNIS ET AL.: "Cloning vector p34S-Cm" XP002148835 Relevant for SEQ ID NO:4 abstract	56,63,65
Y	DATABASE EMBL 'Online! ID: MMPSPG, 3 November 1992 (1992-11-03) MIKKELSEN: "M. musculus Psp gene for parotid secretory protein" XP002148836 Relevant for SEQ ID NO:1,7 abstract	1-7, 10-14, 16-69
	-/	

Intr Yonal Application No PCT/CA 00/00430

C (C-=1	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	101704 00700430
C.(Continu		Relevant to claim No.
<b>Y</b>	DATABASE EMBL 'Online! ID: BLCAT3DNA, 26 February 1992 (1992-02-26) LUCKOW: "Plasmid pBLCAT3 gene for beta-lactamase and CAT gene for chloramphenicol acetyltransferase" XP002148837 Relevant for SEQ ID NO:2,6 abstract	47,56, 63,65
Y	DATABASE EMBL 'Online! ID: MMU73190, 4 November 1996 (1996-11-04) LAURSEN ET AL.: "Mus musculus positive acting regulatory region of the parotid secretory protein (PSP) gene" XP002148838 Relevant for SEQ ID NO:7 abstract	1-7, 10-14, 16-69
Υ	DATABASE EMBL 'Online! ID: CVCATBLA, 24 January 1992 (1992-01-24) BOSHART ET AL.: "Cloning vector pBLCAT6 encoding chloramphenicol acetyltransferase (CAT) and beta-lactamase (bla) genes" XP002148839 Relevant for SEQ ID NO:3,5 abstract	14,20, 31,36, 44,47, 57-61, 64-69
Y	DATABASE EMBL 'Online! ID: RNRP15, 12 May 1991 (1991-05-12) LIN ET AL.: "Rat salivary proline-rich protein (RP15) gene" XP002148840 Relevant for SEQ ID NO:3,5 abstract	1-5, 8-14, 16-69
Y	DATABASE EMBL 'Online! ID: ECAPPAA, 5 February 1991 (1991-02-05) DASSA ET AL.: "E. coli periplasmic phosphoanhydride phosphohydrolase (appA) gene" XP002148841 Encodes a phytase - relevant for present SEQ ID N0:3,5,7 abstract	11-20, 30,31, 36,37, 39-49, 53-61, 63-69

Information on patent family members

tntv Jonal Application No PCT/CA 00/00430

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9748812	Α	24-12-1997	US	5939303 A	17-08-1999
			US	5985605 A	16-11-1999
			AU	716845 B	09-03-2000
			AU	3021697 A	07-01-1998
			BR	9709793 A	11-01-2000
			CA	2257101 A	24-12-1997
			EP	0904385 A	31-03-1999
			: NO	985804 A	10-02-1999
			PL	330532 A	24-05-1999
WO 9917610	 А	15-04-1999	US	6004944 A	21-12-1999
NO 0027020	• •		AU	9668998 A	27-04-1999
			EP	1030557 A	30-08-2000
WO 9908539	 А	25-02-1999	US	5876997 A	02-03-1999
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	••		AU	8904498 A	08-03-1999
			EP	1003379 A	31-05-2000
			ŪS	6110719 A	29-08-2000

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ other:

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.